

Michy P Kelly

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3226284/publications.pdf>

Version: 2024-02-01

37
papers

1,916
citations

279487

23
h-index

414034

32
g-index

40
all docs

40
docs citations

40
times ranked

2460
citing authors

#	ARTICLE	IF	CITATIONS
1	Phosphodiesterase 10A Inhibitor Activity in Preclinical Models of the Positive, Cognitive, and Negative Symptoms of Schizophrenia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 331, 574-590.	1.3	261
2	Therapeutic targeting of 3 β ,5 β -cyclic nucleotide phosphodiesterases: inhibition and beyond. <i>Nature Reviews Drug Discovery</i> , 2019, 18, 770-796.	21.5	205
3	Rolipram: A specific phosphodiesterase 4 inhibitor with potential antipsychotic activity. <i>Neuroscience</i> , 2007, 144, 239-246.	1.1	151
4	The psychiatric disease risk factors DISC1 and TNK1 interact to regulate synapse composition and function. <i>Molecular Psychiatry</i> , 2011, 16, 1006-1023.	4.1	124
5	Cyclic nucleotide signaling changes associated with normal aging and age-related diseases of the brain. <i>Cellular Signalling</i> , 2018, 42, 281-291.	1.7	124
6	Select 3 β ,5 β -cyclic nucleotide phosphodiesterases exhibit altered expression in the aged rodent brain. <i>Cellular Signalling</i> , 2014, 26, 383-397.	1.7	114
7	Acquisition of a novel behavior induces higher levels of Arc mRNA than does overtrained performance. <i>Neuroscience</i> , 2002, 110, 617-626.	1.1	106
8	Phosphodiesterase 11A in brain is enriched in ventral hippocampus and deletion causes psychiatric disease-related phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 8457-8462.	3.3	78
9	Constitutive Activation of G β s within Forebrain Neurons Causes Deficits in Sensorimotor Gating Because of PKA-Dependent Decreases in cAMP. <i>Neuropsychopharmacology</i> , 2007, 32, 577-588.	2.8	62
10	Developmental etiology for neuroanatomical and cognitive deficits in mice overexpressing G β s, a G-protein subunit genetically linked to schizophrenia. <i>Molecular Psychiatry</i> , 2009, 14, 398-415.	4.1	59
11	The distribution of phosphodiesterase 2A in the rat brain. <i>Neuroscience</i> , 2012, 226, 145-155.	1.1	55
12	A homozygous loss-of-function mutation in PDE2A associated to early-onset hereditary chorea. <i>Movement Disorders</i> , 2018, 33, 482-488.	2.2	52
13	Phosphodiesterase 11A (PDE11A), Enriched in Ventral Hippocampus Neurons, is Required for Consolidation of Social but not Nonsocial Memories in Mice. <i>Neuropsychopharmacology</i> , 2016, 41, 2920-2931.	2.8	44
14	PDE11A regulates social behaviors and is a key mechanism by which social experience sculpts the brain. <i>Neuroscience</i> , 2016, 335, 151-169.	1.1	43
15	Transcriptional regulation of neurodevelopmental and metabolic pathways by NPAS3. <i>Molecular Psychiatry</i> , 2012, 17, 267-279.	4.1	41
16	Chronically increased Gs β signaling disrupts associative and spatial learning. <i>Learning and Memory</i> , 2006, 13, 745-752.	0.5	35
17	Constitutive activation of the G-protein subunit G β s within forebrain neurons causes PKA-dependent alterations in fear conditioning and cortical Arc mRNA expression. <i>Learning and Memory</i> , 2008, 15, 75-83.	0.5	35
18	Aging triggers an upregulation of a multitude of cytokines in the male and especially the female rodent hippocampus but more discrete changes in other brain regions. <i>Journal of Neuroinflammation</i> , 2021, 18, 219.	3.1	35

#	ARTICLE	IF	CITATIONS
19	Sensorimotor Gating Deficits in Transgenic Mice Expressing a Constitutively Active Form of Gs $\hat{\pm}$. <i>Neuropsychopharmacology</i> , 2004, 29, 494-501.	2.8	33
20	Does Phosphodiesterase 11A (PDE11A) Hold Promise as a Future Therapeutic Target?. <i>Current Pharmaceutical Design</i> , 2014, 21, 389-416.	0.9	32
21	Chronic G $\hat{\pm}$ s Signaling in the Striatum Increases Anxiety-Related Behaviors Independent of Developmental Effects. <i>Journal of Neuroscience</i> , 2008, 28, 13952-13956.	1.7	30
22	Identification of new PDE9A isoforms and how their expression and subcellular compartmentalization in the brain change across the life span. <i>Neurobiology of Aging</i> , 2018, 65, 217-234.	1.5	30
23	Differential function of phosphodiesterase families in the brain: gaining insights through the use of genetically modified animals. <i>Progress in Brain Research</i> , 2009, 179, 67-73.	0.9	26
24	The supra-additive hyperactivity caused by an amphetamine-chlordiazepoxide mixture exhibits an inverted-U dose response: Negative implications for the use of a model in screening for mood stabilizers. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 92, 649-654.	1.3	24
25	Loss of Function of Phosphodiesterase 11A4 Shows that Recent and Remote Long-Term Memories Can Be Uncoupled. <i>Current Biology</i> , 2019, 29, 2307-2321.e5.	1.8	24
26	A Role for Phosphodiesterase 11A (PDE11A) in the Formation of Social Memories and the Stabilization of Mood. <i>Advances in Neurobiology</i> , 2017, 17, 201-230.	1.3	19
27	Phosphodiesterases PDE2A and PDE10A both change mRNA expression in the human brain with age, but only PDE2A changes in a region-specific manner with psychiatric disease. <i>Cellular Signalling</i> , 2020, 70, 109592.	1.7	19
28	Mice expressing constitutively active Gs $\hat{\pm}$ exhibit stimulus encoding deficits similar to those observed in schizophrenia patients. <i>Neuroscience</i> , 2006, 141, 1257-1264.	1.1	18
29	A genetic basis for friendship? Homophily for membrane-associated PDE11A-cAMP-CREB signaling in CA1 of hippocampus dictates mutual social preference in male and female mice. <i>Molecular Psychiatry</i> , 2021, 26, 7107-7117.	4.1	9
30	The Role of PDE11A4 in Social Isolation-Induced Changes in Intracellular Signaling and Neuroinflammation. <i>Frontiers in Pharmacology</i> , 2021, 12, 749628.	1.6	9
31	PDE11A. , 2018, , 3804-3826.		7
32	Genetic manipulation of cyclic nucleotide signaling during hippocampal neuroplasticity and memory formation. <i>Progress in Neurobiology</i> , 2020, 190, 101799.	2.8	3
33	Alterations in cyclic nucleotide signaling are implicated in healthy aging and age-related pathologies of the brain. <i>Vitamins and Hormones</i> , 2021, 115, 265-316.	0.7	1
34	PDE11A. , 2016, , 1-23.		1
35	How 3 $\hat{\pm}$,5 $\hat{\pm}$ -cyclic nucleotide phosphodiesterases change in the brain with normal aging and dementia. , 2021, , 109-117.		0
36	PDE11A negatively regulates lithium responsivity in mice possibly due to an interaction with AKT/PKB (1144.8). <i>FASEB Journal</i> , 2014, 28, 1144.8.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Enhanced Remote Long-Term Social Memory Despite an Absence of Any Recent Long-Term Memory for That Same Event. SSRN Electronic Journal, 0, , .	0.4	0