Mara Jess Lagarda

List of Publications by Citations

Source: https://exaly.com/author-pdf/3226597/maria-jesus-lagarda-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 2,203 27 42 g-index

85 2,506 5.1 4.67 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
84	Analysis of phytosterols in foods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1486-96	3.5	217
83	The harmonized INFOGEST in vitro digestion method: From knowledge to action. <i>Food Research International</i> , 2016 , 88, 217-225	7	132
82	Bioaccessibility of tocopherols, carotenoids, and ascorbic acid from milk- and soy-based fruit beverages: influence of food matrix and processing. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 7282-90	5.7	98
81	Bioavailability of calcium from milk-based formulas and fruit juices containing milk and cereals estimated by in vitro methods (solubility, dialyzability, and uptake and transport by caco-2 cells). <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 3721-6	5.7	62
80	Addition of milk fat globule membrane as an ingredient of infant formulas for resembling the polar lipids of human milk. <i>International Dairy Journal</i> , 2016 , 61, 228-238	3.5	58
79	Determination of sialic acid and gangliosides in biological samples and dairy products: a review. Journal of Pharmaceutical and Biomedical Analysis, 2010 , 51, 346-57	3.5	55
78	Effect of processing and food matrix on calcium and phosphorous bioavailability from milk-based fruit beverages in Caco-2 cells. <i>Food Research International</i> , 2011 , 44, 3030-3038	7	49
77	Stability of plant sterols in ingredients used in functional foods. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 3624-31	5.7	47
76	Influence of storage and in vitro gastrointestinal digestion on total antioxidant capacity of fruit beverages. <i>Journal of Food Composition and Analysis</i> , 2011 , 24, 87-94	4.1	46
75	A headspace solid-phase microextraction method of use in monitoring hexanal and pentane during storage: Application to liquid infant foods and powdered infant formulas. <i>Food Chemistry</i> , 2007 , 101, 1078-1086	8.5	46
74	Sterol stability in functional fruit beverages enriched with different plant sterol sources. <i>Food Research International</i> , 2012 , 48, 265-270	7	44
73	Fortification of milk with calcium: effect on calcium bioavailability and interactions with iron and zinc. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 4901-6	5.7	43
7 ²	Copper, iron and zinc determinations in human milk using FAAS with microwave digestion. <i>Food Chemistry</i> , 2000 , 68, 95-99	8.5	43
71	Effects of legume processing on calcium, iron and zinc contents and dialysabilities. <i>Journal of the Science of Food and Agriculture</i> , 2001 , 81, 1180-1185	4.3	42
70	Methylmercury and inorganic mercury determination in fish by cold vapour generation atomic absorption spectrometry. <i>Food Chemistry</i> , 2000 , 71, 529-533	8.5	42
69	Whole blood selenium content in pregnant women. Science of the Total Environment, 1999, 227, 139-43	10.2	42
68	7-Ketocholesterol as marker of cholesterol oxidation in model and food systems: when and how. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 446, 792-7	3.4	41

(2019-2016)

67	Impact of Lipid Components and Emulsifiers on Plant Sterols Bioaccessibility from Milk-Based Fruit Beverages. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 5686-91	5.7	37	
66	Calcium bioavailability in human milk, cow milk and infant formulas@comparison between dialysis and solubility methods. <i>Food Chemistry</i> , 1999 , 65, 353-357	8.5	37	
65	Effect of Etryptoxanthin plus phytosterols on cardiovascular risk and bone turnover markers in post-menopausal women: a randomized crossover trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 1090-6	4.5	36	
64	Environmental cadmium, lead and nickel contamination: possible relationship between soil and vegetable content. <i>Freseniuswournal of Analytical Chemistry</i> , 1991 , 339, 654-657		35	
63	Sterol Composition in Infant Formulas and Estimated Intake. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 7245-51	5.7	30	
62	Sterol oxidation in ready-to-eat infant foods during storage. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 469-75	5.7	29	
61	Gangliosides and sialic acid effects upon newborn pathogenic bacteria adhesion: an in vitro study. <i>Food Chemistry</i> , 2013 , 136, 726-34	8.5	28	
60	Comparison of spectrophotometric and HPLC methods for determining sialic acid in infant formulas. <i>Food Chemistry</i> , 2011 , 127, 1905-1910	8.5	28	
59	Dialyzability of iron, zinc, and copper of different types of infant formulas marketed in Spain. <i>Biological Trace Element Research</i> , 1998 , 65, 7-17	4.5	28	
58	Optimization of iron speciation (soluble, ferrous and ferric) in beans, chickpeas and lentils. <i>Food Chemistry</i> , 2001 , 75, 365-370	8.5	27	
57	Availability of iron from milk-based formulas and fruit juices containing milk and cereals estimated by in vitro methods (solubility, dialysability) and uptake and transport by Caco-2 cells. <i>Food Chemistry</i> , 2007 , 102, 1296-1303	8.5	26	
56	Calcium dialysability as an estimation of bioavailability in human milk, cow milk and infant formulas. <i>Food Chemistry</i> , 1999 , 64, 403-409	8.5	25	
55	Plant sterol oxides in functional beverages: influence of matrix and storage. <i>Food Chemistry</i> , 2015 , 173, 881-9	8.5	24	
54	Bioavailability of plant sterol-enriched milk-based fruit beverages: In vivo and in vitro studies. Journal of Functional Foods, 2015 , 14, 44-50	5.1	24	
53	Effects of phytosterol ester-enriched low-fat milk on serum lipoprotein profile in mildly hypercholesterolaemic patients are not related to dietary cholesterol or saturated fat intake. <i>British Journal of Nutrition</i> , 2010 , 104, 1018-25	3.6	24	
52	A study of factors that may influence the determination of copper, iron, and zinc in human milk during sampling and in sample individuals. <i>Biological Trace Element Research</i> , 2000 , 76, 217-27	4.5	24	
51	Determination of mercury in dry-fish samples by microwave digestion and flow injection analysis system cold vapor atomic absorption spectrometry. <i>Food Chemistry</i> , 1997 , 58, 169-172	8.5	23	
50	Impact of plant sterols enrichment dose on gut microbiota from lean and obese subjects using TIM-2 in vitro fermentation model. <i>Journal of Functional Foods</i> , 2019 , 54, 164-174	5.1	23	

49	Plant sterols and antioxidant parameters in enriched beverages: storage stability. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4725-34	5.7	22
48	Low intestinal cholesterol absorption is associated with a reduced efficacy of phytosterol esters as hypolipemic agents in patients with metabolic syndrome. <i>Clinical Nutrition</i> , 2011 , 30, 604-9	5.9	22
47	Bioaccessibility study of plant sterol-enriched fermented milks. <i>Food and Function</i> , 2016 , 7, 110-7	6.1	21
46	Effect of simulated gastrointestinal digestion on sialic acid and gangliosides present in human milk and infant formulas. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 5755-62	5.7	20
45	Methylmercury determination in fish and seafood products and estimated daily intake for the Spanish population. <i>Food Additives and Contaminants</i> , 2007 , 24, 869-76		20
44	Effect of cooking on oxalate content of pulses using an enzymatic procedure. <i>International Journal of Food Sciences and Nutrition</i> , 2003 , 54, 373-7	3.7	20
43	The impact of galactooligosaccharides on the bioaccessibility of sterols in a plant sterol-enriched beverage: adaptation of the harmonized INFOGEST digestion method. <i>Food and Function</i> , 2018 , 9, 2080-	-2089	19
42	Iron bioavailability in fortified fruit beverages using ferritin synthesis by Caco-2 cells. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 8699-703	5.7	19
41	Bioavailability of zinc from infant foods by in vitro methods (solubility, dialyzability and uptake and transport by Caco-2 cells). <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 971-978	4.3	19
40	Safe intake of a plant sterol-enriched beverage with milk fat globule membrane: Bioaccessibility of sterol oxides during storage. <i>Journal of Food Composition and Analysis</i> , 2018 , 68, 111-117	4.1	17
39	Simultaneous quantification of serum phytosterols and cholesterol precursors using a simple gas chromatographic method. <i>European Journal of Lipid Science and Technology</i> , 2012 , 114, 520-526	3	17
38	Ferritin synthesis by Caco-2 cells as an indicator of iron bioavailability: Application to milk-based infant formulas. <i>Food Chemistry</i> , 2007 , 102, 925-931	8.5	17
37	Stability of the lipid fraction of milk-based infant formulas during storage. <i>European Journal of Lipid Science and Technology</i> , 2005 , 107, 815-823	3	16
36	Direct determination of lead in human milk by electrothermal atomic absorption spectrometry. <i>Food Chemistry</i> , 1999 , 64, 111-113	8.5	16
35	Evaluation of Sialic Acid in Infant Feeding: Contents and Bioavailability. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 8333-8342	5.7	15
34	Sialic acid (N-acetyl and N-glycolylneuraminic acid) and ganglioside in whey protein concentrates and infant formulae. <i>International Dairy Journal</i> , 2011 , 21, 887-895	3.5	15
33	Lipid hydroperoxides determination in milk-based infant formulae by gas chromatography. <i>European Journal of Lipid Science and Technology</i> , 2003 , 105, 339-345	3	15
32	Selenium, copper, and zinc indices of nutritional status: influence of sex and season on reference values. <i>Biological Trace Element Research</i> , 2000 , 73, 77-83	4.5	15

(2000-2018)

31	Sterols in Infant Formulas: A Bioaccessibility Study. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 1377-1385	5.7	14	
30	First international descriptive and interventional survey for cholesterol and non-cholesterol sterol determination by gas- and liquid-chromatography-Urgent need for harmonisation of analytical methods. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019 , 190, 115-125	5.1	13	
29	Plant sterols and human gut microbiota relationship: An in vitro colonic fermentation study. <i>Journal of Functional Foods</i> , 2018 , 44, 322-329	5.1	13	
28	Impact of fruit beverage consumption on the antioxidant status in healthy women. <i>Annals of Nutrition and Metabolism</i> , 2009 , 54, 35-42	4.5	13	
27	Isocratic high-performance liquid chromatographic determination of tryptophan in infant formulas. <i>Journal of Chromatography A</i> , 1996 , 721, 83-8	4.5	13	
26	Oat and lipolysis: Food matrix effect. <i>Food Chemistry</i> , 2019 , 278, 683-691	8.5	13	
25	Relationship Between Dietary Sterols and Gut Microbiota: A Review. <i>European Journal of Lipid Science and Technology</i> , 2018 , 120, 1800054	3	13	
24	Determination of Fecal Sterols Following a Diet with and without Plant Sterols. <i>Lipids</i> , 2017 , 52, 871-88	41.6	12	
23	Evaluation of Antimony, Cadmium and Lead Levels in Vegetables, Drinking and Raw Water from Different Agricultural Areas. <i>International Journal of Environmental Analytical Chemistry</i> , 1990 , 38, 65-7	3 ^{1.8}	12	
22	Effect of caseinophosphopeptides added to fruit beverages upon ferritin synthesis in Caco-2 cells. <i>Food Chemistry</i> , 2010 , 122, 92-97	8.5	11	
21	Speciation of bioaccessible (heme, ferrous and ferric) iron from school menus. <i>European Food Research and Technology</i> , 2005 , 221, 768-773	3.4	10	
20	Impact of colonic fermentation on sterols after the intake of a plant sterol-enriched beverage: A randomized, double-blind crossover trial. <i>Clinical Nutrition</i> , 2019 , 38, 1549-1560	5.9	10	
19	In vitro bioaccessibility of iron and zinc in fortified fruit beverages. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 1088-1092	3.8	9	
18	Monitoring of headspace volatiles in milk-cereal-based liquid infant foods during storage. <i>European Journal of Lipid Science and Technology</i> , 2006 , 108, 1028-1036	3	9	
17	Sterols in infant formulas: validation of a gas chromatographic method. <i>International Journal of Food Sciences and Nutrition</i> , 2017 , 68, 695-703	3.7	8	
16	International descriptive and interventional survey for oxycholesterol determination by gas- and liquid-chromatographic methods. <i>Biochimie</i> , 2018 , 153, 26-32	4.6	8	
15	Stability of fatty acids and tocopherols during cold storage of human milk. <i>International Dairy Journal</i> , 2012 , 27, 22-26	3.5	8	
14	In vitro dialyzability of zinc from different salts used in the supplementation of infant formulas. <i>Biological Trace Element Research</i> , 2000 , 75, 11-9	4.5	8	

13	In vitro interactions between calcium, zinc, copper and iron in milk- and soy-based infant formulas / Interacciones in vitro entre calcio, cinc, cobre e hierro en formulas de base latea y de soja para lactantes. <i>Food Science and Technology International</i> , 2000 , 6, 25-31	2.6	8	
12	Gangliosides in human milk and infant formula: A review on analytical techniques and contents. <i>Food Reviews International</i> , 2018 , 34, 511-538	5.5	7	
11	Determination of glutathione peroxidase activity in human milk. <i>Molecular Nutrition and Food Research</i> , 2003 , 47, 430-3		7	
10	Sterols in human milk during lactation: bioaccessibility and estimated intakes. <i>Food and Function</i> , 2018 , 9, 6566-6576	6.1	6	
9	Cholesterol Content in Human Milk during Lactation: A Comparative Study of Enzymatic and Chromatographic Methods. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 6373-6381	5.7	6	
8	The use of direct determination of chromium in human urine by electrothermal atomic absorption spectrometry in diabetic patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1991 , 9, 191-4	3.5	5	
7	DETERMINATION OF CHOLESTEROL IN HUMAN MILK: AN ALTERNATIVE TO CHROMATOGRAPHIC METHODS. <i>Nutricion Hospitalaria</i> , 2015 , 32, 1535-40	1	5	
6	The effect of enriching milk-based beverages with plant sterols or stanols on the fatty acid composition of the products. <i>International Journal of Dairy Technology</i> , 2013 , 66, 437-448	3.7	4	
5	Stability of ascorbic acid in adapted milk-based infant formulae during storage. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 1126-1130	4.3	4	
4	Effects of different infant formula components on calcium dialysability. <i>European Food Research and Technology</i> , 1999 , 209, 93-96	3.4	4	
3	Impact of a Plant Sterol- and Galactooligosaccharide-Enriched Beverage on Colonic Metabolism and Gut Microbiota Composition Using an Dynamic Model. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 1884-1895	5.7	4	
2	Development of Functional Beverages: The Case of Plant Sterol-Enriched Milk-Based Fruit Beverages 2019 , 285-312		2	
1	Relationship between cobalt, copper and zinc content of soils and vegetables. <i>Molecular Nutrition</i>		2	