

Steve Leu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3227650/publications.pdf>

Version: 2024-02-01

115
papers

4,217
citations

101384

36
h-index

128067

60
g-index

117
all docs

117
docs citations

117
times ranked

5701
citing authors

#	ARTICLE	IF	CITATIONS
1	Early extracorporeal membrane oxygenator-assisted primary percutaneous coronary intervention improved 30-day clinical outcomes in patients with ST-segment elevation myocardial infarction complicated with profound cardiogenic shock. <i>Critical Care Medicine</i> , 2010, 38, 1810-1817.	0.4	344
2	Adipose-Derived Mesenchymal Stem Cell Protects Kidneys against Ischemia-Reperfusion Injury through Suppressing Oxidative Stress and Inflammatory Reaction. <i>Journal of Translational Medicine</i> , 2011, 9, 51.	1.8	270
3	Adipose-derived mesenchymal stem cells markedly attenuate brain infarct size and improve neurological function in rats. <i>Journal of Translational Medicine</i> , 2010, 8, 63.	1.8	192
4	Autologous Transplantation of Adipose-Derived Mesenchymal Stem Cells Markedly Reduced Acute Ischemia-Reperfusion Lung Injury in a Rodent Model. <i>Journal of Translational Medicine</i> , 2011, 9, 118.	1.8	127
5	Additional benefit of combined therapy with melatonin and apoptotic adipose-derived mesenchymal stem cell against sepsis-induced kidney injury. <i>Journal of Pineal Research</i> , 2014, 57, 16-32.	3.4	127
6	Melatonin treatment improves adipose-derived mesenchymal stem cell therapy for acute lung ischemia-reperfusion injury. <i>Journal of Pineal Research</i> , 2013, 54, 207-221.	3.4	126
7	Impact of apoptotic adipose-derived mesenchymal stem cells on attenuating organ damage and reducing mortality in Rat sepsis syndrome induced by cecal puncture and ligation. <i>Journal of Translational Medicine</i> , 2012, 10, 244.	1.8	101
8	Exendin-4 and sitagliptin protect kidney from ischemia-reperfusion injury through suppressing oxidative stress and inflammatory reaction. <i>Journal of Translational Medicine</i> , 2013, 11, 270.	1.8	89
9	Effect of erythropoietin on level of circulating endothelial progenitor cells and outcome in patients after acute ischemic stroke. <i>Critical Care</i> , 2011, 15, R40.	2.5	87
10	Outcome of Patients With Profound Cardiogenic Shock After Cardiopulmonary Resuscitation and Prompt Extracorporeal Membrane Oxygenation Support. <i>Circulation Journal</i> , 2012, 76, 1385-1392.	0.7	82
11	Systemic combined melatonin-mitochondria treatment improves acute respiratory distress syndrome in the rat. <i>Journal of Pineal Research</i> , 2015, 58, 137-150.	3.4	81
12	Melatonin prevents maternal fructose intake-induced programmed hypertension in the offspring: roles of nitric oxide and arachidonic acid metabolites. <i>Journal of Pineal Research</i> , 2014, 57, 80-89.	3.4	80
13	Extracorporeal Shock Wave Therapy Reverses Ischemia-Related Left Ventricular Dysfunction and Remodeling: Molecular-Cellular and Functional Assessment. <i>PLoS ONE</i> , 2011, 6, e24342.	1.1	76
14	Systemic administration of autologous adipose-derived mesenchymal stem cells alleviates hepatic ischemia-reperfusion injury in rats. <i>Critical Care Medicine</i> , 2012, 40, 1279-1290.	0.4	67
15	Resveratrol Prevents the Development of Hypertension Programmed by Maternal Plus Postweaning High Fructose Consumption through Modulation of Oxidative Stress, Nutrient Sensing Signals, and Gut Microbiota. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800066.	1.5	67
16	Melatonin treatment further improves adipose-derived mesenchymal stem cell therapy for acute interstitial cystitis in rat. <i>Journal of Pineal Research</i> , 2014, 57, 248-261.	3.4	66
17	Apoptotic adipose-derived mesenchymal stem cell therapy protects against lung and kidney injury in sepsis syndrome caused by cecal ligation puncture in rats. <i>Stem Cell Research and Therapy</i> , 2013, 4, 155.	2.4	65
18	Intracoronary Transfusion of Circulation-Derived CD34+ Cells Improves Left Ventricular Function in Patients With End-Stage Diffuse Coronary Artery Disease Unsuitable for Coronary Intervention*. <i>Critical Care Medicine</i> , 2015, 43, 2117-2132.	0.4	60

#	ARTICLE	IF	CITATIONS
19	Modulation of alternative pre-mRNA splicing in vivo by pinin. <i>Biochemical and Biophysical Research Communications</i> , 2002, 294, 448-455.	1.0	58
20	Benefit of combined extracorporeal shock wave and bone marrow-derived endothelial progenitor cells in protection against critical limb ischemia in rats*. <i>Critical Care Medicine</i> , 2012, 40, 169-177.	0.4	58
21	Maternal fructose-intake-induced renal programming in adult male offspring. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 642-650.	1.9	57
22	Direct implantation versus platelet-rich fibrin-embedded adipose-derived mesenchymal stem cells in treating rat acute myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 173, 410-423.	0.8	53
23	Sitagliptin attenuated brain damage and cognitive impairment in mice with chronic cerebral hypo-perfusion through suppressing oxidative stress and inflammatory reaction. <i>Journal of Hypertension</i> , 2015, 33, 1001-1013.	0.3	53
24	Effect of obesity reduction on preservation of heart function and attenuation of left ventricular remodeling, oxidative stress and inflammation in obese mice. <i>Journal of Translational Medicine</i> , 2012, 10, 145.	1.8	50
25	Sitagliptin protects rat kidneys from acute ischemia-reperfusion injury via upregulation of GLP-1 and GLP-1 receptors. <i>Acta Pharmacologica Sinica</i> , 2015, 36, 119-130.	2.8	49
26	Levels of Circulating Microparticles in Lung Cancer Patients and Possible Prognostic Value. <i>Disease Markers</i> , 2013, 35, 301-310.	0.6	48
27	Obesity suppresses circulating level and function of endothelial progenitor cells and heart function. <i>Journal of Translational Medicine</i> , 2012, 10, 137.	1.8	47
28	Sildenafil Limits Monocrotaline-Induced Pulmonary Hypertension in Rats Through Suppression of Pulmonary Vascular Remodeling. <i>Journal of Cardiovascular Pharmacology</i> , 2010, 55, 574-584.	0.8	46
29	Autologous bone marrow cell implantation attenuates left ventricular remodeling and improves heart function in porcine myocardial infarction: An echocardiographic, six-month angiographic, and molecular cellular study. <i>International Journal of Cardiology</i> , 2011, 150, 156-168.	0.8	40
30	The Regulations of Deubiquitinase USP15 and Its Pathophysiological Mechanisms in Diseases. <i>International Journal of Molecular Sciences</i> , 2017, 18, 483.	1.8	39
31	Overexpression of Rap-1A Indicates a Poor Prognosis for Oral Cavity Squamous Cell Carcinoma and Promotes Tumor Cell Invasion via Aurora-A Modulation. <i>American Journal of Pathology</i> , 2013, 182, 516-528.	1.9	37
32	Value and level of circulating endothelial progenitor cells, angiogenesis factors and mononuclear cell apoptosis in patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 83-91.	0.7	37
33	Circulating Endothelial-Derived Activated Microparticle: A Useful Biomarker for Predicting One-Year Mortality in Patients with Advanced Non-Small Cell Lung Cancer. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	37
34	Adipose-derived mesenchymal stem cells embedded in platelet-rich fibrin scaffolds promote angiogenesis, preserve heart function, and reduce left ventricular remodeling in rat acute myocardial infarction. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 781-803.	0.0	37
35	Early combined treatment with sildenafil and adipose-derived mesenchymal stem cells preserves heart function in rat dilated cardiomyopathy. <i>Journal of Translational Medicine</i> , 2010, 8, 88.	1.8	36
36	Effect of Tacrolimus on Myocardial Infarction Is Associated with Inflammation, ROS, MAP Kinase and Akt Pathways in Mini-Pigs. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 9-22.	0.9	36

#	ARTICLE	IF	CITATIONS
37	High salt exacerbates programmed hypertension in maternal fructose-fed male offspring. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 1146-1151.	1.1	36
38	Aliskiren Administration during Early Postnatal Life Sex-Specifically Alleviates Hypertension Programmed by Maternal High Fructose Consumption. <i>Frontiers in Physiology</i> , 2016, 7, 299.	1.3	36
39	Benefit of combined therapy with nicorandil and colchicine in preventing monocrotaline-induced rat pulmonary arterial hypertension. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 50, 372-384.	1.9	35
40	Combination of cyclosporine and erythropoietin improves brain infarct size and neurological function in rats after ischemic stroke. <i>Journal of Translational Medicine</i> , 2011, 9, 141.	1.8	34
41	Targeting arachidonic acid pathway to prevent programmed hypertension in maternal fructose-fed male adult rat offspring. <i>Journal of Nutritional Biochemistry</i> , 2016, 38, 86-92.	1.9	34
42	Cyclosporine-assisted adipose-derived mesenchymal stem cell therapy to mitigate acute kidney ischemiaâ€“reperfusion injury. <i>Stem Cell Research and Therapy</i> , 2013, 4, 62.	2.4	33
43	Inhibition of dipeptidyl peptidase-IV enzyme activity protects against myocardial ischemia-reperfusion injury in rats. <i>Journal of Translational Medicine</i> , 2014, 12, 357.	1.8	33
44	Maternal High Fructose Intake Increases the Vulnerability to Post-Weaning High-Fat Diet-Induced Programmed Hypertension in Male Offspring. <i>Nutrients</i> , 2018, 10, 56.	1.7	33
45	Translational insights on developmental origins of metabolic syndrome: Focus on fructose consumption. <i>Biomedical Journal</i> , 2018, 41, 96-101.	1.4	33
46	MicroRNA-21 Mediates the Protective Effect of Cardiomyocyte-Derived Conditioned Medium on Ameliorating Myocardial Infarction in Rats. <i>Cells</i> , 2019, 8, 935.	1.8	32
47	Enhancement of Wound Healing by Non-Thermal N ₂ /Ar Micro-Plasma Exposure in Mice with Fractional-CO ₂ -Laser-Induced Wounds. <i>PLoS ONE</i> , 2016, 11, e0156699.	1.1	32
48	Enhanced protection against pulmonary hypertension with sildenafil and endothelial progenitor cell in rats. <i>International Journal of Cardiology</i> , 2012, 162, 45-58.	0.8	30
49	Loss of Pnn expression results in mouse early embryonic lethality and cellular apoptosis through SRSF1-mediated alternative expression of Bcl-xS and ICA**. <i>Journal of Cell Science</i> , 2012, 125, 3164-72.	1.2	29
50	Over-expression of SR-cyclophilin, an interaction partner of nuclear pinin, releases SR family splicing factors from nuclear speckles. <i>Biochemical and Biophysical Research Communications</i> , 2004, 321, 638-647.	1.0	28
51	The Prognostic Value of Atrial Fibrillation on 30-Day Clinical Outcome in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2011, 52, 153-158.	0.5	27
52	Outcomes of patients with Killip class III acute myocardial infarction after primary percutaneous coronary intervention*. <i>Critical Care Medicine</i> , 2011, 39, 436-442.	0.4	27
53	Sitagliptin therapy enhances the number of circulating angiogenic cells and angiogenesisâ€“evaluations in vitro and in the rat critical limb ischemia model. <i>Cytotherapy</i> , 2013, 15, 1148-1163.	0.3	27
54	Melatonin augments apoptotic adipose-derived mesenchymal stem cell treatment against sepsis-induced acute lung injury. <i>American Journal of Translational Research (discontinued)</i> , 2014, 6, 439-58.	0.0	27

#	ARTICLE	IF	CITATIONS
55	Simvastatin attenuates the additive effects of TNF- α and IL-18 on the connexin 43 up-regulation and over-proliferation of cultured aortic smooth muscle cells. <i>Cytokine</i> , 2013, 62, 341-351.	1.4	26
56	Sildenafil improves long-term effect of endothelial progenitor cell-based treatment for monocrotaline-induced rat pulmonary arterial hypertension. <i>Cytotherapy</i> , 2013, 15, 209-223.	0.3	25
57	Innate immune response after acute myocardial infarction and pharmacomodulatory action of tacrolimus in reducing infarct size and preserving myocardial integrity. <i>Journal of Biomedical Science</i> , 2013, 20, 82.	2.6	25
58	Benefit of Revascularization in Non-Infarct-Related Artery in Multivessel Disease Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2010, 51, 319-324.	0.5	24
59	Impact of obesity control on circulating level of endothelial progenitor cells and angiogenesis in response to ischemic stimulation. <i>Journal of Translational Medicine</i> , 2012, 10, 86.	1.8	24
60	Effects of a quasi-experimental study of using flipped classroom approach to teach evidence-based medicine to medical technology students. <i>BMC Medical Education</i> , 2020, 20, 31.	1.0	24
61	Tissue plasminogen activator enhances mobilization of endothelial progenitor cells and angiogenesis in murine limb ischemia. <i>International Journal of Cardiology</i> , 2013, 168, 226-236.	0.8	23
62	Anomalous AMPK-regulated angiotensin AT1R expression and SIRT1-mediated mitochondrial biogenesis at RVLM in hypertension programming of offspring to maternal high fructose exposure. <i>Journal of Biomedical Science</i> , 2020, 27, 68.	2.6	23
63	Link between Lipoprotein-Associated Phospholipase A ₂ Gene Expression of Peripheral-Blood Mononuclear Cells and Prognostic Outcome after Acute Ischemic Stroke. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 523-531.	0.9	21
64	Prenatal Metformin Therapy Attenuates Hypertension of Developmental Origin in Male Adult Offspring Exposed to Maternal High-Fructose and Post-Weaning High-Fat Diets. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1066.	1.8	21
65	Molecular characterization of a novel nucleolar protein, pNO40. <i>Biochemical and Biophysical Research Communications</i> , 2003, 307, 569-577.	1.0	20
66	Shock Wave-Pretreated Bone Marrow Cells Further Improve Left Ventricular Function After Myocardial Infarction in Rabbits. <i>Annals of Vascular Surgery</i> , 2010, 24, 809-821.	0.4	20
67	Administered circulating microparticles derived from lung cancer patients markedly improved angiogenesis, blood flow and ischemic recovery in rat critical limb ischemia. <i>Journal of Translational Medicine</i> , 2015, 13, 59.	1.8	20
68	Levels and values of circulating endothelial progenitor cells, soluble angiogenic factors, and mononuclear cell apoptosis in liver cirrhosis patients. <i>Journal of Biomedical Science</i> , 2012, 19, 66.	2.6	19
69	Comparison of acute versus convalescent stage high-sensitivity C-Reactive protein level in predicting clinical outcome after acute ischemic stroke and impact of erythropoietin. <i>Journal of Translational Medicine</i> , 2012, 10, 6.	1.8	19
70	Paradoxical impairment of angiogenesis, endothelial function and circulating number of endothelial progenitor cells in DPP4-deficient rat after critical limb ischemia. <i>Stem Cell Research and Therapy</i> , 2013, 4, 31.	2.4	19
71	Prompt Bone Marrow-Derived Mesenchymal Stem Cell Therapy Enables Early Porcine Heart Function Recovery from Acute Myocardial Infarction. <i>International Heart Journal</i> , 2014, 55, 362-371.	0.5	18
72	Levels and values of lipoprotein-associated phospholipase A ₂ , galectin-3, RhoA/ROCK, and endothelial progenitor cells in critical limb ischemia: pharmacotherapeutic role of cilostazol and clopidogrel combination therapy. <i>Journal of Translational Medicine</i> , 2014, 12, 101.	1.8	18

#	ARTICLE	IF	CITATIONS
73	Retention of endothelial progenitor cells in bone marrow in a murine model of endogenous tissue plasminogen activator (tPA) deficiency in response to critical limb ischemia. <i>International Journal of Cardiology</i> , 2014, 170, 394-405.	0.8	17
74	tPA-MMP-9 Axis Plays a Pivotal Role in Mobilization of Endothelial Progenitor Cells from Bone Marrow to Circulation and Ischemic Region for Angiogenesis. <i>Stem Cells International</i> , 2016, 2016, 1-23.	1.2	16
75	Maternal Melatonin Therapy Attenuated Maternal High-Fructose Combined with Post-Weaning High-Salt Diets-Induced Hypertension in Adult Male Rat Offspring. <i>Molecules</i> , 2018, 23, 886.	1.7	16
76	Mixed serum-deprived and normal adipose-derived mesenchymal stem cells against acute lung ischemia-reperfusion injury in rats. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 209-31.	0.0	16
77	Level and value of circulating endothelial progenitor cells in patients with acute myocardial infarction undergoing primary coronary angioplasty: in vivo and in vitro studies. <i>Translational Research</i> , 2010, 156, 251-263.	2.2	14
78	Early Erythropoietin Therapy Attenuates Remodeling and Preserves Function of Left Ventricle in Porcine Myocardial Infarction. <i>Journal of Investigative Medicine</i> , 2011, 59, 574-586.	0.7	14
79	Intra-coronary administration of tacrolimus markedly attenuates infarct size and preserves heart function in porcine myocardial infarction. <i>Journal of Inflammation</i> , 2012, 9, 21.	1.5	14
80	Continuing Exposure to Low-Dose Nonylphenol Aggravates Adenine-Induced Chronic Renal Dysfunction and Role of Rosuvastatin Therapy. <i>Journal of Translational Medicine</i> , 2012, 10, 147.	1.8	14
81	Pinin protects astrocytes from cell death after acute ischemic stroke via maintenance of mitochondrial anti-apoptotic and bioenergetics functions. <i>Journal of Biomedical Science</i> , 2019, 26, 43.	2.6	14
82	Spatial and temporal expression profile of pinin during mouse development. <i>Gene Expression Patterns</i> , 2006, 6, 620-631.	0.3	13
83	Combination of cilostazol and clopidogrel attenuates Rat critical limb ischemia. <i>Journal of Translational Medicine</i> , 2012, 10, 164.	1.8	13
84	Tadalafil ameliorates bladder overactivity by restoring insulin-activated detrusor relaxation via the bladder mucosal IRS/PI3K/AKT/eNOS pathway in fructose-fed rats. <i>Scientific Reports</i> , 2021, 11, 8202.	1.6	12
85	Impact of Extracorporeal Membrane Oxygenation Support on Clinical Outcome of Pediatric Patients with Acute Cardiopulmonary Failure: A Single-Center Experience. <i>Biomedical Journal</i> , 2013, 36, 28.	1.4	12
86	Pioglitazone reversed the fructose-programmed astrocytic glycolysis and oxidative phosphorylation of female rat offspring. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E622-E634.	1.8	11
87	Comparison of 30-Day Mortality between Anterior-Wall versus Inferior-Wall ST-Segment Elevation Myocardial Infarction Complicated by Cardiogenic Shock in Patients Undergoing Primary Coronary Angioplasty. <i>Cardiology</i> , 2010, 116, 144-150.	0.6	10
88	Chronic exposure to environmental contaminant nonylphenol exacerbates adenine-induced chronic renal insufficiency: Role of signaling pathways and therapeutic impact of rosuvastatin. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 46, 455-467.	1.9	10
89	AG490 suppresses EPO-mediated activation of JAK2-STAT but enhances blood flow recovery in rats with critical limb ischemia. <i>Journal of Inflammation</i> , 2016, 13, 18.	1.5	10
90	Erythropoietin markedly attenuates brain infarct size and improves neurological function in the rat. <i>Journal of Investigative Medicine</i> , 2010, 58, 893-904.	0.7	10

#	ARTICLE	IF	CITATIONS
91	Erythropoietin Markedly Attenuates Brain Infarct Size and Improves Neurological Function in the Rat. <i>Journal of Investigative Medicine</i> , 2010, 58, 893-904.	0.7	9
92	Maternal Fructose Exposure Programs Metabolic Syndrome-Associated Bladder Overactivity in Young Adult Offspring. <i>Scientific Reports</i> , 2016, 6, 34669.	1.6	9
93	Myocardium-derived conditioned medium improves left ventricular function in rodent acute myocardial infarction. <i>Journal of Translational Medicine</i> , 2011, 9, 11.	1.8	8
94	Endogenous vascular endothelial growth factor produces tonic facilitation of cardiac vagal baroreflex via fetal liver kinase-1 in medulla oblongata. <i>International Journal of Cardiology</i> , 2015, 187, 421-425.	0.8	7
95	Developmental programming of the metabolic syndrome: Next-generation sequencing analysis of transcriptome expression in a rat model of maternal high fructose intake. <i>Acta Physiologica Sinica</i> , 2016, 68, 557-567.	0.5	7
96	Prognostic Value of Circulating Dead Monocytes in Patients with Acute ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Cardiology</i> , 2010, 117, 131-139.	0.6	6
97	Cancer Patientâ€Derived Circulating Microparticles Enhance Lung Metastasis in a Rat Model: Dual-Source CT, Cellular, and Molecular Studies. <i>Molecular Imaging and Biology</i> , 2016, 18, 490-499.	1.3	6
98	Expression and Distribution Pattern of Pnn in Ischemic Cerebral Cortex and Cultured Neural Cells Exposed to Oxygen-Glucose Deprivation. <i>Brain Sciences</i> , 2020, 10, 708.	1.1	6
99	Effect of Extracorporeal Shockwave on Angiogenesis and Anti-Inflammation: Molecular-Cellular Signaling Pathways. <i>Translational Research in Biomedicine</i> , 2018, , 109-116.	0.4	5
100	Prognostic Value of R-Wave Voltage in Patients With Anterior Wall ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2010, 51, 325-330.	0.5	4
101	VEGF tonically sustains myocardial performance via fetal liver kinase-1 in the heart. <i>International Journal of Cardiology</i> , 2014, 177, 727-730.	0.8	4
102	Time courses and value of circulating microparticles in patients with operable stage non-small cell lung cancer undergoing surgical intervention. <i>Tumor Biology</i> , 2016, 37, 11873-11882.	0.8	4
103	The Impact of Maternal Fructose Exposure on Angiogenic Activity of Endothelial Progenitor Cells and Blood Flow Recovery After Critical Limb Ischemia in Rat Offspring. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2429.	1.8	4
104	The Phenoxyphenol Compound 4-HPPP Selectively Induces Antiproliferation Effects and Apoptosis in Human Lung Cancer Cells through Aneupolyploidization and ATR DNA Repair Signaling. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-14.	1.9	4
105	Maternal Fructose Intake Exacerbates Cardiac Remodeling in Offspring with Ventricular Pressure Overload. <i>Nutrients</i> , 2021, 13, 3267.	1.7	2
106	The role and regulation of Pnn in proliferative and non-dividing cells: Form embryogenesis to pathogenesis. <i>Biochemical Pharmacology</i> , 2021, 192, 114672.	2.0	2
107	Neuronal Pnn Deficiency Increases Oxidative Stress and Exacerbates Cerebral Ischemia/Reperfusion Injury in Mice. <i>Antioxidants</i> , 2022, 11, 466.	2.2	2
108	Effect of erythropoietin therapy on clinical outcome in patients after acute ischemic stroke: a debatable issue. <i>Critical Care</i> , 2011, 15, 425.	2.5	1

#	ARTICLE	IF	CITATIONS
109	Therapeutic Potential of Tacrolimus on Acute Myocardial Infarction in Minipigs: Analysis with Serial Cardiac Magnetic Resonance and Changes at Histological and Protein Levels. BioMed Research International, 2014, 2014, 1-13.	0.9	1
110	Les cellules mÃ©dullaires traitÃ©es par onde de choc amÃ©liorent la fonction ventriculaire gauche aprÃ©s infarctus du myocarde chez le lapin. Annales De Chirurgie Vasculaire, 2010, 24, 882-895.	0.0	0
111	Impact of rosuvastatin treatment on reduction of thrombus burden in rat acute inferior vena cava stenosis. Journal of Inflammation, 2014, 11, .	1.5	0
112	Maternal fructose exposure programs metabolic syndrome-associated bladder overactivity in young adult offspring. Urological Science, 2016, 27, S75.	0.2	0
113	Abstract 11558: Sitagliptin Attenuated Brain Damage and Cognitive Impairment in Mice With Chronic Cerebral Hypo-Perfusion Through Suppressing Oxidative Stress and Inflammatory Reaction. Circulation, 2014, 130, .	1.6	0
114	The expression regulation and protective role of Pnn in neural cells exposed to ischemic stress. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO2-1-75.	0.0	0
115	Abstract 9851: Benefit of Antioxidant Peptide SS-31 Treatment in Attenuating Transverse Aortic Constriction-Induced Pulmonary Arterial Hypertension in Mice. Circulation, 2015, 132, .	1.6	0