## Ju Hee Lee

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3228387/publications.pdf

Version: 2024-02-01

142 2,454 26
papers citations h-index

142 142 2653
all docs docs citations times ranked citing authors

40

g-index

#	Article	IF	CITATIONS
1	Epidemiologic and Clinical Survey of Behçet's Disease in Korea: the First Multicenter Study. Journal of Korean Medical Science, 2001, 16, 615.	2.5	120
2	Oral Tranexamic Acid Enhances the Efficacy of Low-Fluence 1064-Nm Quality-Switched Neodymium-Doped Yttrium Aluminum Garnet Laser Treatment for Melasma in Koreans: A Randomized, Prospective Trial. Dermatologic Surgery, 2013, 39, 435-442.	0.8	88
3	Cellular Senescence and Inflammaging in the Skin Microenvironment. International Journal of Molecular Sciences, 2021, 22, 3849.	4.1	77
4	Early Postoperative Treatment of Thyroidectomy Scars Using a Fractional Carbon Dioxide Laser. Dermatologic Surgery, 2011, 37, 217-223.	0.8	68
5	Characterization and tissue incorporation of cross-linked human acellular dermal matrix. Biomaterials, 2015, 44, 195-205.	11.4	63
6	Comparison of a 1,550 nm Erbium:Glass fractional laser and a chemical reconstruction of skin scars (CROSS) method in the treatment of acne scars: A simultaneous splitâ€face trial. Lasers in Surgery and Medicine, 2009, 41, 545-549.	2.1	61
7	Endothelialâ€toâ€mesenchymal transition induced by <scp>W</scp> nt 3a in keloid pathogenesis. Wound Repair and Regeneration, 2015, 23, 435-442.	3.0	60
8	Scar Prevention and Enhanced Wound Healing Induced by Polydeoxyribonucleotide in a Rat Incisional Wound-Healing Model. International Journal of Molecular Sciences, 2017, 18, 1698.	4.1	53
9	Efficacy of the Fractional Photothermolysis System with Dynamic Operating Mode on Acne Scars and Enlarged Facial Pores. Dermatologic Surgery, 2009, 35, 108-114.	0.8	50
10	Treatment of Syringoma Using an Ablative 10,600-nm Carbon Dioxide Fractional Laser: A Prospective Analysis of 35 Patients. Dermatologic Surgery, 2011, 37, 433-438.	0.8	44
11	TSLP Is a Potential Initiator of Collagen Synthesis and an Activator of CXCR4/SDF-1 Axis in Keloid Pathogenesis. Journal of Investigative Dermatology, 2016, 136, 507-515.	0.7	43
12	A phase I study of nimotuzumab in combination with radiotherapy in stages IIB–IV non-small cell lung cancer unsuitable for radical therapy: Korean results. Lung Cancer, 2011, 71, 55-59.	2.0	42
13	Combination treatment of non-segmental vitiligo with a 308-nm xenon chloride excimer laser and topical high-concentration tacalcitol: AÂprospective, single-blinded, paired, comparative study. Journal of the American Academy of Dermatology, 2011, 65, 428-430.	1.2	42
14	Searching for aging-related proteins in human dermal microvascular endothelial cells treated with anti-aging agents. Proteomics, 2006, 6, 1351-1361.	2.2	41
15	Lower-Fluence, Higher-Density versus Higher-Fluence, Lower-Density Treatment with a 10,600-nm Carbon Dioxide Fractional Laser System: A Split-Face, Evaluator-Blinded Study. Dermatologic Surgery, 2010, 36, 2022-2029.	0.8	41
16	Melanocyte stem cells as potential therapeutics in skin disorders. Expert Opinion on Biological Therapy, 2014, 14, 1569-1579.	3.1	41
17	Combined Therapeutic Strategies for Keloid Treatment. Dermatologic Surgery, 2019, 45, 802-810.	0.8	41
18	Comparison of nonâ€ablative and ablative fractional laser treatments in a postoperative scar study. Lasers in Surgery and Medicine, 2014, 46, 741-749.	2.1	39

#	Article	IF	CITATIONS
19	A Comparative Study of Topical 5-Aminolevulinic Acid Incubation Times in Photodynamic Therapy with Intense Pulsed Light for the Treatment of Inflammatory Acne. Dermatologic Surgery, 2009, 35, 1918-1926.	0.8	37
20	Demographic and clinical features of hidradenitis suppurativa in Korea. Journal of Dermatology, 2018, 45, 1389-1395.	1.2	35
21	NNT mediates redox-dependent pigmentation via a UVB- and MITF-independent mechanism. Cell, 2021, 184, 4268-4283.e20.	28.9	35
22	Decorinâ€expressing adenovirus decreases collagen synthesis and upregulates MMP expression in keloid fibroblasts and keloid spheroids. Experimental Dermatology, 2015, 24, 591-597.	2.9	32
23	Median raphe cyst on the scrotum and perineum. Journal of the American Academy of Dermatology, 2006, 55, S114-S115.	1.2	30
24	A Case of Hand-foot-mouth Disease in an Immunocompetent Adult. Annals of Dermatology, 2010, 22, 216.	0.9	29
25	Identification of HnRNP-A2/B1 as a Target Antigen of Anti-Endothelial Cell IgA Antibody in Behçet's Disease. Journal of Investigative Dermatology, 2012, 132, 601-608.	0.7	29
26	Hypoxia-Induced Epithelial-To-Mesenchymal Transition Mediates Fibroblast Abnormalities via ERK Activation in Cutaneous Wound Healing. International Journal of Molecular Sciences, 2019, 20, 2546.	4.1	29
27	Effects of Infrared Radiation on Skin Photo-Aging and Pigmentation. Yonsei Medical Journal, 2006, 47, 485.	2.2	28
28	Syringoma: A Clinicopathologic and Immunohistologic Study and Results of Treatment. Yonsei Medical Journal, 2007, 48, 35.	2.2	28
29	Assessment of deep neural networks for the diagnosis of benign and malignant skin neoplasms in comparison with dermatologists: A retrospective validation study. PLoS Medicine, 2020, 17, e1003381.	8.4	28
30	Effects of ablative 10,600â€nm carbon dioxide fractional laser therapy on suppurative diseases of the skin: A case series of 12 patients. Lasers in Surgery and Medicine, 2009, 41, 550-554.	2.1	26
31	Efficacy of the Fractional Photothermolysis System with Dynamic Operating Mode on Acne Scars and Enlarged Facial Pores. Dermatologic Surgery, 2009, 35, 108-114.	0.8	26
32	Increased expression of CC chemokine ligand 18 in extrinsic atopic dermatitis patients. Experimental Dermatology, 2008, 17, 24-29.	2.9	25
33	High-Mobility Group Box 1 Mediates Fibroblast Activity via RAGE-MAPK and NF-κB Signaling in Keloid Scar Formation. International Journal of Molecular Sciences, 2018, 19, 76.	4.1	25
34	Profibrogenic effect of high-mobility group box protein-1 in human dermal fibroblasts and its excess in keloid tissues. Scientific Reports, 2018, 8, 8434.	3.3	25
35	Salicylic Acid Peels Versus Jessner's Solution for Acne Vulgaris: A Comparative Study. Dermatologic Surgery, 2013, 39, 248-253.	0.8	24
36	A novel threeâ€dimensional model system for keloid study: Organotypic multicellular scar model. Wound Repair and Regeneration, 2013, 21, 155-165.	3.0	24

#	Article	IF	CITATIONS
37	The Effect of Conditioned Media From Human Adipocyte-Derived Mesenchymal Stem Cells on Androgenetic Alopecia After Nonablative Fractional Laser Treatment. Dermatologic Surgery, 2020, 46, 1698-1704.	0.8	24
38	Allergic Contact Dermatitis from Calcipotriol. Acta Dermato-Venereologica, 2002, 82, 71-72.	1.3	23
39	A split-face comparison of a fractional microneedle radiofrequency device and fractional carbon dioxide laser therapy in acne patients. Journal of Cosmetic and Laser Therapy, 2012, 14, 212-217.	0.9	22
40	Effect of a topical antioxidant serum containing vitamin C, vitamin E, and ferulic acid after Qâ€switched 1064â€nm Nd:YAG laser for treatment of environmentâ€induced skin pigmentation. Journal of Cosmetic Dermatology, 2020, 19, 2576-2582.	1.6	22
41	Erythema Ab Igne Successfully Treated Using 1,064-nm Q-switched Neodymium-Doped Yttrium Aluminum Garnet Laser with Low Fluence. Dermatologic Surgery, 2011, 37, 551-553.	0.8	21
42	Hsp70 Knockdown by siRNA Decreased Collagen Production in Keloid Fibroblasts. Yonsei Medical Journal, 2015, 56, 1619.	2.2	21
43	Effect of recombinant human epidermal growth factor on cutaneous scar quality in thyroidectomy patients. Journal of Dermatological Treatment, 2015, 26, 159-164.	2.2	21
44	Mitochondrial ATP synthase is a target for TNBSâ€induced protein carbonylation in XSâ€106 dendritic cells. Proteomics, 2008, 8, 2384-2393.	2.2	20
45	Corticotropinâ€releasing factor decreases lLâ€18 in the monocyteâ€derived dendritic cell. Experimental Dermatology, 2009, 18, 199-204.	2.9	20
46	Safety of Combined Fractional Microneedle Radiofrequency and CO2 as an Early Intervention for Inflammatory Acne and Scarring Treated With Concomitant Isotretinoin. Dermatologic Surgery, 2020, 46, e71-e77.	0.8	20
47	Heat Shock Protein 90 Inhibitor Decreases Collagen Synthesis of Keloid Fibroblasts and Attenuates the Extracellular Matrix on the Keloid Spheroid Model. Plastic and Reconstructive Surgery, 2015, 136, 328e-337e.	1.4	18
48	Usefulness of Cross-Linked Human Acellular Dermal Matrix as an Implant for Dorsal Augmentation in Rhinoplasty. Aesthetic Plastic Surgery, 2018, 42, 288-294.	0.9	18
49	Relaxin-Expressing Adenovirus Decreases Collagen Synthesis and Up-Regulates Matrix Metalloproteinase Expression in Keloid Fibroblasts. Plastic and Reconstructive Surgery, 2012, 130, 407e-417e.	1.4	17
50	Comparative Effects of Topical 0.2% Sirolimus for Angiofibromas in Adults and Pediatric Patients with Tuberous Sclerosis Complex. Dermatology, 2018, 234, 13-22.	2.1	17
51	Effective Treatment of Facial Redness Caused by Atopic Dermatitis Using Intense Pulsed Light Systems. Dermatologic Surgery, 2010, 36, 475-482.	0.8	16
52	Proteomic Profiling Reveals Upregulated Protein Expression of Hsp70 in Keloids. BioMed Research International, 2013, 2013, 1-9.	1.9	16
53	Enhanced barrier functions and anti-inflammatory effect of cultured coconut extract on human skin. Food and Chemical Toxicology, 2017, 106, 367-375.	3.6	16
54	Clinical characteristics and histopathologic changes of morphea: A single-center, retrospective study of 137 patients. Journal of the American Academy of Dermatology, 2021, 85, 105-113.	1,2	16

#	Article	IF	CITATIONS
55	Randomized controlled study for the antiâ€øging effect of human adipocyteâ€derived mesenchymal stem cell media combined with niacinamide after laser therapy. Journal of Cosmetic Dermatology, 2021, 20, 1774-1781.	1.6	16
56	The use of biodegradable microneedle patches to increase penetration of topical steroid for prurigo nodularis. European Journal of Dermatology, 2018, 28, 71-77.	0.6	16
57	Behçet's Disease Combined with Various Types of Fistula. Yonsei Medical Journal, 2005, 46, 625.	2.2	15
58	Clinical manifestations associated with high titer of anti-streptolysin O in Behcet's disease. Clinical Rheumatology, 2008, 27, 999-1003.	2.2	15
59	A case of sebaceous hyperplasia maintained on lowâ€dose isotretinoin after carbon dioxide laser treatment. International Journal of Dermatology, 2014, 53, e151-3.	1.0	15
60	Antifibrotic Effects of High-Mobility Group Box 1 Protein Inhibitor (Glycyrrhizin) on Keloid Fibroblasts and Keloid Spheroids through Reduction of Autophagy and Induction of Apoptosis. International Journal of Molecular Sciences, 2019, 20, 4134.	4.1	15
61	Non-Ablative 1550 nm Erbium-Glass and Ablative 10,600 nm Carbon Dioxide Fractional Lasers for Various Types of Scars in Asian People: Evaluation of 100 Patients. Photomedicine and Laser Surgery, 2014, 32, 42-46.	s 2.0	14
62	The effect of human umbilical cord blood–derived mesenchymal stem cell media containing serum on recovery after laser treatment: A doubleâ€blinded, randomized, splitâ€face controlled study. Journal of Cosmetic Dermatology, 2020, 19, 651-656.	1.6	14
63	Receptors for <i>Treponema pallidum </i> Attachment to the Surface and Matrix Proteins of Cultured Human Dermal Microvascular Endothelial Cells. Yonsei Medical Journal, 2003, 44, 371.	2.2	13
64	Solitary Type of Congenital Self-healing Reticulohistiocytosis. Annals of Dermatology, 2011, 23, S4.	0.9	13
65	Treatment of Anetoderma Occurring After Resolution of Stevens–Johnson Syndrome Using an Ablative 10,600-nm Carbon Dioxide Fractional Laser. Dermatologic Surgery, 2012, 38, 677-679.	0.8	13
66	Highâ€throughput, highâ€content screening for novel pigmentation regulators using a keratinocyte/melanocyte coâ€culture system. Experimental Dermatology, 2014, 23, 125-129.	2.9	13
67	Effect of a Topical Collagen Tripeptide on Antiaging and Inhibition of Glycation of the Skin: A Pilot Study. International Journal of Molecular Sciences, 2022, 23, 1101.	4.1	13
68	Concurrence of Palmoplantar Psoriasiform Eruptions and Hair Loss during Carbamazepine Treatment. Acta Dermato-Venereologica, 2008, 88, 532-533.	1.3	12
69	Vitiligo following intense pulsed light treatment. Journal of Dermatology, 2010, 37, 674-676.	1.2	12
70	Altered vimentin protein expression in human dermal microvascular endothelial cells after ultraviolet or intense pulsed light treatment. Lasers in Surgery and Medicine, 2014, 46, 431-438.	2.1	12
71	Preventive Effect of Human Acellular Dermal Matrix on Post-thyroidectomy Scars and Adhesions. Dermatologic Surgery, 2015, 41, 812-820.	0.8	12
72	Stressâ€associated ectopic differentiation of melanocyte stem cells and ORS amelanotic melanocytes in an ex vivo human hair follicle model. Experimental Dermatology, 2021, 30, 578-587.	2.9	12

#	Article	IF	Citations
73	Prevalence and Severity of Atopic Dermatitis in Jeju Island: A Cross-sectional Study of 4,028 Korean Elementary Schoolchildren by Physical Examination Utilizing the Three-item Severity Score. Acta Dermato-Venereologica, 2012, 92, 472-474.	1.3	11
74	Composite scaffold of micronized porcine cartilage/poly(lactic‑co‑glycolic acid) enhances anti-inflammatory effect. Materials Science and Engineering C, 2018, 88, 46-52.	7.3	11
75	Particulate matterâ€induced atmospheric skin aging is aggravated by UVA and inhibited by a topical <scp>l</scp> â€ascorbic acid compound. Photodermatology Photoimmunology and Photomedicine, 2022, 38, 123-131.	1.5	11
76	A Case of Focal Acantholytic Dyskeratosis Occurring on both the Lip and the Anal Canal. Yonsei Medical Journal, 2003, 44, 166.	2.2	10
77	Expression of psoriasis-associated fatty acid-binding protein in senescent human dermal microvascular endothelial cells. Experimental Dermatology, 2004, 13, 543-550.	2.9	10
78	Cutaneous <i>Serratia marcescens</i> infections in Korea: A retrospective analysis of 13 patients. Journal of Dermatology, 2016, 43, 149-155.	1.2	10
79	Preventive effect of polynucleotide on postâ€thyroidectomy scars: A randomized, doubleâ€blinded, controlled trial. Lasers in Surgery and Medicine, 2018, 50, 755-762.	2.1	10
80	A case of penile subcutaneous granuloma annulare. Journal of the American Academy of Dermatology, 2007, 57, S45-S46.	1.2	9
81	Use of 532-nm Q-switched Nd:YAG laser for smoker's gingival hyperpigmentation. Journal of Cosmetic and Laser Therapy, 2010, 12, 77-80.	0.9	9
82	Real-Time Detection of Markers in Blood. Nano Letters, 2019, 19, 2291-2298.	9.1	9
83	Development of novel biocompatible thermosensitive anti-adhesive agents using human-derived acellular dermal matrix. PLoS ONE, 2019, 14, e0212583.	2.5	9
84	Antiâ€aging effect of an oral disintegrating collagen film: a prospective, singleâ€arm study. International Journal of Dermatology, 2022, 61, 54-61.	1.0	9
85	Proteoglycan Combined with Hyaluronic Acid and Hydrolyzed Collagen Restores the Skin Barrier in Mild Atopic Dermatitis and Dry, Eczema-Prone Skin: A Pilot Study. International Journal of Molecular Sciences, 2021, 22, 10189.	4.1	9
86	Knockdown of Moesin Expression Accelerates Cellular Senescence of Human Dermal Microvascular Endothelial Cells. Yonsei Medical Journal, 2010, 51, 438.	2.2	8
87	Knockdown of paraoxonase 1 expression influences the ageing of human dermal microvascular endothelial cells. Experimental Dermatology, 2012, 21, 682-687.	2.9	8
88	Anti-Cyclic Citrullinated Peptide Antibodies and Joint Involvement in Behçet's Disease. Yonsei Medical Journal, 2012, 53, 759.	2.2	8
89	Extramarginal excision is preferable for hypertrophic scars. International Journal of Dermatology, 2014, 53, 1138-1144.	1.0	8
90	Micronized Cross-Linked Human Acellular Dermal Matrices: An Effective Scaffold for Collagen Synthesis and Promising Material for Tissue Augmentation. Tissue Engineering and Regenerative Medicine, 2017, 14, 517-523.	3.7	8

#	Article	IF	Citations
91	The effects of a multigrowth factor ontaining cream on recovery after laser treatment: a doubleâ€blinded, randomized, splitâ€face controlled study. Journal of Cosmetic Dermatology, 2017, 16, 76-83.	1.6	8
92	Inhibition of Wnt signaling pathway suppresses radiation-induced dermal fibrosis. Scientific Reports, 2020, 10, 13594.	3.3	8
93	Identification of skin aging biomarkers correlated with the biomechanical properties. Skin Research and Technology, 2021, 27, 940-947.	1.6	8
94	Severe Acneiform Eruption Induced by Cetuximab (Erbitux®). Yonsei Medical Journal, 2008, 49, 851.	2.2	7
95	Can blood components with ageâ€related changes influence the ageing of endothelial cells?. Experimental Dermatology, 2010, 19, 339-346.	2.9	7
96	Keratoacanthoma aggravated after photodynamic therapy. Journal of Dermatology, 2010, 37, 765-766.	1.2	7
97	Decoy Wnt receptor (sLRP6E1E2)-expressing adenovirus induces anti-fibrotic effect via inhibition of Wnt and TGF- $\hat{l}^2$ signaling. Scientific Reports, 2017, 7, 15070.	3.3	7
98	Tissue-remodelling M2 Macrophages Recruits Matrix MetalloÂproteinase-9 for Cryotherapy-induced Fibrotic Resolution during Keloid Treatment. Acta Dermato-Venereologica, 2020, 100, adv00306.	1.3	7
99	Treatment of Human Immunodeficiency Virus-Associated Facial Lipoatrophy With Hyaluronic Acid Filler Mixed With Micronized Cross-Linked Acellular Dermal Matrix. Journal of Korean Medical Science, 2022, 37, e37.	2.5	7
100	Merkel cell carcinoma combined with squamous cell carcinoma. Journal of Dermatology, 2007, 34, 671-673.	1.2	6
101	<i>In vivo</i> relative quantitative proteomics reveals <scp>HMGB</scp> 1 as a downstream mediator of oestrogenâ€stimulated keratinocyte migration. Experimental Dermatology, 2015, 24, 478-480.	2.9	6
102	Synergistic Effect of 300 νm Needle-Depth Fractional Microneedling Radiofrequency on the Treatment of Senescence-Induced Aging Hyperpigmentation of the Skin. International Journal of Molecular Sciences, 2021, 22, 7480.	4.1	6
103	Isolated Extragenital Bowenoid Papulosis of the Toe-webs. Acta Dermato-Venereologica, 2008, 89, 212-213.	1.3	6
104	Atopic Dermatitis With Group A $\hat{l}^2$ -Hemolytic Streptococcus Skin Infection Complicated by Posterior Reversible Encephalopathy Syndrome. Archives of Dermatology, 2009, 145, 846-7.	1.4	5
105	Ultrastructural features of nevus comedonicus. International Journal of Dermatology, 2012, 51, 626-628.	1.0	5
106	Sustained Release of Decoy Wnt Receptor (sLRP6E1E2)-Expressing Adenovirus Using Gel-Encapsulation for Scar Remodeling in Pig Model. International Journal of Molecular Sciences, 2020, 21, 2242.	4.1	5
107	The Use of a Light-Emitting Diode Device for Neck Rejuvenation and Its Safety on Thyroid Glands. Journal of Clinical Medicine, 2021, 10, 1774.	2.4	5
108	Metformin Inhibits Transforming Growth Factor β–Induced Fibrogenic Response of Human Dermal Fibroblasts and Suppresses Fibrosis in Keloid Spheroids. Annals of Plastic Surgery, 2021, 86, 406-411.	0.9	5

#	Article	IF	CITATIONS
109	The effect of moesin overexpression on ageing of human dermal microvascular endothelial cells. Experimental Dermatology, 2009, 18, 997-999.	2.9	4
110	Combination of Q-switched and quasi long-pulsed 1064-nm Nd:YAG laser, non-ablative 1450-nm diode laser, and ablative 10 600-nm carbon dioxide fractional laser for enlarged pores. Journal of Dermatological Treatment, 2010, 21, 258-260.	2.2	4
111	Silicone-Induced Foreign Body Reaction of the Face Successfully Treated Using Nonablative 1,550-nm Erbium-Glass and Ablative 10,600-nm Carbon Dioxide Fractional Lasers. Dermatologic Surgery, 2012, 38, 1744-1746.	0.8	4
112	Treatment of Davener's dermatosis using a 1064â€nm Qâ€switched Nd:YAG laser with low fluence. International Journal of Dermatology, 2012, 51, 1394-1396.	1.0	4
113	Formation of arcuate crusted lesions after non-ablative 1450-nm diode laser treatment equipped with a dynamic cooling device. Journal of Cosmetic and Laser Therapy, 2010, 12, 124-125.	0.9	3
114	The Effects of Multi-Growth Factors-Containing Cream on Post-Thyroidectomy Scars: A Preliminary Study. Annals of Dermatology, 2017, 29, 314.	0.9	3
115	Treatment of Linear Morphea (en Coup de Sabre) with Micronized Acellular Dermal Matrix Filler: A Case Report. Annals of Dermatology, 2021, 33, 373.	0.9	3
116	The efficacy and safety of multilamellar vesicle containing retinaldehyde: A doubleâ€blinded, randomized, splitâ€face controlled study. Journal of Cosmetic Dermatology, 2021, 20, 2874-2879.	1.6	3
117	Eosinophil cationic protein is a potential surrogate marker of allergic contact dermatitis: A single-center, retrospective study of 216 patients. Journal of the American Academy of Dermatology, 2020, 83, 1819-1821.	1.2	3
118	PHACE syndrome associated with club foot and thumbâ€inâ€palm deformity. Journal of Dermatology, 2012, 39, 1054-1055.	1.2	2
119	Estrogen Upregulates Slug to Enhance the Migration of Keratinocytes. Journal of Investigative Dermatology, 2015, 135, 3200-3203.	0.7	2
120	A pilot study evaluating the efficacy and safety of retinaldehydeâ€loaded niosomes against mildâ€toâ€moderate acne. Journal of Cosmetic Dermatology, 2021, 20, 3586-3592.	1.6	2
121	Successful Treatment of Post-operative Keloid with Combined Cryotherapy and Ablative Fractional CO <sub>2</sub> Laser. Medical Lasers, 2020, 9, 58-61.	0.4	2
122	Epithelial-mesenchymal transition in keloid tissue. Archives of Plastic Surgery, 2018, 45, 600-601.	0.9	2
123	Use of Topical Rapamycin as Maintenance Treatment after a Single Session of Fractionated CO2 Laser Ablation: A Method to Enhance Percutaneous Drug Delivery. Annals of Dermatology, 2019, 31, 555.	0.9	2
124	Combined use of energyâ€based interventions with lowâ€dose isotretinoin for the treatment of inflammatory acne: An retrospective cohort analysis. Journal of Cosmetic Dermatology, 0, , .	1.6	2
125	A Case of Serratia marcescens Infection After Augmentation Rhinoplasty. Dermatologic Surgery, 2010, 36, 2079-2081.	0.8	1
126	Signetâ€ring cell basal cell carcinoma. Journal of Cutaneous Pathology, 2010, 37, 1188-1189.	1.3	1

#	Article	IF	CITATIONS
127	Ultraviolet B activated 1,25(OH) < sub>2 < /sub>D affects the level of fibroblast growth factor-23 in human. Endocrine Journal, 2013, 60, 81-86.	1.6	1
128	Centennial History of Yonsei University Dermatology in Korea: 1917 to 2017. Annals of Dermatology, 2018, 30, 513.	0.9	1
129	The Efficacy and Safety of Succinylated Atelocollagen and Adenosine for the Treatment of Periorbital Wrinkles. Journal of Cosmetics Dermatological Sciences and Applications, 2013, 03, 234-241.	0.2	1
130	Using proteomics to identify targets of antiendothelial cell antibodies. Expert Review of Clinical Immunology, 2007, 3, 983-991.	3.0	0
131	Effect of infosheet for topical tacrolimus 0.1% and its efficacy and compliance in the treatment of atopic dermatitis. Allergy Asthma & Respiratory Disease, 2013, 1, 221.	0.2	0
132	Vergleich (splitâ€lesion) von langer und kurzer Pulsdauer bei der Narbentherapie mit dem gepulsten Farbstofflaser. JDDG - Journal of the German Society of Dermatology, 2019, 17, 324-326.	0.8	0
133	Splitâ€lesion comparison of long and short pulses for pulsed dye laser treatment of scars. JDDG - Journal of the German Society of Dermatology, 2019, 17, 324-326.	0.8	0
134	Laser-assisted Delivery of a Combined Antioxidant Formulation Enhances the Clinical Efficacy of Fractional Microneedle Radiofrequency Treatment: A Pilot Study. Medical Lasers, 2021, 10, 161-169.	0.4	0
135	Title is missing!. , 2020, 17, e1003381.		0
136	Title is missing!. , 2020, 17, e1003381.		0
137	Title is missing!. , 2020, 17, e1003381.		0
138	Title is missing!. , 2020, 17, e1003381.		0
139	Title is missing!. , 2020, 17, e1003381.		0
140	Title is missing!. , 2020, 17, e1003381.		0
141	Title is missing!. , 2020, 17, e1003381.		0
142	Title is missing!. , 2020, 17, e1003381.		0