

Ju Hee Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3228387/publications.pdf>

Version: 2024-02-01

142
papers

2,454
citations

249298

26
h-index

325983

40
g-index

142
all docs

142
docs citations

142
times ranked

2786
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-aging effect of an oral disintegrating collagen film: a prospective, single-arm study. <i>International Journal of Dermatology</i> , 2022, 61, 54-61.	0.5	9
2	Particulate matter-induced atmospheric skin aging is aggravated by UVA and inhibited by a topical ascorbic acid compound. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2022, 38, 123-131.	0.7	11
3	Effect of a Topical Collagen Tripeptide on Antiaging and Inhibition of Glycation of the Skin: A Pilot Study. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1101.	1.8	13
4	Treatment of Human Immunodeficiency Virus-Associated Facial Lipoatrophy With Hyaluronic Acid Filler Mixed With Micronized Cross-Linked Acellular Dermal Matrix. <i>Journal of Korean Medical Science</i> , 2022, 37, e37.	1.1	7
5	Clinical characteristics and histopathologic changes of morphea: A single-center, retrospective study of 137 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 105-113.	0.6	16
6	Randomized controlled study for the anti-aging effect of human adipocyte-derived mesenchymal stem cell media combined with niacinamide after laser therapy. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 1774-1781.	0.8	16
7	Treatment of Linear Morphea (en Coup de Sabre) with Micronized Acellular Dermal Matrix Filler: A Case Report. <i>Annals of Dermatology</i> , 2021, 33, 373.	0.3	3
8	The efficacy and safety of multilamellar vesicle containing retinaldehyde: A double-blind, randomized, split-face controlled study. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 2874-2879.	0.8	3
9	Stress-associated ectopic differentiation of melanocyte stem cells and ORS amelanotic melanocytes in an ex vivo human hair follicle model. <i>Experimental Dermatology</i> , 2021, 30, 578-587.	1.4	12
10	Identification of skin aging biomarkers correlated with the biomechanical properties. <i>Skin Research and Technology</i> , 2021, 27, 940-947.	0.8	8
11	Cellular Senescence and Inflammaging in the Skin Microenvironment. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3849.	1.8	77
12	The Use of a Light-Emitting Diode Device for Neck Rejuvenation and Its Safety on Thyroid Glands. <i>Journal of Clinical Medicine</i> , 2021, 10, 1774.	1.0	5
13	Synergistic Effect of 300 μ m Needle-Depth Fractional Microneedling Radiofrequency on the Treatment of Senescence-Induced Aging Hyperpigmentation of the Skin. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7480.	1.8	6
14	NNT mediates redox-dependent pigmentation via a UVB- and MITF-independent mechanism. <i>Cell</i> , 2021, 184, 4268-4283.e20.	13.5	35
15	Proteoglycan Combined with Hyaluronic Acid and Hydrolyzed Collagen Restores the Skin Barrier in Mild Atopic Dermatitis and Dry, Eczema-Prone Skin: A Pilot Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10189.	1.8	9
16	A pilot study evaluating the efficacy and safety of retinaldehyde-loaded niosomes against mild-to-moderate acne. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 3586-3592.	0.8	2
17	Laser-assisted Delivery of a Combined Antioxidant Formulation Enhances the Clinical Efficacy of Fractional Microneedle Radiofrequency Treatment: A Pilot Study. <i>Medical Lasers</i> , 2021, 10, 161-169.	0.2	0
18	Metformin Inhibits Transforming Growth Factor β -Induced Fibrogenic Response of Human Dermal Fibroblasts and Suppresses Fibrosis in Keloid Spheroids. <i>Annals of Plastic Surgery</i> , 2021, 86, 406-411.	0.5	5

#	ARTICLE	IF	CITATIONS
19	The effect of human umbilical cord blood-derived mesenchymal stem cell media containing serum on recovery after laser treatment: A double-blind, randomized, split-face controlled study. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 651-656.	0.8	14
20	Safety of Combined Fractional Microneedle Radiofrequency and CO ₂ as an Early Intervention for Inflammatory Acne and Scarring Treated With Concomitant Isotretinoin. <i>Dermatologic Surgery</i> , 2020, 46, e71-e77.	0.4	20
21	Inhibition of Wnt signaling pathway suppresses radiation-induced dermal fibrosis. <i>Scientific Reports</i> , 2020, 10, 13594.	1.6	8
22	Effect of a topical antioxidant serum containing vitamin C, vitamin E, and ferulic acid after Q-switched 1064-nm Nd:YAG laser for treatment of environmental-induced skin pigmentation. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 2576-2582.	0.8	22
23	Sustained Release of Decoy Wnt Receptor (sLRP6E1E2)-Expressing Adenovirus Using Gel-Encapsulation for Scar Remodeling in Pig Model. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2242.	1.8	5
24	The Effect of Conditioned Media From Human Adipocyte-Derived Mesenchymal Stem Cells on Androgenetic Alopecia After Nonablative Fractional Laser Treatment. <i>Dermatologic Surgery</i> , 2020, 46, 1698-1704.	0.4	24
25	Assessment of deep neural networks for the diagnosis of benign and malignant skin neoplasms in comparison with dermatologists: A retrospective validation study. <i>PLoS Medicine</i> , 2020, 17, e1003381.	3.9	28
26	Successful Treatment of Post-operative Keloid with Combined Cryotherapy and Ablative Fractional CO ₂ Laser. <i>Medical Lasers</i> , 2020, 9, 58-61.	0.2	2
27	Eosinophil cationic protein is a potential surrogate marker of allergic contact dermatitis: A single-center, retrospective study of 216 patients. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1819-1821.	0.6	3
28	Tissue-remodelling M2 Macrophages Recruits Matrix Metalloproteinase-9 for Cryotherapy-induced Fibrotic Resolution during Keloid Treatment. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00306.	0.6	7
29	Title is missing!. , 2020, 17, e1003381.		0
30	Title is missing!. , 2020, 17, e1003381.		0
31	Title is missing!. , 2020, 17, e1003381.		0
32	Title is missing!. , 2020, 17, e1003381.		0
33	Title is missing!. , 2020, 17, e1003381.		0
34	Title is missing!. , 2020, 17, e1003381.		0
35	Title is missing!. , 2020, 17, e1003381.		0
36	Title is missing!. , 2020, 17, e1003381.		0

#	ARTICLE	IF	CITATIONS
37	Vergleich (split-lesion) von langer und kurzer Pulsdauer bei der Narbentherapie mit dem gepulsten Farbstofflaser. JDDG - Journal of the German Society of Dermatology, 2019, 17, 324-326.	0.4	0
38	Antifibrotic Effects of High-Mobility Group Box 1 Protein Inhibitor (Glycyrrhizin) on Keloid Fibroblasts and Keloid Spheroids through Reduction of Autophagy and Induction of Apoptosis. International Journal of Molecular Sciences, 2019, 20, 4134.	1.8	15
39	Hypoxia-Induced Epithelial-To-Mesenchymal Transition Mediates Fibroblast Abnormalities via ERK Activation in Cutaneous Wound Healing. International Journal of Molecular Sciences, 2019, 20, 2546.	1.8	29
40	Split-lesion comparison of long and short pulses for pulsed dye laser treatment of scars. JDDG - Journal of the German Society of Dermatology, 2019, 17, 324-326.	0.4	0
41	Real-Time Detection of Markers in Blood. Nano Letters, 2019, 19, 2291-2298.	4.5	9
42	Development of novel biocompatible thermosensitive anti-adhesive agents using human-derived acellular dermal matrix. PLoS ONE, 2019, 14, e0212583.	1.1	9
43	Combined Therapeutic Strategies for Keloid Treatment. Dermatologic Surgery, 2019, 45, 802-810.	0.4	41
44	Use of Topical Rapamycin as Maintenance Treatment after a Single Session of Fractionated CO2 Laser Ablation: A Method to Enhance Percutaneous Drug Delivery. Annals of Dermatology, 2019, 31, 555.	0.3	2
45	Preventive effect of polynucleotide on post-thyroidectomy scars: A randomized, double-blind, controlled trial. Lasers in Surgery and Medicine, 2018, 50, 755-762.	1.1	10
46	Composite scaffold of micronized porcine cartilage/poly(lactic-co-glycolic acid) enhances anti-inflammatory effect. Materials Science and Engineering C, 2018, 88, 46-52.	3.8	11
47	Usefulness of Cross-Linked Human Acellular Dermal Matrix as an Implant for Dorsal Augmentation in Rhinoplasty. Aesthetic Plastic Surgery, 2018, 42, 288-294.	0.5	18
48	Demographic and clinical features of hidradenitis suppurativa in Korea. Journal of Dermatology, 2018, 45, 1389-1395.	0.6	35
49	Centennial History of Yonsei University Dermatology in Korea: 1917 to 2017. Annals of Dermatology, 2018, 30, 513.	0.3	1
50	Comparative Effects of Topical 0.2% Sirolimus for Angiofibromas in Adults and Pediatric Patients with Tuberous Sclerosis Complex. Dermatology, 2018, 234, 13-22.	0.9	17
51	High-Mobility Group Box 1 Mediates Fibroblast Activity via RAGE-MAPK and NF- κ B Signaling in Keloid Scar Formation. International Journal of Molecular Sciences, 2018, 19, 76.	1.8	25
52	Profibrogenic effect of high-mobility group box protein-1 in human dermal fibroblasts and its excess in keloid tissues. Scientific Reports, 2018, 8, 8434.	1.6	25
53	The use of biodegradable microneedle patches to increase penetration of topical steroid for prurigo nodularis. European Journal of Dermatology, 2018, 28, 71-77.	0.3	16
54	Epithelial-mesenchymal transition in keloid tissue. Archives of Plastic Surgery, 2018, 45, 600-601.	0.4	2

#	ARTICLE	IF	CITATIONS
55	Enhanced barrier functions and anti-inflammatory effect of cultured coconut extract on human skin. <i>Food and Chemical Toxicology</i> , 2017, 106, 367-375.	1.8	16
56	Micronized Cross-Linked Human Acellular Dermal Matrices: An Effective Scaffold for Collagen Synthesis and Promising Material for Tissue Augmentation. <i>Tissue Engineering and Regenerative Medicine</i> , 2017, 14, 517-523.	1.6	8
57	Decoy Wnt receptor (sLRP6E1E2)-expressing adenovirus induces anti-fibrotic effect via inhibition of Wnt and TGF- β 2 signaling. <i>Scientific Reports</i> , 2017, 7, 15070.	1.6	7
58	The effects of a multigrowth factor-containing cream on recovery after laser treatment: a double-blind, randomized, split-face controlled study. <i>Journal of Cosmetic Dermatology</i> , 2017, 16, 76-83.	0.8	8
59	Scar Prevention and Enhanced Wound Healing Induced by Polydeoxyribonucleotide in a Rat Incisional Wound-Healing Model. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1698.	1.8	53
60	The Effects of Multi-Growth Factors-Containing Cream on Post-Thyroidectomy Scars: A Preliminary Study. <i>Annals of Dermatology</i> , 2017, 29, 314.	0.3	3
61	Cutaneous <i>Serratia marcescens</i> infections in Korea: A retrospective analysis of 13 patients. <i>Journal of Dermatology</i> , 2016, 43, 149-155.	0.6	10
62	TSLP Is a Potential Initiator of Collagen Synthesis and an Activator of CXCR4/SDF-1 Axis in Keloid Pathogenesis. <i>Journal of Investigative Dermatology</i> , 2016, 136, 507-515.	0.3	43
63	<i>In vivo</i> relative quantitative proteomics reveals HMGB1 as a downstream mediator of oestrogen-stimulated keratinocyte migration. <i>Experimental Dermatology</i> , 2015, 24, 478-480.	1.4	6
64	Heat Shock Protein 90 Inhibitor Decreases Collagen Synthesis of Keloid Fibroblasts and Attenuates the Extracellular Matrix on the Keloid Spheroid Model. <i>Plastic and Reconstructive Surgery</i> , 2015, 136, 328e-337e.	0.7	18
65	Endothelial-mesenchymal transition induced by Wnt 3a in keloid pathogenesis. <i>Wound Repair and Regeneration</i> , 2015, 23, 435-442.	1.5	60
66	Preventive Effect of Human Acellular Dermal Matrix on Post-thyroidectomy Scars and Adhesions. <i>Dermatologic Surgery</i> , 2015, 41, 812-820.	0.4	12
67	Hsp70 Knockdown by siRNA Decreased Collagen Production in Keloid Fibroblasts. <i>Yonsei Medical Journal</i> , 2015, 56, 1619.	0.9	21
68	Effect of recombinant human epidermal growth factor on cutaneous scar quality in thyroidectomy patients. <i>Journal of Dermatological Treatment</i> , 2015, 26, 159-164.	1.1	21
69	Characterization and tissue incorporation of cross-linked human acellular dermal matrix. <i>Biomaterials</i> , 2015, 44, 195-205.	5.7	63
70	Decorin-expressing adenovirus decreases collagen synthesis and upregulates MMP expression in keloid fibroblasts and keloid spheroids. <i>Experimental Dermatology</i> , 2015, 24, 591-597.	1.4	32
71	Estrogen Upregulates Slug to Enhance the Migration of Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2015, 135, 3200-3203.	0.3	2
72	Altered vimentin protein expression in human dermal microvascular endothelial cells after ultraviolet or intense pulsed light treatment. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 431-438.	1.1	12

#	ARTICLE	IF	CITATIONS
73	A case of sebaceous hyperplasia maintained on low-dose isotretinoin after carbon dioxide laser treatment. <i>International Journal of Dermatology</i> , 2014, 53, e151-3.	0.5	15
74	Non-Ablative 1550-nm Erbium-Glass and Ablative 10,600-nm Carbon Dioxide Fractional Lasers for Various Types of Scars in Asian People: Evaluation of 100 Patients. <i>Photomedicine and Laser Surgery</i> , 2014, 32, 42-46.	2.1	14
75	High-throughput, high-content screening for novel pigmentation regulators using a keratinocyte/melanocyte co-culture system. <i>Experimental Dermatology</i> , 2014, 23, 125-129.	1.4	13
76	Extramarginal excision is preferable for hypertrophic scars. <i>International Journal of Dermatology</i> , 2014, 53, 1138-1144.	0.5	8
77	Melanocyte stem cells as potential therapeutics in skin disorders. <i>Expert Opinion on Biological Therapy</i> , 2014, 14, 1569-1579.	1.4	41
78	Comparison of non-ablative and ablative fractional laser treatments in a postoperative scar study. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 741-749.	1.1	39
79	Salicylic Acid Peels Versus Jessner's Solution for Acne Vulgaris: A Comparative Study. <i>Dermatologic Surgery</i> , 2013, 39, 248-253.	0.4	24
80	A novel three-dimensional model system for keloid study: Organotypic multicellular scar model. <i>Wound Repair and Regeneration</i> , 2013, 21, 155-165.	1.5	24
81	Proteomic Profiling Reveals Upregulated Protein Expression of Hsp70 in Keloids. <i>BioMed Research International</i> , 2013, 2013, 1-9.	0.9	16
82	Oral Tranexamic Acid Enhances the Efficacy of Low-Fluence 1064-Nm Quality-Switched Neodymium-Doped Yttrium Aluminum Garnet Laser Treatment for Melasma in Koreans: A Randomized, Prospective Trial. <i>Dermatologic Surgery</i> , 2013, 39, 435-442.	0.4	88
83	Ultraviolet B activated 1,25(OH) ₂ D affects the level of fibroblast growth factor-23 in human. <i>Endocrine Journal</i> , 2013, 60, 81-86.	0.7	1
84	Effect of infosheet for topical tacrolimus 0.1% and its efficacy and compliance in the treatment of atopic dermatitis. <i>Allergy Asthma & Respiratory Disease</i> , 2013, 1, 221.	0.3	0
85	The Efficacy and Safety of Succinylated Atelocollagen and Adenosine for the Treatment of Periorbital Wrinkles. <i>Journal of Cosmetics Dermatological Sciences and Applications</i> , 2013, 03, 234-241.	0.1	1
86	Relaxin-Expressing Adenovirus Decreases Collagen Synthesis and Up-Regulates Matrix Metalloproteinase Expression in Keloid Fibroblasts. <i>Plastic and Reconstructive Surgery</i> , 2012, 130, 407e-417e.	0.7	17
87	Knockdown of paraoxonase 1 expression influences the ageing of human dermal microvascular endothelial cells. <i>Experimental Dermatology</i> , 2012, 21, 682-687.	1.4	8
88	A split-face comparison of a fractional microneedle radiofrequency device and fractional carbon dioxide laser therapy in acne patients. <i>Journal of Cosmetic and Laser Therapy</i> , 2012, 14, 212-217.	0.3	22
89	Treatment of Anetoderma Occurring After Resolution of Stevens-Johnson Syndrome Using an Ablative 10,600-nm Carbon Dioxide Fractional Laser. <i>Dermatologic Surgery</i> , 2012, 38, 677-679.	0.4	13
90	Silicone-Induced Foreign Body Reaction of the Face Successfully Treated Using Nonablative 1,550-nm Erbium-Glass and Ablative 10,600-nm Carbon Dioxide Fractional Lasers. <i>Dermatologic Surgery</i> , 2012, 38, 1744-1746.	0.4	4

#	ARTICLE	IF	CITATIONS
91	Identification of HnRNP-A2/B1 as a Target Antigen of Anti-Endothelial Cell IgA Antibody in Behçet's Disease. <i>Journal of Investigative Dermatology</i> , 2012, 132, 601-608.	0.3	29
92	Anti-Cyclic Citrullinated Peptide Antibodies and Joint Involvement in Behçet's Disease. <i>Yonsei Medical Journal</i> , 2012, 53, 759.	0.9	8
93	Prevalence and Severity of Atopic Dermatitis in Jeju Island: A Cross-sectional Study of 4,028 Korean Elementary Schoolchildren by Physical Examination Utilizing the Three-item Severity Score. <i>Acta Dermato-Venereologica</i> , 2012, 92, 472-474.	0.6	11
94	Ultrastructural features of nevus comedonicus. <i>International Journal of Dermatology</i> , 2012, 51, 626-628.	0.5	5
95	Treatment of Darver's dermatosis using a 1064-nm Q-switched Nd:YAG laser with low fluence. <i>International Journal of Dermatology</i> , 2012, 51, 1394-1396.	0.5	4
96	PHACE syndrome associated with club foot and thumb-in-palm deformity. <i>Journal of Dermatology</i> , 2012, 39, 1054-1055.	0.6	2
97	A phase I study of nimotuzumab in combination with radiotherapy in stages II-IV non-small cell lung cancer unsuitable for radical therapy: Korean results. <i>Lung Cancer</i> , 2011, 71, 55-59.	0.9	42
98	Combination treatment of non-segmental vitiligo with a 308-nm xenon chloride excimer laser and topical high-concentration tacalcitol: A prospective, single-blinded, paired, comparative study. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 428-430.	0.6	42
99	Solitary Type of Congenital Self-healing Reticulohistiocytosis. <i>Annals of Dermatology</i> , 2011, 23, S4.	0.3	13
100	Early Postoperative Treatment of Thyroidectomy Scars Using a Fractional Carbon Dioxide Laser. <i>Dermatologic Surgery</i> , 2011, 37, 217-223.	0.4	68
101	Treatment of Syringoma Using an Ablative 10,600-nm Carbon Dioxide Fractional Laser: A Prospective Analysis of 35 Patients. <i>Dermatologic Surgery</i> , 2011, 37, 433-438.	0.4	44
102	Erythema Ab Igne Successfully Treated Using 1,064-nm Q-switched Neodymium-Doped Yttrium Aluminum Garnet Laser with Low Fluence. <i>Dermatologic Surgery</i> , 2011, 37, 551-553.	0.4	21
103	Effective Treatment of Facial Redness Caused by Atopic Dermatitis Using Intense Pulsed Light Systems. <i>Dermatologic Surgery</i> , 2010, 36, 475-482.	0.4	16
104	A Case of <i>Serratia marcescens</i> Infection After Augmentation Rhinoplasty. <i>Dermatologic Surgery</i> , 2010, 36, 2079-2081.	0.4	1
105	Lower-Fluence, Higher-Density versus Higher-Fluence, Lower-Density Treatment with a 10,600-nm Carbon Dioxide Fractional Laser System: A Split-Face, Evaluator-Blinded Study. <i>Dermatologic Surgery</i> , 2010, 36, 2022-2029.	0.4	41
106	Signet-ring cell basal cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 1188-1189.	0.7	1
107	Can blood components with age-related changes influence the ageing of endothelial cells?. <i>Experimental Dermatology</i> , 2010, 19, 339-346.	1.4	7
108	Vitiligo following intense pulsed light treatment. <i>Journal of Dermatology</i> , 2010, 37, 674-676.	0.6	12

#	ARTICLE	IF	CITATIONS
109	Keratoacanthoma aggravated after photodynamic therapy. <i>Journal of Dermatology</i> , 2010, 37, 765-766.	0.6	7
110	A Case of Hand-foot-mouth Disease in an Immunocompetent Adult. <i>Annals of Dermatology</i> , 2010, 22, 216.	0.3	29
111	Knockdown of Moesin Expression Accelerates Cellular Senescence of Human Dermal Microvascular Endothelial Cells. <i>Yonsei Medical Journal</i> , 2010, 51, 438.	0.9	8
112	Formation of arcuate crusted lesions after non-ablative 1450-nm diode laser treatment equipped with a dynamic cooling device. <i>Journal of Cosmetic and Laser Therapy</i> , 2010, 12, 124-125.	0.3	3
113	Combination of Q-switched and quasi long-pulsed 1064-nm Nd:YAG laser, non-ablative 1450-nm diode laser, and ablative 10 600-nm carbon dioxide fractional laser for enlarged pores. <i>Journal of Dermatological Treatment</i> , 2010, 21, 258-260.	1.1	4
114	Use of 532-nm Q-switched Nd:YAG laser for smoker's gingival hyperpigmentation. <i>Journal of Cosmetic and Laser Therapy</i> , 2010, 12, 77-80.	0.3	9
115	Atopic Dermatitis With Group A β -Hemolytic Streptococcus Skin Infection Complicated by Posterior Reversible Encephalopathy Syndrome. <i>Archives of Dermatology</i> , 2009, 145, 846-7.	1.7	5
116	Comparison of a 1,550-nm Erbium:Glass fractional laser and a chemical reconstruction of skin scars (CROSS) method in the treatment of acne scars: A simultaneous split-face trial. <i>Lasers in Surgery and Medicine</i> , 2009, 41, 545-549.	1.1	61
117	Effects of ablative 10,600-nm carbon dioxide fractional laser therapy on suppurative diseases of the skin: A case series of 12 patients. <i>Lasers in Surgery and Medicine</i> , 2009, 41, 550-554.	1.1	26
118	Corticotropin-releasing factor decreases IL-18 in the monocyte-derived dendritic cell. <i>Experimental Dermatology</i> , 2009, 18, 199-204.	1.4	20
119	The effect of moesin overexpression on ageing of human dermal microvascular endothelial cells. <i>Experimental Dermatology</i> , 2009, 18, 997-999.	1.4	4
120	Efficacy of the Fractional Photothermolysis System with Dynamic Operating Mode on Acne Scars and Enlarged Facial Pores. <i>Dermatologic Surgery</i> , 2009, 35, 108-114.	0.4	50
121	A Comparative Study of Topical 5-Aminolevulinic Acid Incubation Times in Photodynamic Therapy with Intense Pulsed Light for the Treatment of Inflammatory Acne. <i>Dermatologic Surgery</i> , 2009, 35, 1918-1926.	0.4	37
122	Efficacy of the Fractional Photothermolysis System with Dynamic Operating Mode on Acne Scars and Enlarged Facial Pores. <i>Dermatologic Surgery</i> , 2009, 35, 108-114.	0.4	26
123	Increased expression of CC chemokine ligand 18 in extrinsic atopic dermatitis patients. <i>Experimental Dermatology</i> , 2008, 17, 24-29.	1.4	25
124	Clinical manifestations associated with high titer of anti-streptolysin O in Behcet's disease. <i>Clinical Rheumatology</i> , 2008, 27, 999-1003.	1.0	15
125	Mitochondrial ATP synthase is a target for TNBS-induced protein carbonylation in XS106 dendritic cells. <i>Proteomics</i> , 2008, 8, 2384-2393.	1.3	20
126	Concurrence of Palmoplantar Psoriasiform Eruptions and Hair Loss during Carbamazepine Treatment. <i>Acta Dermato-Venereologica</i> , 2008, 88, 532-533.	0.6	12

#	ARTICLE	IF	CITATIONS
127	Severe Acneiform Eruption Induced by Cetuximab (Erbix [®]). Yonsei Medical Journal, 2008, 49, 851.	0.9	7
128	Isolated Extragenital Bowenoid Papulosis of the Toe-webs. Acta Dermato-Venereologica, 2008, 89, 212-213.	0.6	6
129	Using proteomics to identify targets of antiendothelial cell antibodies. Expert Review of Clinical Immunology, 2007, 3, 983-991.	1.3	0
130	A case of penile subcutaneous granuloma annulare. Journal of the American Academy of Dermatology, 2007, 57, S45-S46.	0.6	9
131	Syringoma: A Clinicopathologic and Immunohistologic Study and Results of Treatment. Yonsei Medical Journal, 2007, 48, 35.	0.9	28
132	Merkel cell carcinoma combined with squamous cell carcinoma. Journal of Dermatology, 2007, 34, 671-673.	0.6	6
133	Median raphe cyst on the scrotum and perineum. Journal of the American Academy of Dermatology, 2006, 55, S114-S115.	0.6	30
134	Effects of Infrared Radiation on Skin Photo-Aging and Pigmentation. Yonsei Medical Journal, 2006, 47, 485.	0.9	28
135	Searching for aging-related proteins in human dermal microvascular endothelial cells treated with anti-aging agents. Proteomics, 2006, 6, 1351-1361.	1.3	41
136	Behçet's Disease Combined with Various Types of Fistula. Yonsei Medical Journal, 2005, 46, 625.	0.9	15
137	Expression of psoriasis-associated fatty acid-binding protein in senescent human dermal microvascular endothelial cells. Experimental Dermatology, 2004, 13, 543-550.	1.4	10
138	A Case of Focal Acantholytic Dyskeratosis Occurring on both the Lip and the Anal Canal. Yonsei Medical Journal, 2003, 44, 166.	0.9	10
139	Receptors for <i>Treponema pallidum</i> Attachment to the Surface and Matrix Proteins of Cultured Human Dermal Microvascular Endothelial Cells. Yonsei Medical Journal, 2003, 44, 371.	0.9	13
140	Allergic Contact Dermatitis from Calcipotriol. Acta Dermato-Venereologica, 2002, 82, 71-72.	0.6	23
141	Epidemiologic and Clinical Survey of Behçet's Disease in Korea: the First Multicenter Study. Journal of Korean Medical Science, 2001, 16, 615.	1.1	120
142	Combined use of energy-based interventions with low-dose isotretinoin for the treatment of inflammatory acne: An retrospective cohort analysis. Journal of Cosmetic Dermatology, 0, , .	0.8	2