

# Laia Tolosa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3228621/publications.pdf>

Version: 2024-02-01

59  
papers

2,684  
citations

147566

31  
h-index

182168

51  
g-index

59  
all docs

59  
docs citations

59  
times ranked

4161  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dichloro-dihydro-fluorescein diacetate (DCFH-DA) assay: A quantitative method for oxidative stress assessment of nanoparticle-treated cells. <i>Toxicology in Vitro</i> , 2013, 27, 954-963.	1.1	349
2	Culture and Functional Characterization of Human Hepatoma HepG2 Cells. <i>Methods in Molecular Biology</i> , 2015, 1250, 77-93.	0.4	178
3	General Cytotoxicity Assessment by Means of the MTT Assay. <i>Methods in Molecular Biology</i> , 2015, 1250, 333-348.	0.4	155
4	Competency of different cell models to predict human hepatotoxic drugs. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2014, 10, 1553-1568.	1.5	152
5	Development of a Multiparametric Cell-based Protocol to Screen and Classify the Hepatotoxicity Potential of Drugs. <i>Toxicological Sciences</i> , 2012, 127, 187-198.	1.4	105
6	Vascular endothelial growth factor protects spinal cord motoneurons against glutamate-induced excitotoxicity via phosphatidylinositol 3-kinase. <i>Journal of Neurochemistry</i> , 2008, 105, 1080-1090.	2.1	99
7	Prediction of human drug-induced liver injury (DILI) in relation to oral doses and blood concentrations. <i>Archives of Toxicology</i> , 2019, 93, 1609-1637.	1.9	86
8	TNF- $\alpha$ potentiates glutamate-induced spinal cord motoneuron death via NF- $\kappa$ B. <i>Molecular and Cellular Neurosciences</i> , 2011, 46, 176-186.	1.0	83
9	Foxa1 Reduces Lipid Accumulation in Human Hepatocytes and Is Down-Regulated in Nonalcoholic Fatty Liver. <i>PLoS ONE</i> , 2012, 7, e30014.	1.1	77
10	Transplantation of hESC-derived hepatocytes protects mice from liver injury. <i>Stem Cell Research and Therapy</i> , 2015, 6, 246.	2.4	69
11	HepG2 cells simultaneously expressing five P450 enzymes for the screening of hepatotoxicity: identification of bioactivable drugs and the potential mechanism of toxicity involved. <i>Archives of Toxicology</i> , 2013, 87, 1115-1127.	1.9	68
12	High-Content Imaging Technology for the Evaluation of Drug-Induced Steatosis Using a Multiparametric Cell-Based Assay. <i>Journal of Biomolecular Screening</i> , 2012, 17, 394-400.	2.6	64
13	Metabolic activation and drug-induced liver injury: <i>in vitro</i> approaches for the safety risk assessment of new drugs. <i>Journal of Applied Toxicology</i> , 2016, 36, 752-768.	1.4	64
14	Tumor necrosis factor alpha and interferon gamma cooperatively induce oxidative stress and motoneuron death in rat spinal cord embryonic explants. <i>Neuroscience</i> , 2009, 162, 959-971.	1.1	62
15	Complementary roles of tumor necrosis factor alpha and interferon gamma in inducible microglial nitric oxide generation. <i>Journal of Neuroimmunology</i> , 2008, 204, 101-109.	1.1	56
16	Hepatocyte transplantation program: Lessons learned and future strategies. <i>World Journal of Gastroenterology</i> , 2016, 22, 874.	1.4	56
17	Advantageous use of HepaRG cells for the screening and mechanistic study of drug-induced steatosis. <i>Toxicology and Applied Pharmacology</i> , 2016, 302, 1-9.	1.3	55
18	Human Upcyte Hepatocytes: Characterization of the Hepatic Phenotype and Evaluation for Acute and Long-Term Hepatotoxicity Routine Testing. <i>Toxicological Sciences</i> , 2016, 152, 214-229.	1.4	52

#	ARTICLE	IF	CITATIONS
19	IFN- $\gamma$ prevents TNF- $\alpha$ -induced apoptosis in C2C12 myotubes through down-regulation of TNF-R2 and increased NF- $\kappa$ B activity. <i>Cellular Signalling</i> , 2005, 17, 1333-1342.	1.7	47
20	Comparing in vitro human liver models to in vivo human liver using RNA-Seq. <i>Archives of Toxicology</i> , 2021, 95, 573-589.	1.9	47
21	High-content screening technology for studying drug-induced hepatotoxicity in cell models. <i>Archives of Toxicology</i> , 2015, 89, 1007-1022.	1.9	45
22	Vascular endothelial growth factor protects motoneurons from serum deprivation-induced cell death through phosphatidylinositol 3-kinase-mediated p38 mitogen-activated protein kinase inhibition. <i>Neuroscience</i> , 2009, 158, 1348-1355.	1.1	43
23	High-content screening of drug-induced mitochondrial impairment in hepatic cells: effects of statins. <i>Archives of Toxicology</i> , 2015, 89, 1847-1860.	1.9	42
24	Human hepatocytes derived from pluripotent stem cells: a promising cell model for drug hepatotoxicity screening. <i>Archives of Toxicology</i> , 2016, 90, 2049-2061.	1.9	42
25	Relevance of the incubation period in cytotoxicity testing with primary human hepatocytes. <i>Archives of Toxicology</i> , 2018, 92, 3505-3515.	1.9	41
26	New microRNA Biomarkers for Drug-Induced Steatosis and Their Potential to Predict the Contribution of Drugs to Non-alcoholic Fatty Liver Disease. <i>Frontiers in Pharmacology</i> , 2017, 8, 3.	1.6	40
27	Customised in vitro model to detect human metabolism-dependent idiosyncratic drug-induced liver injury. <i>Archives of Toxicology</i> , 2018, 92, 383-399.	1.9	40
28	Neonatal Livers: A Source for the Isolation of Good-Performing Hepatocytes for Cell Transplantation. <i>Cell Transplantation</i> , 2014, 23, 1229-1242.	1.2	39
29	Cellular and molecular mechanisms involved in the neuroprotective effects of VEGF on motoneurons. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 181.	1.8	34
30	Clinical Application of Pluripotent Stem Cells. <i>Transplantation</i> , 2016, 100, 2548-2557.	0.5	33
31	Mechanism-based selection of compounds for the development of innovative in vitro approaches to hepatotoxicity studies in the LIINTOP project. <i>Toxicology in Vitro</i> , 2010, 24, 1879-1889.	1.1	32
32	Upgrading cytochrome P450 activity in HepG2 cells co-transfected with adenoviral vectors for drug hepatotoxicity assessment. <i>Toxicology in Vitro</i> , 2012, 26, 1272-1277.	1.1	32
33	Low-density lipoprotein receptor-deficient hepatocytes differentiated from induced pluripotent stem cells allow familial hypercholesterolemia modeling, CRISPR/Cas-mediated genetic correction, and productive hepatitis C virus infection. <i>Stem Cell Research and Therapy</i> , 2019, 10, 221.	2.4	30
34	Stem-cell derived hepatocyte-like cells for the assessment of drug-induced liver injury. <i>Differentiation</i> , 2019, 106, 15-22.	1.0	28
35	High-Content Screening for the Detection of Drug-Induced Oxidative Stress in Liver Cells. <i>Antioxidants</i> , 2021, 10, 106.	2.2	27
36	Long-term and mechanistic evaluation of drug-induced liver injury in Upcyte human hepatocytes. <i>Archives of Toxicology</i> , 2019, 93, 519-532.	1.9	21

#	ARTICLE	IF	CITATIONS
37	Multiparametric evaluation of the cytoprotective effect of the <i>Mangifera indica</i> stem bark extract and mangiferin in HepG2 cells. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 1073-1082.	1.2	20
38	Using high-content screening technology for studying drug-induced hepatotoxicity in preclinical studies. <i>Expert Opinion on Drug Discovery</i> , 2017, 12, 201-211.	2.5	18
39	Influence of Platelet Lysate on the Recovery and Metabolic Performance of Cryopreserved Human Hepatocytes Upon Thawing. <i>Transplantation</i> , 2011, 91, 1340-1346.	0.5	16
40	Upgrading HepG2 cells with adenoviral vectors that encode drug-metabolizing enzymes: application for drug hepatotoxicity testing. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2017, 13, 137-148.	1.5	16
41	Induced pluripotent stem cells for the treatment of liver diseases: challenges and perspectives from a clinical viewpoint. <i>Annals of Translational Medicine</i> , 2020, 8, 566-566.	0.7	16
42	Human neonatal hepatocyte transplantation induces long-term rescue of unconjugated hyperbilirubinemia in the Gunn rat. <i>Liver Transplantation</i> , 2015, 21, 801-811.	1.3	14
43	Integrate mechanistic evidence from new approach methodologies (NAMs) into a read-across assessment to characterise trends in shared mode of action. <i>Toxicology in Vitro</i> , 2022, 79, 105269.	1.1	14
44	Steatotic liver: a suitable source for the isolation of hepatic progenitor cells. <i>Liver International</i> , 2011, 31, 1231-1238.	1.9	13
45	Regenerative cell therapy for the treatment of hyperbilirubinemic Gunn rats with fresh and frozen human induced pluripotent stem cells-derived hepatic stem cells. <i>Xenotransplantation</i> , 2020, 27, e12544.	1.6	12
46	Assessment of the cytotoxic potential of an aqueous-ethanolic extract from <i>Thalassia testudinum</i> angiosperm marine grown in the Caribbean Sea. <i>Journal of Pharmacy and Pharmacology</i> , 2018, 70, 1553-1560.	1.2	11
47	Oxidative-stress and long-term hepatotoxicity: comparative study in Upcyte human hepatocytes and hepaRG cells. <i>Archives of Toxicology</i> , 2022, 96, 1021-1037.	1.9	9
48	Modulation of biotransformation and elimination systems by BM-21, an aqueous ethanolic extract from <i>Thalassia testudinum</i> , and thalassiolin B on human hepatocytes. <i>Journal of Functional Foods</i> , 2012, 4, 167-176.	1.6	7
49	The in vitro assessment of the toxicity of volatile, oxidisable, redox-cycling compounds: phenols as an example. <i>Archives of Toxicology</i> , 2021, 95, 2109-2121.	1.9	4
50	Hepatogenic Differentiation: Comparison Between Adipose Tissue-Derived Stem Cells and Bone Marrow Mesenchymal Stem Cells. , 2013, , 45-57.		3
51	Alternative Cell Sources to Adult Hepatocytes for Hepatic Cell Therapy. <i>Methods in Molecular Biology</i> , 2017, 1506, 17-42.	0.4	3
52	Improved in vivo efficacy of clinical-grade cryopreserved human hepatocytes in mice with acute liver failure. <i>Cytotherapy</i> , 2020, 22, 114-121.	0.3	3
53	Application of high-content screening for the study of hepatotoxicity: Focus on food toxicology. <i>Food and Chemical Toxicology</i> , 2021, 147, 111872.	1.8	3
54	A Novel UPLC-MS Metabolomic Analysis-Based Strategy to Monitor the Course and Extent of iPSC Differentiation to Hepatocytes. <i>Journal of Proteome Research</i> , 2022, , .	1.8	3

#	ARTICLE	IF	CITATIONS
55	Cell Models and Omics Techniques for the Study of Nonalcoholic Fatty Liver Disease: Focusing on Stem Cell-Derived Cell Models. <i>Antioxidants</i> , 2022, 11, 86.	2.2	3
56	Synthesis and cytotoxic activity of 4-N-carboxybutyl-5-fluorocytosyl-Arg-Gln-Trp-Arg-Arg-Trp-Trp-Gln-Arg-NH <sub>2</sub> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 4233-4237.	1.0	2
57	Cell Therapies for the Treatment of Inborn Metabolic Errors. , 2015, , 1137-1156.		1
58	A Multiâ€Parametric Fluorescent Assay for the Screening and Mechanistic Study of Drugâ€Induced Steatosis in Liver Cells in Culture. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al ]</i> , 2017, 72, 14.15.1-14.15.11.	1.1	0
59	Induced pluripotent stem cells in liver disease. , 2021, , 225-250.		0