

# T Scott Bowen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3228683/publications.pdf>

Version: 2024-02-01

37  
papers

1,214  
citations

394390

19  
h-index

377849

34  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1896  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Long-chain ceramides are cell non-autonomous signals linking lipotoxicity to endoplasmic reticulum stress in skeletal muscle. <i>Nature Communications</i> , 2022, 13, 1748.  | 12.8 | 21        |
| 2  | Abnormal skeletal muscle blood flow, contractile mechanics and fibre morphology in a rat model of obese HFpEF. <i>Journal of Physiology</i> , 2021, 599, 981-1001.  | 2.9  | 21        |
| 3  | Molecular Mechanisms of Diaphragm Myopathy in Humans With Severe Heart Failure. <i>Circulation Research</i> , 2021, 128, 706-719.   | 4.5  | 16        |
| 4  | Firearms-related skeletal muscle trauma: pathophysiology and novel approaches for regeneration. <i>Npj Regenerative Medicine</i> , 2021, 6, 17.   | 5.2  | 8         |
| 5  | Tolerating Large Preclinical Models of HFpEF But Without the Intolerance?. <i>JACC Basic To Translational Science</i> , 2021, 6, 397.   | 4.1  | 0         |
| 6  | Older adults are not more susceptible to acute muscle atrophy after immobilisation compared to younger adults: a systematic review. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, , 1.  | 1.7  | 4         |
| 7  | Towards a personalised approach in exercise-based cardiovascular rehabilitation: How can translational research help? A "call to action"™ from the Section on Secondary Prevention and Cardiac Rehabilitation of the European Association of Preventive Cardiology. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1369-1385. | 1.8  | 43        |
| 8  | Divergent skeletal muscle mitochondrial phenotype between male and female patients with chronic heart failure. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 79-88.   | 7.3  | 15        |
| 9  | Chronic heart failure with diabetes mellitus is characterized by a severe skeletal muscle pathology. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 394-404.   | 7.3  | 20        |
| 10 | Unique Transcriptome Signature Distinguishes Patients With Heart Failure With Myopathy. <i>Journal of the American Heart Association</i> , 2020, 9, e017091.  | 3.7  | 11        |
| 11 | Emerging Strategies Targeting Catabolic Muscle Stress Relief. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4681.  | 4.1  | 9         |
| 12 | Expression of MuRF1 or MuRF2 is essential for the induction of skeletal muscle atrophy and dysfunction in a murine pulmonary hypertension model. <i>Skeletal Muscle</i> , 2020, 10, 12.   | 4.2  | 20        |
| 13 | Personalized Rate-Response Programming Improves Exercise Tolerance After 6 Months in People With Cardiac Implantable Electronic Devices and Heart Failure. <i>Circulation</i> , 2020, 141, 1693-1703.   | 1.6  | 12        |
| 14 | Response by Gierula et al to Letter Regarding Article, "Personalized Rate-Response Programming Improves Exercise Tolerance After 6 Months in People With Cardiac Implantable Electronic Devices and Heart Failure: A Phase II Study". <i>Circulation</i> , 2020, 142, e319-e320.  | 1.6  | 0         |
| 15 | Anti-inflammatory nutrition with high protein attenuates cardiac and skeletal muscle alterations in a pulmonary arterial hypertension model. <i>Scientific Reports</i> , 2019, 9, 10160.  | 3.3  | 10        |
| 16 | Small-molecule-mediated chemical knockdown of MuRF1/MuRF2 and attenuation of diaphragm dysfunction in chronic heart failure. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 1102-1115.   | 7.3  | 35        |
| 17 | Effects of Endurance Training on Detrimental Structural, Cellular, and Functional Alterations in Skeletal Muscles of Heart Failure With Preserved Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2018, 24, 603-613.   | 1.7  | 24        |
| 18 | Endothelial function is disturbed in a hypertensive diabetic animal model of HFpEF: Moderate continuous vs. high intensity interval training. <i>International Journal of Cardiology</i> , 2018, 273, 147-154.  | 1.7  | 30        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Diabetic heart failure patients demonstrate a mitochondrial complex I dependent impairment in skeletal muscle. <i>FASEB Journal</i> , 2018, 32, 903.10.  | 0.5 | 0         |
| 20 | Exercise Training Reverses Extrapulmonary Impairments in Smoke-exposed Mice. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 879-887.   | 0.4 | 18        |
| 21 | Exercise Training Reveals Inflexibility of the Diaphragm in an Animal Model of Patients With Obesity-Driven Heart Failure With a Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2017, 6, .                      | 3.7 | 36        |
| 22 | High-intensity interval training prevents oxidant-mediated diaphragm muscle weakness in hypertensive mice. <i>FASEB Journal</i> , 2017, 31, 60-71.   | 0.5 | 22        |
| 23 | Exercise Training Prevents Diaphragm Contractile Dysfunction in Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 2118-2124.   | 0.4 | 21        |
| 24 | Skeletal Muscle Alterations Are Exacerbated in Heart Failure With Reduced Compared With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2016, 9, .  | 3.9 | 54        |
| 25 | Greater $\Delta V_{iO_2}$ peak is correlated with greater skeletal muscle deoxygenation amplitude and hemoglobin concentration within individual muscles during ramp-incremental cycle exercise. <i>Physiological Reports</i> , 2016, 4, e13065. | 1.7 | 41        |
| 26 | The Spatial Distribution of Absolute Skeletal Muscle Deoxygenation During Ramp-Incremental Exercise Is Not Influenced by Hypoxia. <i>Advances in Experimental Medicine and Biology</i> , 2016, 876, 19-26.                                       | 1.6 | 3         |
| 27 | Inheriting a high aerobic fitness predisposes to skeletal muscle and endothelial dysfunction in chronic heart failure. <i>International Journal of Cardiology</i> , 2016, 203, 353-356.  | 1.7 | 2         |
| 28 | Skeletal muscle wasting in cachexia and sarcopenia: molecular pathophysiology and impact of exercise training. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 197-207.   | 7.3 | 300       |
| 29 | Skeletal muscle alterations in chronic heart failure: differential effects on quadriceps and diaphragm. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015, 6, 381-390.  | 7.3 | 61        |
| 30 | High-intensity interval training attenuates endothelial dysfunction in a Dahl salt-sensitive rat model of heart failure with preserved ejection fraction. <i>Journal of Applied Physiology</i> , 2015, 119, 745-752.                             | 2.5 | 39        |
| 31 | Heart failure with preserved ejection fraction induces molecular, mitochondrial, histological, and functional alterations in rat respiratory and limb skeletal muscle. <i>European Journal of Heart Failure</i> , 2015, 17, 263-272.             | 7.1 | 123       |
| 32 | Diaphragm muscle weakness in mice is early-onset post-myocardial infarction and associated with elevated protein oxidation. <i>Journal of Applied Physiology</i> , 2015, 118, 11-19.   | 2.5 | 37        |
| 33 | Heart Failure with Preserved Ejection Fraction Induces Molecular, Mitochondrial, Histological, and Functional Alterations in Rat Diaphragm Muscle. <i>FASEB Journal</i> , 2015, 29, 1013.3.  | 0.5 | 1         |
| 34 | Skeletal muscle ATP turnover by $^{31}P$ magnetic resonance spectroscopy during moderate and heavy bilateral knee extension. <i>Journal of Physiology</i> , 2014, 592, 5287-5300.  | 2.9 | 59        |
| 35 | The intramuscular contribution to the slow oxygen uptake kinetics during exercise in chronic heart failure is related to the severity of the condition. <i>Journal of Applied Physiology</i> , 2012, 112, 378-387.                               | 2.5 | 33        |
| 36 | A novel cardiopulmonary exercise test protocol and criterion to determine maximal oxygen uptake in chronic heart failure. <i>Journal of Applied Physiology</i> , 2012, 113, 451-458.   | 2.5 | 32        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | A raised metabolic rate slows pulmonary O <sub>2</sub> uptake kinetics on transition to moderate-intensity exercise in humans independently of work rate. <i>Experimental Physiology</i> , 2011, 96, 1049-1061. | 2.0 | 33        |