
Takako Hirata

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3228869/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Targeted Gene Disruption Demonstrates That P-Selectin Glycoprotein Ligand 1 (Psgl-1) Is Required for P-Selectin–Mediated but Not E-Selectin–Mediated Neutrophil Rolling and Migration. Journal of Experimental Medicine, 1999, 190, 1769-1782.	8.5	307
2	Two thromboxane A2 receptor isoforms in human platelets. Opposite coupling to adenylyl cyclase with different sensitivity to Arg60 to Leu mutation Journal of Clinical Investigation, 1996, 97, 949-956.	8.2	264
3	Arg60 to Leu mutation of the human thromboxane A2 receptor in a dominantly inherited bleeding disorder Journal of Clinical Investigation, 1994, 94, 1662-1667.	8.2	168
4	P-Selectin Glycoprotein Ligand 1 (Psgl-1) Is a Physiological Ligand for E-Selectin in Mediating T Helper 1 Lymphocyte Migration. Journal of Experimental Medicine, 2000, 192, 1669-1676.	8.5	143
5	Prostanoid Receptors. Chemical Reviews, 2011, 111, 6209-6230.	47.7	120
6	Tumor Cells Enhance Their Own CD44 Cleavage and Motility by Generating Hyaluronan Fragments. Journal of Biological Chemistry, 2006, 281, 5861-5868.	3.4	114
7	Prostaglandin E ₂ –prostoglandin E receptor subtype 4 (EP4) signaling mediates UV irradiation-induced systemic immunosuppression. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6668-6673.	7.1	105
8	Prostaglandin E2 promotes Th1 differentiation via synergistic amplification of IL-12 signalling by cAMP and PI3-kinase. Nature Communications, 2013, 4, 1685.	12.8	99
9	Prostanoids as Regulators of Innate and Adaptive Immunity. Advances in Immunology, 2012, 116, 143-174.	2.2	92
10	Chondroitin Sulfate E Fragments Enhance CD44 Cleavage and CD44-Dependent Motility in Tumor Cells. Cancer Research, 2008, 68, 7191-7199.	0.9	80
11	Constitutive Expression of IDO by Dendritic Cells of Mesenteric Lymph Nodes: Functional Involvement of the CTLA-4/B7 and CCL22/CCR4 Interactions. Journal of Immunology, 2009, 183, 5608-5614.	0.8	67
12	A GPR40 Agonist GW9508 Suppresses CCL5, CCL17, and CXCL10 Induction in Keratinocytes and Attenuates Cutaneous Immune Inflammation. Journal of Investigative Dermatology, 2011, 131, 1660-1667.	0.7	67
13	P-, E-, and L-Selectin Mediate Migration of Activated CD8+ T Lymphocytes into Inflamed Skin. Journal of Immunology, 2002, 169, 4307-4313.	0.8	64
14	Nepmucin, a novel HEV sialomucin, mediates L-selectin–dependent lymphocyte rolling and promotes lymphocyte adhesion under flow. Journal of Experimental Medicine, 2006, 203, 1603-1614.	8.5	58
15	Moesin-deficient mice reveal a non-redundant role for moesin in lymphocyte homeostasis. International Immunology, 2012, 24, 705-717.	4.0	55
16	CD4+CD25+ regulatory T cells in the small intestinal lamina propria show an effector/memory phenotype. International Immunology, 2008, 20, 307-315.	4.0	47
17	Identification of Domains Conferring Ligand Binding Specificity to the Prostanoid Receptor. Journal of Biological Chemistry, 1997, 272, 15154-15160.	3.4	45
18	P-Selectin Glycoprotein Ligand-1 Negatively Regulates T-Cell Immune Responses. Journal of Immunology, 2009, 183, 7204-7211.	0.8	39

Τακακό Hirata

#	Article	IF	CITATIONS
19	Human P-selectin Glycoprotein Ligand-1 (PSGL-1) Interacts with the Skin-associated Chemokine CCL27 via Sulfated Tyrosines at the PSGL-1 Amino Terminus. Journal of Biological Chemistry, 2004, 279, 51775-51782.	3.4	34
20	CD43 Plays Both Antiadhesive and Proadhesive Roles in Neutrophil Rolling in a Context-Dependent Manner. Journal of Immunology, 2008, 181, 3628-3635.	0.8	33
21	Endomucin, a sialomucin expressed in high endothelial venules, supports L-selectin-mediated rolling. International Immunology, 2004, 16, 1265-1274.	4.0	31
22	CCL28-Deficient Mice Have Reduced IgA Antibody–Secreting Cells and an Altered Microbiota in the Colon. Journal of Immunology, 2018, 200, 800-809.	0.8	29
23	An L-selectin ligand distinct from P-selectin glycoprotein ligand-1 is expressed on endothelial cells and promotes neutrophil rolling in inflammation. Blood, 2008, 112, 4915-4923.	1.4	26
24	Nepmucin/CLMâ€9, an Ig domainâ€containing sialomucin in vascular endothelial cells, promotes lymphocyte transendothelial migration in vitro. FEBS Letters, 2008, 582, 3018-3024.	2.8	22
25	The ERM Protein Moesin Regulates CD8+ Regulatory T Cell Homeostasis and Self-Tolerance. Journal of Immunology, 2017, 199, 3418-3426.	0.8	22
26	Moesin Controls Clathrin-Mediated S1PR1 Internalization in T Cells. PLoS ONE, 2013, 8, e82590.	2.5	20
27	A novel Siglec-F+ neutrophil subset in the mouse nasal mucosa exhibits an activated phenotype and is increased in an allergic rhinitis model. Biochemical and Biophysical Research Communications, 2020, 526, 599-606.	2.1	20
28	Impaired lymphocyte trafficking in mice deficient in the kinase activity of PKN1. Scientific Reports, 2017, 7, 7663.	3.3	18
29	Upregulated CCL28 expression in the nasal mucosa in experimental allergic rhinitis: Implication for CD4+ memory T cell recruitment. Cellular Immunology, 2016, 302, 58-62.	3.0	16
30	P-selectin glycoprotein ligand-1 mediates L-selectin-independent leukocyte rolling in high endothelial venules of peripheral lymph nodes. International Immunology, 2007, 19, 321-329.	4.0	15
31	Moesin regulates neutrophil rolling velocity in vivo. Cellular Immunology, 2016, 304-305, 59-62.	3.0	15
32	Alteration in endometrial helper Tâ€cell subgroups in chronic endometritis. American Journal of Reproductive Immunology, 2021, 85, e13372.	1.2	15
33	Citrullinated fibrinogen is a target of auto-antibodies in interstitial lung disease in mice with collagen-induced arthritis. International Immunology, 2020, 32, 533-545.	4.0	12
34	mDia1/3-dependent actin polymerization spatiotemporally controls LAT phosphorylation by Zap70 at the immune synapse. Science Advances, 2020, 6, eaay2432.	10.3	9
35	Identification of Novel Isoforms of Mouse L-selectin with Different Carboxyl-terminal Tails. Journal of Biological Chemistry, 2008, 283, 12112-12119.	3.4	8
36	Glycosylation Status of CD43 Protein Is Associated with Resistance of Leukemia Cells to CTL-Mediated Cytolysis. PLoS ONE, 2016, 11, e0152326.	2.5	6

Τακακό Hirata

#	Article	IF	CITATIONS
37	A novel splice variant of human L-selectin encodes a soluble molecule that is elevated in serum of patients with rheumatic diseases. Biochemical and Biophysical Research Communications, 2015, 462, 371-377.	2.1	5
38	Characterization of tumour-infiltrating lymphocytes in a tumour rejection cynomolgus macaque model. Scientific Reports, 2020, 10, 8414.	3.3	5
39	The ERM protein moesin regulates natural killer cell homeostasis in vivo. Cellular Immunology, 2022, 371, 104456.	3.0	5
40	Isolation of TCR genes with tumor-killing activity from tumor-infiltrating and circulating lymphocytes in a tumor rejection cynomolgus macaque model. Molecular Therapy - Oncolytics, 2022, 24, 77-86.	4.4	3
41	Blood Vascular Endothelial Adhesion Molecules. , 2016, , 512-519.		0