

Selena E Bartlett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3229246/publications.pdf>

Version: 2024-02-01

93
papers

5,133
citations

109321

35
h-index

91884

69
g-index

93
all docs

93
docs citations

93
times ranked

5371
citing authors

#	ARTICLE	IF	CITATIONS
1	Opioid Receptors. Annual Review of Biochemistry, 2004, 73, 953-990.	11.1	687
2	Intermittent Access to 20% Ethanol Induces High Ethanol Consumption in Long-Evans and Wistar Rats. Alcoholism: Clinical and Experimental Research, 2008, 32, 1816-1823.	2.4	523
3	Varenicline, an $\alpha 4\beta 2$ nicotinic acetylcholine receptor partial agonist, selectively decreases ethanol consumption and seeking. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 12518-12523.	7.1	343
4	Inhibition of orexin-1/hypocretin-1 receptors inhibits yohimbine-induced reinstatement of ethanol and sucrose seeking in Long-Evans rats. Psychopharmacology, 2008, 199, 109-117.	3.1	214
5	Varenicline decreases alcohol consumption in heavy-drinking smokers. Psychopharmacology, 2012, 223, 299-306.	3.1	163
6	Dopamine responsiveness is regulated by targeted sorting of D2 receptors. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 11521-11526.	7.1	154
7	Orexin/hypocretin role in reward: implications for opioid and other addictions. British Journal of Pharmacology, 2015, 172, 334-348.	5.4	149
8	The impact of sugar consumption on stress driven, emotional and addictive behaviors. Neuroscience and Biobehavioral Reviews, 2019, 103, 178-199.	6.1	116
9	Partial Agonists of the $\alpha 3\beta 4$ Neuronal Nicotinic Acetylcholine Receptor Reduce Ethanol Consumption and Seeking in Rats. Neuropsychopharmacology, 2011, 36, 603-615.	5.4	101
10	Varenicline, a partial agonist at neuronal nicotinic acetylcholine receptors, reduces nicotine-induced increases in 20% ethanol operant self-administration in Sprague-Dawley rats. Addiction Biology, 2011, 16, 440-449.	2.6	100
11	Neuronal nicotinic acetylcholine receptors: neuroplastic changes underlying alcohol and nicotine addictions. Frontiers in Molecular Neuroscience, 2012, 5, 83.	2.9	100
12	Happyhour, a Ste20 Family Kinase, Implicates EGFR Signaling in Ethanol-Induced Behaviors. Cell, 2009, 137, 949-960.	28.9	94
13	Ghrelin receptor (GHS-R1A) antagonism suppresses both operant alcohol self-administration and high alcohol consumption in rats. Addiction Biology, 2012, 17, 86-94.	2.6	94
14	The excitatory effects of morphine-3-glucuronide are attenuated by LY274614, a competitive NMDA receptor antagonist, and by midazolam, an agonist at the benzodiazepine site on the GABAA receptor complex. Life Sciences, 1994, 54, 687-694.	4.3	91
15	Mifepristone in the Central Nucleus of the Amygdala Reduces Yohimbine Stress-Induced Reinstatement of Ethanol-Seeking. Neuropsychopharmacology, 2012, 37, 906-918.	5.4	89
16	Cortical synaptic and dendritic spine abnormalities in a presymptomatic TDP-43 model of amyotrophic lateral sclerosis. Scientific Reports, 2016, 6, 37968.	3.3	85
17	Morphine-Induced Receptor Endocytosis in a Novel Knockin Mouse Reduces Tolerance and Dependence. Current Biology, 2008, 18, 129-135.	3.9	84
18	Long-Evans Rats Acquire Operant Self-Administration of 20% Ethanol Without Sucrose Fading. Neuropsychopharmacology, 2010, 35, 1453-1463.	5.4	80

#	ARTICLE	IF	CITATIONS
19	Molecular mechanisms regulating the retrograde axonal transport of neurotrophins. <i>Brain Research Reviews</i> , 2000, 33, 169-178.	9.0	79
20	The Ghrelin Signalling System Is Involved in the Consumption of Sweets. <i>PLoS ONE</i> , 2011, 6, e18170.	2.5	68
21	Varenicline decreases ethanol intake and increases dopamine release via neuronal nicotinic acetylcholine receptors in the nucleus accumbens. <i>British Journal of Pharmacology</i> , 2014, 171, 3420-3431.	5.4	64
22	Pharmacology of Morphine and Morphine-3- β -glucuronide at Opioid, Excitatory Amino Acid, GABA and Glycine Binding Sites. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1994, 75, 73-81.	0.0	62
23	In sympathetic but not sensory neurones, phosphoinositide-3 kinase is important for NGF-dependent survival and the retrograde transport of 125I- β NGF. <i>Brain Research</i> , 1997, 761, 257-262.	2.2	60
24	The Dual Orexin/Hypocretin Receptor Antagonist, Almorexant, in the Ventral Tegmental Area Attenuates Ethanol Self-Administration. <i>PLoS ONE</i> , 2012, 7, e44726.	2.5	59
25	Chlorzoxazone, an SK-Type Potassium Channel Activator Used in Humans, Reduces Excessive Alcohol Intake in Rats. <i>Biological Psychiatry</i> , 2011, 69, 618-624.	1.3	57
26	Stress and addiction: contribution of the corticotropin releasing factor (CRF) system in neuroplasticity. <i>Frontiers in Molecular Neuroscience</i> , 2012, 5, 91.	2.9	48
27	Social and environmental enrichment has different effects on ethanol and sucrose consumption in mice. <i>Brain and Behavior</i> , 2017, 7, e00767.	2.2	46
28	The Role of the Glucocorticoids in Developing Resilience to Stress and Addiction. <i>Frontiers in Psychiatry</i> , 2013, 4, 68.	2.6	44
29	Signalling events regulating the retrograde axonal transport of 125I- β NGF. <i>Brain Research</i> , 1998, 798, 67-74.	2.2	42
30	A Novel Delta Opioid Receptor Antagonist, SoRI-9409, Produces a Selective and Long-Lasting Decrease in Ethanol Consumption in Heavy-Drinking Rats. <i>Biological Psychiatry</i> , 2008, 64, 974-981.	1.3	41
31	Cabergoline Decreases Alcohol Drinking and Seeking Behaviors Via Glial Cell Line-Derived Neurotrophic Factor. <i>Biological Psychiatry</i> , 2009, 66, 146-153.	1.3	40
32	The role of μ -opioid receptors in learning and memory underlying the development of addiction. <i>British Journal of Pharmacology</i> , 2015, 172, 297-310.	5.4	39
33	Prolonged Consumption of Sucrose in a Binge-Like Manner, Alters the Morphology of Medium Spiny Neurons in the Nucleus Accumbens Shell. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 54.	2.0	39
34	Mapping the connectivity of serotonin transporter immunoreactive axons to excitatory and inhibitory neurochemical synapses in the mouse limbic brain. <i>Brain Structure and Function</i> , 2017, 222, 1297-1314.	2.3	39
35	μ -Opioid Receptor Function in the Dorsal Striatum Plays a Role in High Levels of Ethanol Consumption in Rats. <i>Journal of Neuroscience</i> , 2012, 32, 4540-4552.	3.6	37
36	Locomotor activation by theacrine, a purine alkaloid structurally similar to caffeine: Involvement of adenosine and dopamine receptors. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 102, 241-248.	2.9	36

#	ARTICLE	IF	CITATIONS
37	A Rat Drinking in the Dark Model for Studying Ethanol and Sucrose Consumption. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 29.	2.0	36
38	The $\alpha 5$ Subunit Regulates the Expression and Function of $\alpha 4^*$ -Containing Neuronal Nicotinic Acetylcholine Receptors in the Ventral-Tegmental Area. <i>PLoS ONE</i> , 2013, 8, e68300.	2.5	36
39	Promotion of motoneuron survival and branching in rapsyn-deficient mice. <i>Journal of Comparative Neurology</i> , 2001, 429, 156-165.	1.6	35
40	The $\alpha 5$ Neuronal Nicotinic Acetylcholine Receptor Subunit Plays an Important Role in the Sedative Effects of Ethanol But Does Not Modulate Consumption in Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 655-662.	2.4	33
41	The delta opioid receptor antagonist, SR141716A, decreases yohimbine stress-induced reinstatement of ethanol-seeking. <i>Addiction Biology</i> , 2012, 17, 224-234.	2.6	32
42	Structural and functional characterization of dendritic arbors and GABAergic synaptic inputs on interneurons and principal cells in the rat basolateral amygdala. <i>Journal of Neurophysiology</i> , 2015, 114, 942-957.	1.8	32
43	5-HT1A receptor-dependent modulation of emotional and neurogenic deficits elicited by prolonged consumption of alcohol. <i>Scientific Reports</i> , 2018, 8, 2099.	3.3	32
44	Increased Synaptic Excitation and Abnormal Dendritic Structure of Prefrontal Cortex Layer V Pyramidal Neurons following Prolonged Binge-Like Consumption of Ethanol. <i>ENeuro</i> , 2016, 3, ENEURO.0248-16.2016.	1.9	32
45	Intermittent access ethanol consumption dysregulates CRF function in the hypothalamus and is attenuated by the CRF-R1 antagonist, CP-376395. <i>Addiction Biology</i> , 2014, 19, 606-611.	2.6	31
46	Neuronal Nicotinic Acetylcholine Receptor Modulators Reduce Sugar Intake. <i>PLoS ONE</i> , 2016, 11, e0150270.	2.5	30
47	Brain region-specific studies of the excitatory behavioral effects of morphine-3-glucuronide. <i>Life Sciences</i> , 1999, 65, 225-236.	4.3	27
48	Genetic aspects of behavioral neurotoxicology. <i>NeuroToxicology</i> , 2009, 30, 741-753.	3.0	27
49	The Neurokinin 1 Receptor Antagonist, Ezlopitant, Reduces Appetitive Responding for Sucrose and Ethanol. <i>PLoS ONE</i> , 2010, 5, e12527.	2.5	27
50	Retrograde axonal transport of neurotrophins: Differences between neuronal populations and implications for motor neuron disease. <i>Immunology and Cell Biology</i> , 1998, 76, 419-423.	2.3	26
51	Deletion of guanine nucleotide binding protein αz subunit in mice induces a gene dose dependent tolerance to morphine. <i>Neuropharmacology</i> , 2004, 46, 836-846.	4.1	26
52	Serotonergic Neuroplasticity in Alcohol Addiction. <i>Brain Plasticity</i> , 2016, 1, 177-206.	3.5	26
53	Effects of Varenicline on Neural Correlates of Alcohol Salience in Heavy Drinkers. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyv068.	2.1	24
54	The distribution of neuronal calcium sensor-1 protein in the developing and adult rat retina. <i>NeuroReport</i> , 2001, 12, 725-728.	1.2	21

#	ARTICLE	IF	CITATIONS
55	Induction of multiple reinstatements of ethanol- and sucrose-seeking behavior in Long-Evans rats by the α -2 adrenoceptor antagonist yohimbine. <i>Psychopharmacology</i> , 2011, 218, 101-110.	3.1	21
56	The antihypertensive drug pindolol attenuates long-term but not short-term binge-like ethanol consumption in mice. <i>Addiction Biology</i> , 2017, 22, 679-691.	2.6	21
57	Long-Term Overconsumption of Sugar Starting at Adolescence Produces Persistent Hyperactivity and Neurocognitive Deficits in Adulthood. <i>Frontiers in Neuroscience</i> , 2021, 15, 670430.	2.8	21
58	Differential mRNA expression and subcellular locations of PI3-kinase isoforms in sympathetic and sensory neurons. , 1999, 56, 44-53.		20
59	Evidence for Phosphatidylinositol 4-Kinase and Actin Involvement in the Regulation of 125I- β -Nerve Growth Factor Retrograde Axonal Transport. <i>Journal of Neurochemistry</i> , 2002, 73, 87-95.	3.9	20
60	PRECLINICAL STUDY: Conditioned cues and yohimbine induce reinstatement of beer and near-beer seeking in Long-Evans rats. <i>Addiction Biology</i> , 2009, 14, 144-151.	2.6	19
61	Evidence for CRHR1 in multiple sclerosis using supervised machine learning and meta-analysis in 12 566 individuals. <i>Human Molecular Genetics</i> , 2010, 19, 4286-4295.	2.9	19
62	The Effect of Varenicline on the Neural Processing of Fearful Faces and the Subjective Effects of Alcohol in Heavy Drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 979-987.	2.4	19
63	A Novel Knock-In Mouse Reveals Mechanistically Distinct Forms of Morphine Tolerance. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 338, 633-640.	2.5	18
64	Alcohol and nicotine interactions: pre-clinical models of dependence. <i>American Journal of Drug and Alcohol Abuse</i> , 2017, 43, 146-154.	2.1	17
65	PtdIns 4-kinase β and neuronal calcium sensor-1 co-localize but may not directly associate in mammalian neurons. <i>Journal of Neuroscience Research</i> , 2000, 62, 216-224.	2.9	16
66	The effect of varenicline on binge-like ethanol consumption in mice is α 4 nicotinic acetylcholine receptor-independent. <i>Neuroscience Letters</i> , 2016, 633, 235-239.	2.1	16
67	Modulation of serotonin and noradrenaline in the BLA by pindolol reduces long-term ethanol intake. <i>Addiction Biology</i> , 2019, 24, 652-663.	2.6	15
68	Axonal Non-segregation of the Vesicular Glutamate Transporter VGLUT3 Within Serotonergic Projections in the Mouse Forebrain. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 193.	3.7	15
69	Early Life Stress, Nicotinic Acetylcholine Receptors and Alcohol Use Disorders. <i>Brain Sciences</i> , 2015, 5, 258-274.	2.3	14
70	Investigating Methodological Differences in the Assessment of Dendritic Morphology of Basolateral Amygdala Principal Neurons—A Comparison of Golgi-Cox and Neurobiotin Electroporation Techniques. <i>Brain Sciences</i> , 2017, 7, 165.	2.3	14
71	Acute Ethanol Administration Upregulates Synaptic α 4-Subunit of Neuronal Nicotinic Acetylcholine Receptors within the Nucleus Accumbens and Amygdala. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 338.	2.9	14
72	Effects of morphine-3-glucuronide and morphine on the K ⁺ -evoked release of [³ H]-glutamic acid and [¹⁴ C]-gamma-aminobutyric acid from rat brain synaptosomes. <i>Life Sciences</i> , 1995, 58, 447-454.	4.3	13

#	ARTICLE	IF	CITATIONS
73	An Analytical Tool that Quantifies Cellular Morphology Changes from Three-dimensional Fluorescence Images. <i>Journal of Visualized Experiments</i> , 2012, , e4233.	0.3	13
74	Sucrose Consumption Alters Serotonin/Glutamate Co-localisation Within the Prefrontal Cortex and Hippocampus of Mice. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 678267.	2.9	13
75	Fischer Rats Consume 20% Ethanol in a Long-Term Intermittent-Access Two-Bottle-Choice Paradigm. <i>PLoS ONE</i> , 2013, 8, e79824.	2.5	12
76	Phosphatidylinositol kinase enzymes regulate the retrograde axonal transport of NT-3 and NT-4 in sympathetic and sensory neurons. <i>Journal of Neuroscience Research</i> , 2002, 68, 169-175.	2.9	11
77	Tumour Necrosis Factor in Neuroplasticity, Neurogenesis and Alcohol Use Disorder. <i>Brain Plasticity</i> , 2020, 6, 47-66.	3.5	11
78	Binge-like sucrose consumption reduces the dendritic length and complexity of principal neurons in the adolescent rat basolateral amygdala. <i>PLoS ONE</i> , 2017, 12, e0183063.	2.5	9
79	Identifying the G protein, G α , and its associated proteins in nervous tissue using mass spectrometry and microsequencing techniques. <i>International Journal of Developmental Neuroscience</i> , 1997, 15, 267-274.	1.6	7
80	Axonal transport of neuronal calcium sensor-1 and phosphatidylinositol 4-kinase β in the adult rat sciatic nerve. <i>NeuroReport</i> , 2000, 11, 1453-1457.	1.2	7
81	The regulation of the retrograde axonal transport of β nerve growth factor is independent of calcium. <i>Brain Research</i> , 1999, 837, 8-14.	2.2	6
82	Alterations in ciliary neurotrophic factor signaling in rapsyn deficient mice. <i>Journal of Neuroscience Research</i> , 2001, 64, 575-581.	2.9	6
83	Pindolol Rescues Anxiety-Like Behavior and Neurogenic Maladaptations of Long-Term Binge Alcohol Intake in Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 264.	2.0	6
84	Reduced Inhibitory Inputs On Basolateral Amygdala Principal Neurons Following Long-Term Alcohol Consumption. <i>Neuroscience</i> , 2021, 452, 219-227.	2.3	5
85	Translational Approaches to Medication Development. <i>Current Topics in Behavioral Neurosciences</i> , 2011, , 543-582.	1.7	4
86	Dissecting the contribution of 5-HT $1A$ auto- and heteroreceptors in sucrose overconsumption in mice. <i>Biomedicine and Pharmacotherapy</i> , 2022, 148, 112699.	5.6	3
87	Transport of endosomal early antigen 1 in the rat sciatic nerve and location in cultured neurons. <i>NeuroReport</i> , 2001, 12, 281-284.	1.2	2
88	Effects of Alcohol on Nicotinic Acetylcholine Receptors and Impact on Addiction. , 2016, , 411-419.		2
89	Contribution of Noradrenaline, Serotonin, and the Basolateral Amygdala to Alcohol Addiction: Implications for Novel Pharmacotherapies for AUDs. , 0, , .		2
90	Sex Specific Alterations in $\alpha 4$ *Nicotinic Receptor Expression in the Nucleus Accumbens. <i>Brain Sciences</i> , 2018, 8, 70.	2.3	2

#	ARTICLE	IF	CITATIONS
91	The Near-Death Experience of Delta Opioid Receptors Leads to New Drug Targets. Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics, 2002, 2, 134-136.	3.4	0
92	Orexin Receptor-1 (OX1R). , 2016, , 1-6.		0
93	Orexin Receptor-1 (OX1R). , 2018, , 3665-3671.		0