Chung-Ping Yu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3229663/publications.pdf

Version: 2024-02-01

759233 794594 21 367 12 19 citations h-index g-index papers 21 21 21 609 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Quercetin and Rutin Reduced the Bioavailability of Cyclosporine from Neoral, an Immunosuppressant, through Activating P-Glycoprotein and CYP 3A4. Journal of Agricultural and Food Chemistry, 2011, 59, 4644-4648.	5.2	83
2	Oral intake of curcumin markedly activated CYP 3A4: in vivo and ex-vivo studies. Scientific Reports, 2015, 4, 6587.	3. 3	39
3	Increased Systemic Exposure of Methotrexate by a Polyphenol-Rich Herb via Modulation on Efflux Transporters Multidrug Resistance–Associated Protein 2 and Breast Cancer Resistance Protein. Journal of Pharmaceutical Sciences, 2016, 105, 343-349.	3.3	26
4	Activation of P-glycoprotein and CYP 3A by Coptidis Rhizoma inÂvivo: Using cyclosporine as a probe substrate in rats. Journal of Food and Drug Analysis, 2018, 26, S125-S132.	1.9	25
5	Pharmacokinetics and Relative Bioavailability of Flavonoids between Two Dosage Forms of Gegen-Qinlian-Tang in Rats. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-8.	1.2	20
6	Effects of nonsteroidal anti-inflammatory drugs on the renal excretion of indoxyl sulfate, a nephro-cardiovascular toxin, in rats. European Journal of Pharmaceutical Sciences, 2017, 101, 66-70.	4.0	20
7	Analysis of the pharmacokinetics and metabolism of aloeâ€emodin following intravenous and oral administrations in rats. Biomedical Chromatography, 2016, 30, 1641-1647.	1.7	19
8	Comparison of Puerariae Radix and Its Hydrolysate on Stimulation of Hyaluronic Acid Production in NHEK Cells. The American Journal of Chinese Medicine, 2010, 38, 143-155.	3.8	18
9	Aloe activated P-glycoprotein and CYP 3A: a study on the serum kinetics of aloe and its interaction with cyclosporine in rats. Food and Function, 2017, 8, 315-322.	4.6	17
10	Metabolic Transformation of Sesamol and ex Vivo Effect on 2,2′-Azo-bis(2-amidinopropane)dihydrochloride-Induced Hemolysis. Journal of Agricultural and Food Chemistry, 2008, 56, 9636-9640.	5.2	16
11	Green tea inhibited the elimination of nephro-cardiovascular toxins and deteriorated the renal function in rats with renal failure. Scientific Reports, 2015, 5, 16226.	3.3	14
12	Rhubarb decreased the systemic exposure of cyclosporine, a probe substrate of P-glycoprotein and CYP 3A. Xenobiotica, 2016, 46, 677-682.	1.1	14
13	Serum Concentrations of Anthraquinones after Intake of Folium Sennae and Potential Modulation on P-glycoprotein. Planta Medica, 2014, 80, 1291-1297.	1.3	11
14	Resveratrol stereoselectively affected ($\hat{A}\pm$)warfarin pharmacokinetics and enhanced the anticoagulation effect. Scientific Reports, 2020, 10, 15910.	3.3	10
15	Magnolol and Honokiol Inhibited the Function and Expression of BCRP with Mechanism Exploration. Molecules, 2021, 26, 7390.	3.8	10
16	Inhibition of Monocarboxylate Transporter-Mediated Absorption of Valproic Acid by Gegen-Qinlian-Tang. The American Journal of Chinese Medicine, 2013, 41, 369-378.	3.8	8
17	Effects of antibiotics on the pharmacokinetics of indoxyl sulfate, a nephro-cardiovascular toxin. Xenobiotica, 2020, 50, 588-592.	1.1	6
18	Bidirectional Influences of Cranberry on the Pharmacokinetics and Pharmacodynamics of Warfarin with Mechanism Elucidation. Nutrients, 2021, 13, 3219.	4.1	4

Chung-Ping Yu

#	Article	IF	CITATIONS
19	Potential modulation on BCRP and MRP 4 by onion: in vivo and ex-vivo studies. Journal of Functional Foods, 2014, 8, 243-251.	3.4	3
20	A Chinese herb formula decreases the monocarboxylate transporter-mediated absorption of valproic acid in rats. Phytomedicine, 2013, 20, 648-653.	5 . 3	2
21	Folium Sennae Increased the Bioavailability of Methotrexate through Modulation on MRP 2 and BCRP. Pharmaceuticals, 2021, 14, 1036.	3.8	2