

June-Won Cheong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3230565/june-won-cheong-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

1,972
citations

22
h-index

39
g-index

173
ext. papers

2,289
ext. citations

3.8
avg, IF

4.33
L-index

#	Paper	IF	Citations
166	A randomized trial of mesenchymal stem cells in multiple system atrophy. <i>Annals of Neurology</i> , 2012 , 72, 32-40	9.4	172
165	Protein kinase CK2alpha as an unfavorable prognostic marker and novel therapeutic target in acute myeloid leukemia. <i>Clinical Cancer Research</i> , 2007 , 13, 1019-28	12.9	164
164	Treatment of high-risk acute myelogenous leukaemia by myeloablative chemoradiotherapy followed by co-infusion of T cell-depleted haematopoietic stem cells and culture-expanded marrow mesenchymal stem cells from a related donor with one fully mismatched human leucocyte antigen	4.5	120
163	Cytoplasmic mislocalization of p27Kip1 protein is associated with constitutive phosphorylation of Akt or protein kinase B and poor prognosis in acute myelogenous leukemia. <i>Cancer Research</i> , 2004 , 64, 5225-31	10.1	77
162	Phosphatase and tensin homologue phosphorylation in the C-terminal regulatory domain is frequently observed in acute myeloid leukaemia and associated with poor clinical outcome. <i>British Journal of Haematology</i> , 2003 , 122, 454-6	4.5	67
161	AMPK-ULK1-Mediated Autophagy Confers Resistance to BET Inhibitor JQ1 in Acute Myeloid Leukemia Stem Cells. <i>Clinical Cancer Research</i> , 2017 , 23, 2781-2794	12.9	65
160	Induction of apoptosis by apicidin, a histone deacetylase inhibitor, via the activation of mitochondria-dependent caspase cascades in human Bcr-Abl-positive leukemia cells. <i>Clinical Cancer Research</i> , 2003 , 9, 5018-27	12.9	54
159	Clinical Outcomes and Prognostic Factors of Up-Front Autologous Stem Cell Transplantation in Patients with Extranodal Natural Killer/T Cell Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1597-604	4.7	51
158	Complete remission status before autologous stem cell transplantation is an important prognostic factor in patients with multiple myeloma undergoing upfront single autologous transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 463-70	4.7	46
157	Tear Cytokines as Biomarkers for Chronic Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 2079-2085	4.7	44
156	Targeting AMPK-ULK1-mediated autophagy for combating BET inhibitor resistance in acute myeloid leukemia stem cells. <i>Autophagy</i> , 2017 , 13, 761-762	10.2	43
155	Predictive Factors of Mortality in Population of Patients with Paroxysmal Nocturnal Hemoglobinuria (PNH): Results from a Korean PNH Registry. <i>Journal of Korean Medical Science</i> , 2016 , 31, 214-21	4.7	35
154	Deferasirox improves hematologic and hepatic function with effective reduction of serum ferritin and liver iron concentration in transfusional iron overload patients with myelodysplastic syndrome or aplastic anemia. <i>Transfusion</i> , 2014 , 54, 1542-51	2.9	34
153	Lymphopenia is an important prognostic factor in peripheral T-cell lymphoma (NOS) treated with anthracycline-containing chemotherapy. <i>Journal of Hematology and Oncology</i> , 2011 , 4, 34	22.4	34
152	Elevated S-phase kinase-associated protein 2 protein expression in acute myelogenous leukemia: its association with constitutive phosphorylation of phosphatase and tensin homologue protein and poor prognosis. <i>Clinical Cancer Research</i> , 2004 , 10, 5123-30	12.9	31
151	Infused CD34+ cell dose predicts long-term survival in acute myelogenous leukemia patients who received allogeneic bone marrow transplantation from matched sibling donors in first complete remission. <i>Biology of Blood and Marrow Transplantation</i> , 2005 , 11, 122-8	4.7	30
150	Constitutive phosphorylation of FKHR transcription factor as a prognostic variable in acute myeloid leukemia. <i>Leukemia Research</i> , 2003 , 27, 1159-62	2.7	30

149	Early CMV replication and subsequent chronic GVHD have a significant anti-leukemic effect after allogeneic HSCT in acute myeloid leukemia. <i>Annals of Hematology</i> , 2015 , 94, 275-82	3	29
148	Incidence and risk factors for carbapenem- and multidrug-resistant <i>Acinetobacter baumannii</i> bacteremia in hematopoietic stem cell transplantation recipients. <i>Scandinavian Journal of Infectious Diseases</i> , 2014 , 46, 81-8		29
147	Myeloperoxidase expression as a potential determinant of parthenolide-induced apoptosis in leukemia bulk and leukemia stem cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 335, 389-400	4.7	28
146	Apicidin potentiates the imatinib-induced apoptosis of Bcr-Abl-positive human leukaemia cells by enhancing the activation of mitochondria-dependent caspase cascades. <i>British Journal of Haematology</i> , 2004 , 124, 166-78	4.5	28
145	Natural polyphenols antagonize the antimyeloma activity of proteasome inhibitor bortezomib by direct chemical interaction. <i>British Journal of Haematology</i> , 2009 , 146, 270-81	4.5	26
144	Inhibition of CK2{alpha} and PI3K/Akt synergistically induces apoptosis of CD34+CD38- leukaemia cells while sparing haematopoietic stem cells. <i>Anticancer Research</i> , 2010 , 30, 4625-34	2.3	22
143	Epidemiology and Risk Factors for Invasive Fungal Diseases among Allogeneic Hematopoietic Stem Cell Transplant Recipients in Korea: Results of "RISK" Study. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1773-1779	4.7	21
142	Induction of cytosine arabinoside-resistant human myeloid leukemia cell death through autophagy regulation by hydroxychloroquine. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 73, 87-96	7.5	21
141	Serum microRNA-21 as a potential biomarker for response to hypomethylating agents in myelodysplastic syndromes. <i>PLoS ONE</i> , 2014 , 9, e86933	3.7	21
140	A new prognostic model using absolute lymphocyte count in patients with primary central nervous system lymphoma. <i>European Journal of Cancer</i> , 2016 , 57, 127-35	7.5	20
139	Risk factors for progression from cytomegalovirus viremia to cytomegalovirus disease after allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012 , 18, 881-6	4.7	20
138	The modified Glasgow Prognostic Scores as a predictor in diffuse large B cell lymphoma treated with R-CHOP regimen. <i>Yonsei Medical Journal</i> , 2014 , 55, 1568-75	3	19
137	Diffuse large B-cell lymphoma with histone H3 trimethylation at lysine 27: another poor prognostic phenotype independent of c-Myc/Bcl2 coexpression. <i>Human Pathology</i> , 2014 , 45, 2043-50	3.7	18
136	Programmed cell death 1 expression is associated with inferior survival in patients with primary central nervous system lymphoma. <i>Oncotarget</i> , 2017 , 8, 87317-87328	3.3	18
135	PERK/NRF2 and autophagy form a resistance mechanism against G9a inhibition in leukemia stem cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020 , 39, 66	12.8	18
134	Patterns of care and treatment outcomes for primary thyroid lymphoma: a single institution study. <i>Radiation Oncology Journal</i> , 2013 , 31, 177-84	2.5	16
133	High-dose etoposide plus granulocyte colony-stimulating factor as an effective chemomobilization regimen for autologous stem cell transplantation in patients with non-Hodgkin Lymphoma previously treated with CHOP-based chemotherapy: a study from the Consortium for Improving Survival of Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 73-9	4.7	15
132	Aurora-A kinase inhibition enhances the cytosine arabinoside-induced cell death in leukemia cells through apoptosis and mitotic catastrophe. <i>Cancer Letters</i> , 2010 , 297, 171-81	9.9	15

131	Risk factors associated with early mortality in patients with multiple myeloma who were treated upfront with a novel agents containing regimen. <i>BMC Cancer</i> , 2016 , 16, 613	4.8	14
130	The role of radiotherapy in the management of POEMS syndrome. <i>Radiation Oncology</i> , 2014 , 9, 265	4.2	14
129	Long-term outcome after prophylactic lamivudine treatment on hepatitis B virus reactivation in non-Hodgkin's lymphoma. <i>Yonsei Medical Journal</i> , 2007 , 48, 78-89	3	14
128	Enhanced autophagy in cytarabine arabinoside-resistant U937 leukemia cells and its potential as a target for overcoming resistance. <i>Molecular Medicine Reports</i> , 2016 , 13, 3433-40	2.9	14
127	Characteristics of community-acquired respiratory viruses infections except seasonal influenza in transplant recipients and non-transplant critically ill patients. <i>Journal of Microbiology, Immunology and Infection</i> , 2021 , 54, 253-260	8.5	14
126	Platelet storage induces accelerated desialylation of platelets and increases hepatic thrombopoietin production. <i>Journal of Translational Medicine</i> , 2018 , 16, 199	8.5	13
125	Multicenter study evaluating the impact of hypomethylating agents as bridging therapy to hematopoietic stem cell transplantation in myelodysplastic syndromes. <i>International Journal of Hematology</i> , 2014 , 99, 635-43	2.3	13
124	Fludarabine, cytarabine, and attenuated-dose idarubicin (m-FLAI) combination therapy for elderly acute myeloid leukemia patients. <i>American Journal of Hematology</i> , 2013 , 88, 10-5	7.1	13
123	Detection of FUS-ERG chimeric transcript in two cases of acute myeloid leukemia with t(16;21)(p11.2;q22) with unusual characteristics. <i>Cancer Genetics and Cytogenetics</i> , 2009 , 194, 111-8		13
122	Clinical characteristics and treatment outcomes of isolated myeloid sarcoma without bone marrow involvement: a single-institution experience. <i>Blood Research</i> , 2017 , 52, 184-192	1.4	12
121	ULK1 inhibition as a targeted therapeutic strategy for FLT3-ITD-mutated acute myeloid leukemia. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020 , 39, 85	12.8	11
120	Decitabine as a First-Line Treatment for Older Adults Newly Diagnosed with Acute Myeloid Leukemia. <i>Yonsei Medical Journal</i> , 2017 , 58, 35-42	3	11
119	Monoclonal and polyclonal gammopathy measured by serum free light chain and immunofixation subdivide the clinical outcomes of diffuse large B-cell lymphoma according to molecular classification. <i>Annals of Hematology</i> , 2014 , 93, 1867-77	3	11
118	Aurora A kinase expression is increased in leukemia stem cells, and a selective Aurora A kinase inhibitor enhances Ara-C-induced apoptosis in acute myeloid leukemia stem cells. <i>The Korean Journal of Hematology</i> , 2012 , 47, 178-85		11
117	Therapy-related myelodysplastic syndrome with der(17)t(12;17)(q13;p13) as a new recurrent cytogenetic abnormality after treatment for chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2009 , 33, 1001-4	2.7	11
116	High pre-transplant serum ferritin and busulfan-thiotepa conditioning regimen as risk factors for hepatic sinusoidal obstructive syndrome after autologous stem cell transplantation in patients with malignant lymphoma. <i>Leukemia and Lymphoma</i> , 2016 , 57, 51-7	1.9	10
115	A successful treatment of relapsed primary CNS lymphoma patient with intraventricular rituximab followed by high-dose chemotherapy with autologous stem cell rescue. <i>Yonsei Medical Journal</i> , 2009 , 50, 280-3	3	10
114	R-CHOP chemoimmunotherapy followed by autologous transplantation for the treatment of diffuse large B-cell lymphoma. <i>Blood Research</i> , 2014 , 49, 107-14	1.4	9

113	Early response to high-dose methotrexate, vincristine, and procarbazine chemotherapy-adapted strategy for primary CNS lymphoma: no consolidation therapy for patients achieving early complete response. <i>Annals of Hematology</i> , 2014 , 93, 211-9	3	9
112	The role of upfront autologous stem cell transplantation in high-risk younger patients with primary central nervous system lymphoma. <i>British Journal of Haematology</i> , 2016 , 174, 444-53	4.5	9
111	Early Cytomegalovirus Reactivation and Expansion of CD56CD16DNAM1 Natural Killer Cells Are Associated with Antileukemia Effect after Haploidentical Stem Cell Transplantation in Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 2070-2078	4.7	8
110	Targeted next generation sequencing can serve as an alternative to conventional tests in myeloid neoplasms. <i>PLoS ONE</i> , 2019 , 14, e0212228	3.7	8
109	Azacitidine Pre-Treatment Followed by Reduced-Intensity Stem Cell Transplantation in Patients with Higher-Risk Myelodysplastic Syndrome. <i>Acta Haematologica</i> , 2015 , 134, 40-8	2.7	8
108	The relationship between the success rate of empirical antifungal therapy with intravenous itraconazole and clinical parameters, including plasma levels of itraconazole, in immunocompromised patients receiving itraconazole oral solution as prophylaxis: a multicenter, prospective, parallel, observational study. <i>Korean Journal of Hematology</i> , 2014 , 33, 33-42	3	8
107	An unusual case of spontaneous remission of Hodgkin's disease after a single cycle of COPP-ABV chemotherapy followed by infectious complications. <i>Yonsei Medical Journal</i> , 2005 , 46, 425-30	3	8
106	Detection of recurrent, rare, and novel gene fusions in patients with acute leukemia using next-generation sequencing approaches. <i>Hematological Oncology</i> , 2020 , 38, 82-88	1.3	8
105	Pretreatment Lymphopenia, Poor Performance Status, and Early Courses of Therapy Are Risk Factors for Severe Bacterial Infection in Patients with Multiple Myeloma during Treatment with Bortezomib-based Regimens. <i>Journal of Korean Medical Science</i> , 2016 , 31, 510-8	4.7	8
104	Different prognostic effects of core-binding factor positive AML with Korean AML registry data. <i>Annals of Hematology</i> , 2019 , 98, 1135-1147	3	7
103	A phase 4 study of nilotinib in Korean patients with Philadelphia chromosome-positive chronic myeloid leukemia in chronic phase: ENESTKorea. <i>Cancer Medicine</i> , 2018 , 7, 1814-1823	4.8	7
102	Effect of major histocompatibility complex haplotype matching by C4 and MICA genotyping on acute graft versus host disease in unrelated hematopoietic stem cell transplantation. <i>Human Immunology</i> , 2016 , 77, 176-83	2.3	7
101	Benefits of hypomethylating therapy in IPSS lower-risk myelodysplastic syndrome patients: A retrospective multicenter case series study. <i>Leukemia Research</i> , 2017 , 60, 135-144	2.7	7
100	Diagnostic Accuracy of Cerebrospinal Fluid (CSF) Cytology in Metastatic Tumors: An Analysis of Consecutive CSF Samples. <i>Korean Journal of Pathology</i> , 2013 , 47, 563-8		7
99	Acute erythroleukemia with der(1;7)(q10;p10) as a sole acquired abnormality after treatment with azathioprine. <i>Cancer Genetics and Cytogenetics</i> , 2008 , 186, 58-60		7
98	Chronic Myeloid Leukemia With Rare Variant b2a3 (e13a3) BCR-ABL1 Fusion. <i>Annals of Laboratory Medicine</i> , 2016 , 36, 287-9	3.1	7
97	Adaptive Natural Killer Cells Facilitate Effector Functions of Daratumumab in Multiple Myeloma. <i>Clinical Cancer Research</i> , 2021 , 27, 2947-2958	12.9	7
96	The prognostic role of CD68 and FoxP3 expression in patients with primary central nervous system lymphoma. <i>Annals of Hematology</i> , 2017 , 96, 1163-1173	3	6

95	The different roles of molecular classification according to upfront autologous stem cell transplantation in advanced-stage diffuse large B cell lymphoma patients with elevated serum lactate dehydrogenase. <i>Annals of Hematology</i> , 2016 , 95, 1491-501	3	6
94	Pretreatment Epstein-Barr virus DNA in whole blood is a prognostic marker in peripheral T-cell lymphoma. <i>Oncotarget</i> , 2017 , 8, 92312-92323	3.3	6
93	Factors associated with pulmonary toxicity after myeloablative conditioning using fractionated total body irradiation. <i>Radiation Oncology Journal</i> , 2017 , 35, 257-267	2.5	6
92	Salvage therapy for acute chemorefractory leukemia by allogeneic stem cell transplantation: the Korean experience. <i>Annals of Hematology</i> , 2017 , 96, 605-615	3	5
91	Role of induction and consolidation chemotherapy in elderly acute myeloid leukemia patients. <i>International Journal of Hematology</i> , 2014 , 100, 141-51	2.3	5
90	Clinical significance of B cell-activating factor (BAFF) and a proliferation-inducing ligand (APRIL) in acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>The Korean Journal of Hematology</i> , 2011 , 46, 175-9		5
89	Cytogenetic features of 5q deletion and 5q- syndrome in myelodysplastic syndrome in Korea; marker chromosomes proved to be chromosome 5 with interstitial deletion by fluorescence in situ hybridization. <i>Cancer Genetics and Cytogenetics</i> , 2010 , 203, 193-202		5
88	Treatment of Hodgkin's disease: a twenty-year follow-up of patients at a center in Korea. <i>Yonsei Medical Journal</i> , 2006 , 47, 455-65	3	5
87	Immunosuppressive role of CD11b CD33 HLA-DR myeloid-derived suppressor cells-like blast subpopulation in acute myeloid leukemia. <i>Cancer Medicine</i> , 2020 , 9, 7007-7017	4.8	5
86	Prognostic Impact of IPSS-R and Chromosomal Translocations in 751 Korean Patients with Primary Myelodysplastic Syndrome. <i>PLoS ONE</i> , 2016 , 11, e0166245	3.7	5
85	Selection of a mobilization regimen for multiple myeloma based on the response to induction therapy: granulocyte-colony stimulating factor (G-CSF) alone versus high-dose cyclophosphamide plus G-CSF. <i>Leukemia and Lymphoma</i> , 2016 , 57, 1389-97	1.9	4
84	Success rate and risk factors for failure of empirical antifungal therapy with itraconazole in patients with hematological malignancies: a multicenter, prospective, open-label, observational study in Korea. <i>Journal of Korean Medical Science</i> , 2014 , 29, 61-8	4.7	4
83	Coronary artery intervention after cytostatics treatment in unstable angina patient with essential thrombocythemia. A case report and literature review. <i>Korean Journal of Internal Medicine</i> , 2006 , 21, 146-9	2.5	4
82	Identification of MYC as an antineoplastic protein that stifles RIPK1-RIPK3 complex formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 19982-19993 ^{11.5}		4
81	Arsenic trioxide synergistically promotes the antileukaemic activity of venetoclax by downregulating Mcl-1 in acute myeloid leukaemia cells. <i>Experimental Hematology and Oncology</i> , 2021 , 10, 28	7.8	4
80	Induction of apoptosis and differentiation by Na/H exchanger 1 modulation in acute myeloid leukemia cells. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 519, 887-893	3.4	3
79	Use of Droplet Digital Polymerase Chain Reaction for Detecting Minimal Residual Disease: A Prospective Multi-Institutional Study. <i>In Vivo</i> , 2019 , 33, 2273-2280	2.3	3
78	Clinical impact of early recovery of peripheral blood absolute lymphocyte count after frontline autologous stem cell transplantation for diffuse large B-cell lymphoma. <i>Hematological Oncology</i> , 2017 , 35, 465-471	1.3	3

77	Two case reports of 1q triplication in myeloproliferative neoplasms. <i>Cancer Genetics and Cytogenetics</i> , 2009 , 191, 111-2		3
76	Nine-year survival of lymphoblastic lymphoma patients. <i>Yonsei Medical Journal</i> , 2006 , 47, 466-74	3	3
75	High dose chemotherapy and autologous stem cell transplantation in non-Hodgkin@ lymphoma: an eight-year experience. <i>Yonsei Medical Journal</i> , 2006 , 47, 604-13	3	3
74	All-Trans Retinoic Acid Synergizes with Enasidenib to Induce Differentiation of IDH2-Mutant Acute Myeloid Leukemia Cells. <i>Yonsei Medical Journal</i> , 2020 , 61, 762-773	3	3
73	Radiotherapy as an effective treatment modality for follicular lymphoma: a single institution experience. <i>Radiation Oncology Journal</i> , 2015 , 33, 310-9	2.5	3
72	Comparison of ataxia-telangiectasia mutated protein expression in diffuse large B-cell lymphomas of primary central nervous system and non-central nervous system origin. <i>Archives of Pathology and Laboratory Medicine</i> , 2007 , 131, 457-67	5	3
71	Treatment outcome and prognostic factors of Korean patients with chronic lymphocytic leukemia: a multicenter retrospective study. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 194-204	2.5	3
70	Upfront autologous hematopoietic stem cell transplantation for high-risk patients with double-expressor diffuse large B cell lymphoma. <i>Annals of Hematology</i> , 2020 , 99, 2149-2157	3	2
69	Clinical implication of renal dysfunction during the clinical course in patients with paroxysmal nocturnal hemoglobinuria: a longitudinal analysis. <i>Annals of Hematology</i> , 2019 , 98, 2273-2281	3	2
68	Prognostic significance of interventricular septal thickness in patients with AL amyloidosis. <i>Leukemia Research</i> , 2017 , 60, 36-43	2.7	2
67	Prediction of survival by applying current prognostic models in diffuse large B-cell lymphoma treated with R-CHOP followed by autologous transplantation. <i>Blood Research</i> , 2015 , 50, 160-6	1.4	2
66	Therapeutic comparison of chemotherapy and surgery for early stage diffuse large B-cell gastric lymphoma. <i>Yonsei Medical Journal</i> , 2007 , 48, 942-8	3	2
65	A Pilot Study of Alemtuzumab Plus Combination Chemotherapy for Newly Diagnosed Patients with Peripheral T-Cell Lymphomas.. <i>Blood</i> , 2006 , 108, 4717-4717	2.2	2
64	A Multi-Center, Open Label Study Evaluating the Efficacy of Iron Chelation Therapy with Deferasirox in Transfusional Iron Overload Patients with Myelodysplastic Syndromes or Aplastic Anemia Using Quantitative R2 MRI. <i>Blood</i> , 2008 , 112, 3649-3649	2.2	2
63	Can we consider discontinuation of hypomethylating agents in patients with myelodysplastic syndrome : a retrospective study from The Korean Society of Hematology AML/MDS Working Party. <i>Oncotarget</i> , 2017 , 8, 79414-79424	3.3	2
62	Exercise barriers and facilitators during hematopoietic stem cell transplantation: a qualitative study. <i>BMJ Open</i> , 2020 , 10, e037460	3	2
61	HBsAg-Negative, Anti-HBc-Negative Patients Still Have a Risk of Hepatitis B Virus-Related Hepatitis after Autologous Stem Cell Transplantation for Multiple Myeloma or Malignant Lymphoma. <i>Cancer Research and Treatment</i> , 2018 , 50, 1121-1129	5.2	2
60	Concomitant t(3;3)(q21;q26), trisomy 19, and E255V mutation associated with imatinib mesylate resistance in chronic myelogenous leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2009 , 190, 46-8		1

59	Two Cases of Acquired Hemophilia A Successfully Treated with Oral Steroid or Danazol. <i>The Korean Journal of Hematology</i> , 2005 , 40, 58		1
58	YAP and TAZ in Fibroblastic Reticular Cells Support Hematopoiesis and Retention of Lymphocytes in Lymph Nodes. <i>Blood</i> , 2019 , 134, 3595-3595	2.2	1
57	mTOR Inhibitor Rapamycin Interacts Synergistically with Farnesyltransferase Inhibitor FTI-277 To Induce Growth Inhibition in Human Leukemia Cells.. <i>Blood</i> , 2007 , 110, 1821-1821	2.2	1
56	Risk Factors For The Development Of Severe Bacterial Infection In Patients With Multiple Myeloma During Chemotherapy With Bortezomib Containing Regimens. <i>Blood</i> , 2013 , 122, 5370-5370	2.2	1
55	Inhibition of NHE1 Induced Apoptosis in Cytarabine Resistant Leukemia Cell Lines and Primary Leukemia Cells from AML Patients, Which Showed Increased Intracellular pH and NHE1 Activity. <i>Blood</i> , 2014 , 124, 3614-3614	2.2	1
54	Autophagy Inhibition Overcomes Resistance to Cytosine Arabinoside in Acute Myeloid Leukemia Cells through Inducing Autophagic Cell Death and Intrinsic Pathway Apoptosis. <i>Blood</i> , 2014 , 124, 909-909 ²	2.2	1
53	A Case Report of Posttransplant Lymphoproliferative Disorders Successfully Treated with R-CHOP in Korea. <i>The Korean Journal of Hematology</i> , 2008 , 43, 106		1
52	Novel Methods to Quantitate and Identity Dividing Platelets in Culture Conditions. <i>Blood</i> , 2018 , 132, 1132-1132	2.2	1
51	Delta-Neutrophil Index Is a Useful Indicator for Initiation of Peripheral Blood Stem Cell Collection in Chemo-Mobilized Patients. <i>Blood</i> , 2014 , 124, 2457-2457	2.2	1
50	Survey of QoL (quality of life) on Patients Receiving Tyrosine Kinase Inhibitors for Chronic Myeloid Leukemia: Korean CML Working Party Group. <i>Blood</i> , 2015 , 126, 5166-5166	2.2	1
49	Head-to-Head Comparison of 5-Azacitidine Versus Decitabine for the Treatment of Myelodysplastic Syndrome.. <i>Blood</i> , 2012 , 120, 2843-2843	2.2	1
48	Serum albumin and C-reactive protein as significant predictors of non-relapse mortality in lower gastrointestinal graft-versus-host disease. <i>Annals of Hematology</i> , 2020 , 99, 1111-1119	3	1
47	Predictive Factors of Event-Free Survival at 24 Months in Patients with Peripheral T-cell Lymphoma: A Retrospective Study. <i>Cancer Research and Treatment</i> , 2021 ,	5.2	1
46	Clinical outcomes and prognostic factors of empirical antifungal therapy with itraconazole in the patients with hematological malignancies: a prospective multicenter observational study in Korea. <i>Yonsei Medical Journal</i> , 2014 , 55, 9-18	3	0
45	The Clinical Guidelines for Myelodysplastic Syndrome. <i>The Korean Journal of Hematology</i> , 2007 , 42, 71		0
44	Ultra-deep sequencing mutation analysis of the BCR/ABL1 kinase domain in newly diagnosed chronic myeloid leukemia patients. <i>Leukemia Research</i> , 2021 , 111, 106728	2.7	0
43	RNA sequencing as an alternative tool for detecting measurable residual disease in core-binding factor acute myeloid leukemia. <i>Scientific Reports</i> , 2020 , 10, 20119	4.9	0
42	Erythroid Differentiation of Induced Pluripotent Stem Cells Co-cultured with OP9 Cells for Diagnostic Purposes.. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 457-466	3.1	0

41	Pevonedistat in East Asian patients with acute myeloid leukemia or myelodysplastic syndromes: a phase 1/1b study to evaluate safety, pharmacokinetics and activity as a single agent and in combination with azacitidine.. <i>Journal of Hematology and Oncology</i> , 2022 , 15, 56	22.4	○
40	Cytogenetic testing by fluorescence in situ hybridization is improved by plasma cell sorting in multiple myeloma.. <i>Scientific Reports</i> , 2022 , 12, 8287	4.9	○
39	A Case of Serum Amino Acid Disturbance with Hyperammonemia in Patient with Primary Amyloidosis. <i>The Korean Journal of Hematology</i> , 2005 , 40, 54		
38	The association of genetic alterations with response rate in newly diagnosed chronic myeloid leukemia patients.. <i>Leukemia Research</i> , 2022 , 114, 106791	2.7	
37	A Phase 1a/1b First in Human Study of PHI-101, a Potent Small Molecule Inhibitor of FLT3 in Relapsed and Refractory Acute Myeloid Leukemia. <i>Blood</i> , 2021 , 138, 3425-3425	2.2	
36	Multicenter Phase II Study to Evaluate Therapeutic Efficacy of Imatinib Mesylate in Patients with Steroid-Refractory Chronic Graft-Versus-Host Disease. <i>Blood</i> , 2021 , 138, 2889-2889	2.2	
35	Akt/PKB Activation-Induced Cytoplasmic Mislocalization of p27Kip1 Protein Is Mediated by Jab1 Shuttling in Human Myeloid Leukemia Cells.. <i>Blood</i> , 2004 , 104, 4461-4461	2.2	
34	Ligation of CD44 by A3D8 Monoclonal Antibody Induces Terminal Differentiation of THP-1 Leukemia Cells by Promoting Cross-Talk between Extracellular Signal-Regulated Kinase and Phosphoinositide-3 Kinase/Akt Signaling Pathway.. <i>Blood</i> , 2004 , 104, 4460-4460	2.2	
33	Extended Study for Topotecan, Idarubicin, and Intermediate-Dose Cytarabine Combination Chemotherapy in Patients with Refractory or Relapsed Acute Myelogenous Leukemia and High-Risk Myelodysplastic Syndrome.. <i>Blood</i> , 2005 , 106, 4609-4609	2.2	
32	Attenuated Dose of Idarubicin for the Elderly De Novo Acute Myeloid Leukemia with Normal Karyotype.. <i>Blood</i> , 2005 , 106, 4608-4608	2.2	
31	RNA Silencing of Aurora Kinase Genes Sensitizes Human Leukemia Cells to the Ara-C-Induced Cell Death Via Caspase-Independent Pathway.. <i>Blood</i> , 2005 , 106, 2468-2468	2.2	
30	Protein Kinase CK2 Is Associated with Poor Clinical Outcome and Regulates the Expression of Anti-Apoptotic Proteins and PTEN Phosphorylation in Acute Myeloid Leukemia.. <i>Blood</i> , 2005 , 106, 2356-2356	2.2	
29	Prognostic Implications of the Immunophenotype in Biphenotypic Acute Leukemia.. <i>Blood</i> , 2006 , 108, 2319-2319	2.2	
28	Complete Remission Status at Autologous Transplantation Is an Important Prognostic Factor in Multiple Myeloma Patients Received Upfront Single Autologous Transplantation.. <i>Blood</i> , 2007 , 110, 955-955	2.2	
27	Exercise Perception during Hematopoietic Transplantation for Hematological Cancer Patients. <i>Korean Journal of Sport Studies</i> , 2017 , 56, 527-540		○
26	Clinical Limitations of Surveillance Fluorine 18 Fluorodeoxyglucose Positron Emission Tomography-Computed Tomography According to Histologic Subtypes in Patients with Malignant Lymphoma Who Achieved Complete Remission. <i>Blood</i> , 2014 , 124, 1736-1736	2.2	
25	The New Prognostic Model Using Whole Blood Epstein-Barr Virus-DNA Positivity and Low Absolute Lymphocyte Count in Patients with Primary Central Nerve System Lymphoma. <i>Blood</i> , 2014 , 124, 3014-3014	2.2	
24	Salvage Chemotherapy Followed By Autologous Peripheral Stem Cell Transplantation for Relapsed Acute Promyelocytic Leukemia; A Single Center Experience. <i>Blood</i> , 2014 , 124, 4000-4000	2.2	

- 23 Improved Sensitivity and Discriminative Power of Factor FVIII Assay By Applying Turbidimetric Clotting Curve Analysis. *Blood*, **2014**, 124, 2853-2853 2.2
- 22 Treatment Outcome and Prognostic Factors of Korean Patients with Chronic Lymphocytic Leukemia: Multicenter Retrospective Study. *Blood*, **2014**, 124, 5669-5669 2.2
- 21 Post-Autotransplant Hepatitis B Virus (HBV) Reactivation in Lymphoma and Multiple Myeloma Patients with Hepatitis B Surface Antigen-Positive or Resolved HBV Infection. *Blood*, **2014**, 124, 1196-1196 2.2
- 20 Upfront Autologous Stem Cell Transplantation Overcome the poor Prognosis of Non-Germinal Center Subtype of diffuse Large B-Cell Lymphoma in Patients with Advanced Stage and Elevated Serum Lactate Dehydrogenase. *Blood*, **2014**, 124, 3998-3998 2.2
- 19 Prognostic Factors in Adult Patients with Acute Promyelocytic Leukemia Receiving ATRA-Based Treatment. *Blood*, **2014**, 124, 5274-5274 2.2
- 18 Evaluation of the Effectiveness of the Heavy-Light Chain Quantitative Test. *Laboratory Medicine Online*, **2015**, 5, 127 0.2
- 17 Retrospective Case Series Study of Hypomethylating Therapy in IPSS Lower-Risk Myelodysplastic Syndrome. *Blood*, **2016**, 128, 1992-1992 2.2
- 16 The Role of MYC and BCL-2 Double Expression the in DLBCL Patients with Advanced Stage and Elevated LDH Who Received Upfront ASCT after R-CHOP. *Blood*, **2016**, 128, 4219-4219 2.2
- 15 Statistical Correlations Between Quantifiable Disease Variables and Prognosis in Hematological Malignancy Patients Treated with Itraconazole as An Empirical Antifungal Therapy: A Prospective Multicenter Observational Study in Korea. *Blood*, **2008**, 112, 4028-4028 2.2
- 14 Trough Plasma Imatinib Levels and ABCG2 Polymorphisms Are Correlated with Optimal Cytogenetic Responses at 6 Months After Treatment with Standard Dose of Imatinib In Newly Diagnosed CML. *Blood*, **2010**, 116, 2272-2272 2.2
- 13 Low Absolute Lymphocyte Count Predicts Chemotherapy Response and Survival In Peripheral T-Cell Lymphoma, NOS. *Blood*, **2010**, 116, 3135-3135 2.2
- 12 Circulating Exosomal MicroRNA-21 As a Potential Biomarker That May Predict Response to Azacitidine Treatment in Myelodysplastic Syndromes,. *Blood*, **2011**, 118, 3804-3804 2.2
- 11 Hematologic Improvement with Iron Chelation using therapy Deferasirox in Patients with Aplastic Anemia: A Subgroup Analysis of KAMS0112 Prospective Study,. *Blood*, **2011**, 118, 3424-3424 2.2
- 10 Fludarabine, Cytarabine, and Attenuated-Dose Idarubicin (m-FLAI) Induction for Elderly Patients with Acute Myeloid Leukemia: Results of a Multicenter Phase II Study,. *Blood*, **2011**, 118, 3626-3626 2.2
- 9 Pretransplant Parathyroid Hormone Level Has No Correlation with Platelet Recovery After Stem Cell. *Blood*, **2012**, 120, 4495-4495 2.2
- 8 High Dose Etoposide Plus G-CSF As an Effective Mobilization Regimen in Patients with NHL Previously Treated with R-CHOP or CHOP Chemotherapy. Retrospective Multicenter Study. *Blood*, **2012**, 120, 1917-1917 2.2
- 7 High Serum Level of APRIL Is Related to Increased Risk of Acute Gvhd. *Blood*, **2012**, 120, 4161-4161 2.2
- 6 Incidence and Clinical Features of Core Binding Factor Acute Myeloid Leukemia: A Collaborative Study of the Japan Adult Leukemia Study Group and the Korean Society of Hematology.. *Blood*, **2012**, 120, 2584-2584 2.2

- 5 Early Response to Methotrexate, Vincristine and Procarbazine Chemotherapy-Adapted Strategy for Primary CNS Lymphoma: Omitted Radiotherapy for Patients Achieving Complete Response in Interim Analysis.. *Blood*, **2012**, 120, 2719-2719 2.2
- 4 Sequential High-Dose Dexamethasone and Response Adapted PAD (Bortezomib, Adriamycin, Dexamethasone) or VAD (Vincristine, Adriamycin, Dexamethasone) Chemotherapy Followed by High-Dose Therapy with ASCT for Newly Diagnosed Multiple Myeloma; Open-Labeled, Multicenter Phase 2 Study (KIMM-94 Study)-Interim Analysis.. *Blood*, **2012**, 120, 3106-3106 2.2
- 3 The Role Of Modified Glasgow Prognostic Score As Predictor In Diffuse Large B Cell Lymphoma Treated With The R-CHOP Regimen. *Blood*, **2013**, 122, 4307-4307 2.2
- 2 Different roles of surveillance positron emission tomography according to the histologic subtype of non-Hodgkin lymphoma. *Korean Journal of Internal Medicine*, **2021**, 36, S245-S252 2.5
- 1 Utility of allogeneic hematopoietic stem cell transplantation using international donors in a homogenous ethnic population: question in the era of various alternative donors. *Annals of Hematology*, **2019**, 98, 501-510 3