

Yu Tong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3230790/publications.pdf>

Version: 2024-02-01

19
papers

432
citations

1039880

9
h-index

794469

19
g-index

20
all docs

20
docs citations

20
times ranked

919
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between TCF7L2 gene polymorphisms and susceptibility to Type 2 Diabetes Mellitus: a large Human Genome Epidemiology (HuGE) review and meta-analysis. <i>BMC Medical Genetics</i> , 2009, 10, 15.	2.1	213
2	Vascular endothelial growth factor: an attractive target in the treatment of hypoxic/ischemic brain injury. <i>Neural Regeneration Research</i> , 2016, 11, 174.	1.6	42
3	Retinopathy of Prematurity Among Very Low-Birth-Weight Infants in China: Incidence and Perinatal Risk Factors. , 2018, 59, 757.		29
4	The effect of miR-30d on apoptosis and autophagy in cultured astrocytes under oxygen-glucose deprivation. <i>Brain Research</i> , 2017, 1671, 67-76.	1.1	23
5	Mitochondrial translocation of human telomerase reverse transcriptase in cord blood mononuclear cells of newborns with gestational diabetes mellitus mothers. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 310-318.	1.1	20
6	Genetic variant in IL-33 is associated with idiopathic recurrent miscarriage in Chinese Han population. <i>Scientific Reports</i> , 2016, 6, 23806.	1.6	16
7	Is neutrophil CD11b a special marker for the early diagnosis of sepsis in neonates? A systematic review and meta-analysis. <i>BMJ Open</i> , 2019, 9, e025222.	0.8	16
8	Genetic Variant in Interleukin-18 Is Associated with Idiopathic Recurrent Miscarriage in Chinese Han Population. <i>International Journal of Molecular Sciences</i> , 2015, 16, 4180-4189.	1.8	14
9	Association of endothelial lipase gene rs384A/C with coronary artery disease in Han Chinese people. <i>BMJ Open</i> , 2015, 5, e007621.	0.8	12
10	Proton Magnetic Resonance Spectroscopy Biomarkers in Neonates With Hypoxic-Ischemic Encephalopathy: A Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2018, 9, 732.	1.1	12
11	Cumulative Evidence for Relationships Between 8q24 Variants and Prostate Cancer. <i>Frontiers in Physiology</i> , 2018, 9, 915.	1.3	7
12	Tissue plasminogen activator-independent roles of neuroserpin in the central nervous system. <i>Neural Regeneration Research</i> , 2012, 7, 146-51.	1.6	6
13	Recombinant nematode anticoagulant protein c2 inhibits cell invasion by decreasing uPA expression in NSCLC cells. <i>Oncology Reports</i> , 2015, 33, 1815-1822.	1.2	5
14	P2Y1 receptor antagonists mitigate oxygen and glucose deprivation-induced astrocyte injury. <i>Molecular Medicine Reports</i> , 2017, 17, 1819-1824.	1.1	5
15	Cumulative evidence for relationships between multiple variants of HNF1B and the risk of prostate and endometrial cancers. <i>BMC Medical Genetics</i> , 2018, 19, 128.	2.1	5
16	Cumulative evidence for relationships between multiple variants in 8q24 and colorectal cancer incidence. <i>Medicine (United States)</i> , 2018, 97, e11990.	0.4	2
17	Huwe1 is a novel mediator of protection of neural progenitor L2.3 cells against oxygen-glucose deprivation injury. <i>Molecular Medicine Reports</i> , 2018, 18, 4595-4602.	1.1	2
18	Generation of bioactive recombinant <i>Ancylostoma caninum</i> anticoagulant peptide c2. <i>Protein Expression and Purification</i> , 2012, 81, 49-54.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Variants in the 8q24 region associated with risk of breast cancer. <i>Medicine (United States)</i> , 2020, 99, e19217.	0.4	1