Baiyun Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/323084/publications.pdf Version: 2024-02-01



ΒΑΙΥΠΝ ΓΗΙ

#	Article	IF	CITATIONS
1	Consensus statement from the International Consensus Meeting on the Role of Decompressive Craniectomy in the Management of Traumatic Brain Injury. Acta Neurochirurgica, 2019, 161, 1261-1274.	1.7	143
2	Hydrogen-rich saline protects against oxidative damage and cognitive deficits after mild traumatic brain injury. Brain Research Bulletin, 2012, 88, 560-565.	3.0	53
3	Hydrogen-rich water attenuates brain damage and inflammation after traumatic brain injury in rats. Brain Research, 2016, 1637, 1-13.	2.2	40
4	Hydrogen-rich water protects against ischemic brain injury in rats by regulating calcium buffering proteins. Brain Research, 2015, 1615, 129-138.	2.2	27
5	An Exhaustive Drainage Strategy in Burr-hole Craniostomy for Chronic Subdural Hematoma. World Neurosurgery, 2019, 126, e1412-e1420.	1.3	24
6	Corticosterone Replacement Alleviates Hippocampal Neuronal Apoptosis and Spatial Memory Impairment Induced by Dexamethasone via Promoting Brain Corticosteroid Receptor Rebalance after Traumatic Brain Injury. Journal of Neurotrauma, 2020, 37, 262-272.	3.4	24
7	Clinical Features, Treatment, and Prognostic Factors of 56 Intracranial and Intraspinal Clear Cell Meningiomas. World Neurosurgery, 2018, 111, e880-e887.	1.3	22
8	The characteristics of post-neurosurgical bacterial meningitis in elective neurosurgery in 2012: A single institute study. Clinical Neurology and Neurosurgery, 2015, 139, 41-45.	1.4	21
9	A comparative study of chronic subdural hematoma in three age ranges: Below 40 years, 41–79 years, and 80 years and older. Clinical Neurology and Neurosurgery, 2019, 178, 63-69.	1.4	18
10	Mitochondrial Division Inhibitor 1 Prevents Early-Stage Induction of Mitophagy and Accelerated Cell Death in a Rat Model of Moderate Controlled Cortical Impact Brain Injury. World Neurosurgery, 2019, 122, e1090-e1101.	1.3	18
11	Current status and development of traumatic brain injury treatments in China. Chinese Journal of Traumatology - English Edition, 2015, 18, 135-136.	1.4	15
12	Decompressive craniectomy for severe traumatic brain injury patients with fixed dilated pupils. Therapeutics and Clinical Risk Management, 2015, 11, 1627.	2.0	15
13	Portable near-infrared rapid detection of intracranial hemorrhage in Chinese population. Journal of Clinical Neuroscience, 2017, 40, 136-146.	1.5	13
14	Clinical, Radiologic, and Pathologic Features of 56 Cases of Intracranial Lymphoplasmacyte-Rich Meningioma. World Neurosurgery, 2017, 106, 152-164.	1.3	13
15	Saikosaponin a protects TBI rats after controlled cortical impact and the underlying mechanism. American Journal of Translational Research (discontinued), 2016, 8, 133-41.	0.0	13
16	Research progress in traumatic brain penumbra. Chinese Medical Journal, 2014, 127, 1964-8.	2.3	13
17	The Clinical Features and Surgical Outcomes of Spinal Cord Tanycytic Ependymomas: AÂReport of 40 Cases. World Neurosurgery, 2017, 106, 60-73.	1.3	12
18	Prognostic Predictors of Early Outcomes and Discharge Status of Patients Undergoing Decompressive Craniectomy After Severe Traumatic Brain Injury. World Neurosurgery, 2019, 126, e101-e108.	1.3	12

Baiyun Liu

#	Article	IF	CITATIONS
19	The Clinical Characteristics, Treatment, and Outcomes of Chronic Subdural Hematoma in Young Patients. World Neurosurgery, 2019, 125, e1241-e1246.	1.3	12
20	Prevalence and Altered Causes of Traumatic Brain Injury in China: A Nationwide Survey in 2013. Neuroepidemiology, 2020, 54, 106-113.	2.3	12
21	Corticosteroid receptor rebalancing alleviates critical illness-related corticosteroid insufficiency after traumatic brain injury by promoting paraventricular nuclear cell survival via Akt/CREB/BDNF signaling. Journal of Neuroinflammation, 2020, 17, 318.	7.2	12
22	Dexamethasone impairs neurofunctional recovery in rats following traumatic brain injury by reducing circulating endothelial progenitor cells and angiogenesis. Brain Research, 2019, 1725, 146469.	2.2	11
23	Brain metastatic alveolar soft‑part sarcoma: Clinicopathological profiles, management and outcomes. Oncology Letters, 2017, 14, 5779-5784.	1.8	10
24	Clinical features, surgical management, and prognostic factors of secretory meningiomas: a single-center case series of 149 patients. Journal of Neuro-Oncology, 2018, 136, 515-522.	2.9	9
25	Neuroprotective efficacy of decompressive craniectomy after controlled cortical impact injury in rats: An MRI study. Brain Research, 2015, 1622, 339-349.	2.2	8
26	Inadequate Expression and Activation of Mineralocorticoid Receptor Aggravates Spatial Memory Impairment after Traumatic Brain Injury. Neuroscience, 2020, 424, 1-11.	2.3	8
27	Clinical characteristics and prognosis factors analysis for post-operative ptosis of sphenocavernous meningiomas: A single institution study. Clinical Neurology and Neurosurgery, 2015, 131, 35-41.	1.4	6
28	Primary Intracranial Alveolar Soft-Part Sarcoma: Report of Two Cases and a Review ofÂtheÂLiterature. World Neurosurgery, 2016, 90, 699.e1-699.e6.	1.3	6
29	A Comparative Study of Chronic Subdural Hematoma in Patients With and Without Head Trauma: A Retrospective Cross Sectional Study. Frontiers in Neurology, 2020, 11, 588242.	2.4	6
30	Prognostic Analysis of Emergency Decompressive Craniectomy for Patients with Severe Traumatic Brain Injury with Bilateral Fixed Dilated Pupils. World Neurosurgery, 2021, 146, e1307-e1317.	1.3	6
31	Therapeutic effect analysis of acute traumatic brain injuries. Neurological Research, 2008, 30, 594-597.	1.3	5
32	Protective Functions of PJ34, a Poly(ADP-ribose) Polymerase Inhibitor, Are Related to Down-Regulation of Calpain and Nuclear Factor-I°B in a Mouse Model of Traumatic Brain Injury. World Neurosurgery, 2017, 107, 888-899.	1.3	5
33	CSF leukocyte, polykaryocyte, protein and glucose: Their cut-offs of judging whether post-neurosurgical bacterial meningitis has been cured. Clinical Neurology and Neurosurgery, 2018, 174, 198-202.	1.4	5
34	Protective effects of PARP inhibitor, PJ34, is related to down-regulation of calpain and NF- <i>κ</i> B in a mouse model of TBI. Brain Injury, 2016, , 1-11.	1.2	3
35	Neurotrauma in China. World Neurosurgery, 2016, 92, 552-558.	1.3	3
36	The clinical features and surgical outcomes of intracranial tanycytic ependymomas: a single-institutional experience. Journal of Neuro-Oncology, 2017, 134, 339-347.	2.9	3

Baiyun Liu

#	Article	IF	CITATIONS
37	Decompressive craniectomy protects against hippocampal edema and behavioral deficits at an early stage of a moderately controlled cortical impact brain injury model in adult male rats. Behavioural Brain Research, 2018, 345, 1-8.	2.2	3
38	Tanycytic ependymoma of filum terminale: Clinical characteristics and surgical outcomes. Oncology Letters, 2018, 16, 6910-6917.	1.8	3
39	The Surgical Strategies and Techniques of Transorbital Nonmissile Brain Injury. World Neurosurgery, 2020, 144, e856-e865.	1.3	3
40	Scalp Metastasis of Anaplastic Oligodendroglioma. World Neurosurgery, 2019, 128, 448-451.	1.3	2
41	The Dual Dose-Dependent Effects of Corticosterone on Hippocampal Cell Apoptosis After Traumatic Brain Injury Depend on the Activation Ratio of Mineralocorticoid Receptors to Glucocorticoid Receptors. Frontiers in Pharmacology, 2021, 12, 713715.	3.5	2
42	Effects of cerebral perfusion pressure on regional cerebral blood flow in dogs with acute epidural hematoma: quantitative evaluation with contrast-enhanced ultrasound. Oncotarget, 2017, 8, 93373-93381.	1.8	2
43	Local Skull Thinning is One of Risks for the Ruptured Arachnoid Cysts With Chronic Subdural Hematoma in Adults. Journal of Craniofacial Surgery, 2021, Publish Ahead of Print,	0.7	1
44	In Reply to "Early Outcome Following Decompressive Craniectomy for Traumatic Brain Injury: A Prediction Model― World Neurosurgery, 2019, 127, 657.	1.3	0