## Knut Franke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/323095/publications.pdf

Version: 2024-02-01

19	617	12	17
papers	citations	h-index	g-index
19	19	19	706
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Alcohol in praline fillings influences the water migration within the surrounding chocolate shell. Journal of Food Engineering, 2022, 315, 110805.	5.2	O
2	High moisture extrusion of lupin protein: influence of extrusion parameters on extruder responses and product properties. Journal of the Science of Food and Agriculture, 2019, 99, 2175-2185.	3.5	84
3	Structure design of insect-based meat analogs with high-moisture extrusion. Journal of Food Engineering, 2018, 229, 83-85.	5.2	78
4	Fat crystal network structures have a strong influence on properties of fat-based barrier layers. European Journal of Lipid Science and Technology, 2015, 117, 1792-1800.	1.5	6
5	Acute Macrovascular Dysfunction in Patients With Type 2 Diabetes Induced by Ingestion of Advanced Glycated Î <sup>2</sup> -Lactoglobulins. Diabetes Care, 2013, 36, 1278-1282.	8.6	19
6	Optical online measurement technique used for process control of the drying step during pasta production. Procedia Food Science, 2011, 1, 1301-1308.	0.6	4
7	Quantification of Sugar Esters in Chocolate and Oil Samples. Food Analytical Methods, 2011, 4, 598-600.	2.6	2
8	Removal of 3-MCPD esters and related substances after refining by adsorbent material. European Journal of Lipid Science and Technology, 2011, 113, 387-392.	1.5	62
9	Influencing emulsifying properties of egg yolk by enzymatic modification with phospholipase D. Part 2: Structural changes of egg yolk due to incubation. Colloids and Surfaces B: Biointerfaces, 2010, 76, 192-198.	5.0	11
10	Influencing emulsifying properties of egg yolk by enzymatic modification by phospholipase D from Streptomyces chromofuscus. Colloids and Surfaces B: Biointerfaces, 2010, 76, 186-191.	5.0	21
11	Structure improvement of milk powder for chocolate processing. International Dairy Journal, 2008, 18, 928-931.	3.0	24
12	Engineering and biotechnological aspects for the manufacturing of high quality fried potato products. Biotechnology Journal, 2006, 1, 413-419.	3.5	3
13	Quality Related Minimization of Acrylamide Formation - An Integrated Approach., 2005, 561, 357-369.		16
14	Influence of spray drying conditions on functionality of dried whole egg. Journal of the Science of Food and Agriculture, 2002, 82, 1837-1841.	3.5	33
15	Protection of fish oil from oxidation by microencapsulation using freeze-drying techniques. European Journal of Lipid Science and Technology, 2000, 102, 114-121.	1.5	51
16	A new approach for the numerical calculation of freezing and thawing processes of foods using a modified fictitious heat flow method. Journal of Food Engineering, 2000, 44, 23-29.	5.2	12
17	Microencapsulation of fish oil by freeze-drying techniques and influence of process parameters on oxidative stability during storage. European Food Research and Technology, 2000, 211, 234-239.	3.3	70
18	Using freezing and drying techniques of emulsions for the microencapsulation of fish oil to improve oxidation stability. Colloids and Surfaces B: Biointerfaces, 1999, 12, 223-229.	5.0	105

#	Article	IF	CITATIONS
19	Modelling the cooling kinetics of chocolate coatings with respect to final product quality. Journal of Food Engineering, 1998, 36, 371-384.	5.2	16