

Daniel Antonio de Luis

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3231423/daniel-antonio-de-luis-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

226
papers

3,344
citations

30
h-index

45
g-index

275
ext. papers

3,874
ext. citations

3.4
avg, IF

5.08
L-index

#	Paper	IF	Citations
226	Micronutrient status in morbidly obese women before bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2013 , 9, 323-7	3	102
225	Helicobacter pylori infection is markedly increased in patients with autoimmune atrophic thyroiditis. <i>Journal of Clinical Gastroenterology</i> , 1998 , 26, 259-63	3	101
224	Guide and Position of the International Society of Nutrigenetics/Nutrigenomics on Personalised Nutrition: Part 1 - Fields of Precision Nutrition. <i>Lifestyle Genomics</i> , 2016 , 9, 12-27	2	100
223	The effects of duodenal-jejunal exclusion on hormonal regulation of glucose metabolism in Goto-Kakizaki rats. <i>American Journal of Surgery</i> , 2007 , 194, 221-4	2.7	99
222	Effects of a high-protein/low carbohydrate versus a standard hypocaloric diet on adipocytokine levels and insulin resistance in obese patients along 9 months. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 950-4	3.2	75
221	Effect of soluble fiber intake in lipid and glucose levels in healthy subjects: a randomized clinical trial. <i>Diabetes Research and Clinical Practice</i> , 2004 , 65, 7-11	7.4	74
220	Induction of puberty with human chorionic gonadotropin and follicle-stimulating hormone in adolescent males with hypogonadotropic hypogonadism. <i>Fertility and Sterility</i> , 1999 , 71, 244-8	4.8	74
219	Total homocysteine levels relation with chronic complications of diabetes, body composition, and other cardiovascular risk factors in a population of patients with diabetes mellitus type 2. <i>Journal of Diabetes and Its Complications</i> , 2005 , 19, 42-6	3.2	65
218	Effect of silymarin plus vitamin E in patients with non-alcoholic fatty liver disease. A randomized clinical pilot study. <i>European Review for Medical and Pharmacological Sciences</i> , 2015 , 19, 3118-24	2.9	57
217	Influence of visfatin on histopathological changes of non-alcoholic fatty liver disease. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1772-7	4	54
216	Clinical results and nutritional consequences of biliopancreatic diversion: three years of follow-up. <i>Annals of Nutrition and Metabolism</i> , 2008 , 53, 234-9	4.5	52
215	Helicobacter pylori infection and insulin-dependent diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 1998 , 39, 143-6	7.4	50
214	Influence of insulin resistance and adipokines in the grade of steatosis of nonalcoholic fatty liver disease. <i>Digestive Diseases and Sciences</i> , 2008 , 53, 1088-92	4	49
213	Dietary intake in patients with asthma: a case control study. <i>Nutrition</i> , 2005 , 21, 320-4	4.8	47
212	Association of Helicobacter pylori infection with cardiovascular and cerebrovascular disease in diabetic patients. <i>Diabetes Care</i> , 1998 , 21, 1129-32	14.6	47
211	Diagnosis of hepatopulmonary syndrome with contrast transesophageal echocardiography: advantages over contrast transthoracic echocardiography. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 1243-8	4.8	45
210	Nutritional status of adult patients admitted to internal medicine departments in public hospitals in Castilla y Leon, Spain - A multi-center study. <i>European Journal of Internal Medicine</i> , 2006 , 17, 556-60	3.9	44

209	Postsurgery enteral nutrition in head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1126-9	5.2	43
208	Plasma FGF21 levels in obese patients undergoing energy-restricted diets or bariatric surgery: a marker of metabolic stress?. <i>International Journal of Obesity</i> , 2017 , 41, 1570-1578	5.5	42
207	Predictors of the metabolic syndrome and correlation with computed axial tomography. <i>Nutrition</i> , 2007 , 23, 36-45	4.8	40
206	Effect of a hypocaloric diet on serum visfatin in obese non-diabetic patients. <i>Nutrition</i> , 2008 , 24, 517-21	4.8	39
205	Clinical and biochemical outcomes after a randomized trial with a high dose of enteral arginine formula in postsurgical head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 200-4	5.2	38
204	Randomized clinical trial with an enteral arginine-enhanced formula in early postsurgical head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1505-8	5.2	38
203	Zinc and copper serum levels of morbidly obese patients before and after biliopancreatic diversion: 4 years of follow-up. <i>Journal of Gastrointestinal Surgery</i> , 2011 , 15, 2178-81	3.3	37
202	Beneficial effects of liraglutide on adipocytokines, insulin sensitivity parameters and cardiovascular risk biomarkers in patients with Type 2 diabetes: a prospective study. <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 92-6	7.4	36
201	Leptin receptor Lys656Asn polymorphism is associated with decreased leptin response and weight loss secondary to a lifestyle modification in obese patients. <i>Archives of Medical Research</i> , 2006 , 37, 854-9	6.6	36
200	Nutritional assessment: predictive variables at hospital admission related with length of stay. <i>Annals of Nutrition and Metabolism</i> , 2006 , 50, 394-8	4.5	34
199	MEDITERRANEAN DIET IS ASSOCIATED WITH LIVER HISTOLOGY IN PATIENTS WITH NON ALCOHOLIC FATTY LIVER DISEASE. <i>Nutricion Hospitalaria</i> , 2015 , 32, 2518-24	1	33
198	Evaluation of weight loss and metabolic changes in diabetic patients treated with liraglutide, effect of RS 6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 595-8	3.2	30
197	Immunoenhanced enteral nutrition, effect on inflammatory markers in head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 145-7	5.2	30
196	Effect of DHA supplementation in a very low-calorie ketogenic diet in the treatment of obesity: a randomized clinical trial. <i>Endocrine</i> , 2016 , 54, 111-122	4	30
195	Evaluation of weight loss and adipocytokines levels after two hypocaloric diets with different macronutrient distribution in obese subjects with rs9939609 gene variant. <i>Diabetes/Metabolism Research and Reviews</i> , 2012 , 28, 663-8	7.5	27
194	Effect of a hypocaloric diet in transaminases in nonalcoholic fatty liver disease and obese patients, relation with insulin resistance. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 74-8	7.4	27
193	Influence of ALA54THR polymorphism of fatty acid binding protein 2 on lifestyle modification response in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2006 , 50, 354-60	4.5	27
192	Effects of a high-fiber diet on symptoms of irritable bowel syndrome: a randomized clinical trial. <i>Nutrition</i> , 2004 , 20, 735-7	4.8	27

191	Early clinical and surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , 2005 , 15, 799-802	3.7	27
190	Vitamin d levels and lipid response to atorvastatin. <i>International Journal of Endocrinology</i> , 2010 , 2010, 320721	2.7	26
189	Allergic hypersensitivity to cannabis in patients with allergy and illicit drug users. <i>Allergologia Et Immunopathologia</i> , 2011 , 39, 271-9	1.9	25
188	Non-insulin-dependent diabetes, bone mineral density, and cardiovascular risk factors. <i>Journal of Diabetes and Its Complications</i> , 2004 , 18, 317-21	3.2	25
187	Experience over 12 years with home enteral nutrition in a healthcare area of Spain. <i>Journal of Human Nutrition and Dietetics</i> , 2013 , 26 Suppl 1, 39-44	3.1	23
186	Resistin levels in morbid obese patients following the biliopancreatic diversion surgery. <i>Hormone and Metabolic Research</i> , 2011 , 43, 205-8	3.1	23
185	Relation of Trp64Arg polymorphism of beta 3-adrenergic receptor gene to adipocytokines and fat distribution in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2008 , 52, 267-71	4.5	23
184	Cost of clinical management of acromegaly in Spain. <i>Clinical Drug Investigation</i> , 2012 , 32, 235-45	3.2	22
183	Relation of osteocalcin with insulin resistance and histopathological changes of non alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2011 , 10, 50-55	3.1	22
182	Relation of resistin levels with cardiovascular risk factors and insulin resistance in non-diabetes obese patients. <i>Diabetes Research and Clinical Practice</i> , 2009 , 84, 174-8	7.4	22
181	Effects of a low-fat versus a low-carbohydrate diet on adipocytokines in obese adults. <i>Hormone Research in Paediatrics</i> , 2007 , 67, 296-300	3.3	21
180	Experience of 6 years with home enteral nutrition in an area of Spain. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 553-7	5.2	21
179	Effect on quality of life with a new insulin injection device in elderly patients with diabetes mellitus type 2. <i>Journal of Diabetes and Its Complications</i> , 2004 , 18, 216-9	3.2	19
178	Tissue electric properties in head and neck cancer patients. <i>Annals of Nutrition and Metabolism</i> , 2006 , 50, 7-10	4.5	18
177	Role of genetic variation in the cannabinoid receptor gene (CNR1) (G1359A polymorphism) on weight loss and cardiovascular risk factors after liraglutide treatment in obese patients with diabetes mellitus type 2. <i>Journal of Investigative Medicine</i> , 2014 , 62, 324-7	2.9	17
176	Influence of ALA54THR polymorphism of fatty acid-binding protein 2 on obesity and cardiovascular risk factors. <i>Hormone and Metabolic Research</i> , 2007 , 39, 830-4	3.1	17
175	Contribution of ¹¹¹ In-pentetreotide SPECT/CT imaging to conventional somatostatin receptor scintigraphy in the detection of neuroendocrine tumours. <i>Nuclear Medicine Communications</i> , 2015 , 36, 251-9	1.6	16
174	Effects of duodenal-jejunal exclusion on beta cell function and hormonal regulation in Goto-Kakizaki rats. <i>American Journal of Surgery</i> , 2012 , 204, 242-7	2.7	16

173	The rs9939609 gene variant in FTO modified the metabolic response of weight loss after a 3-month intervention with a hypocaloric diet. <i>Journal of Investigative Medicine</i> , 2013 , 61, 22-6	2.9	16
172	Levels of DKK1 in patients with acute myocardial infarction and response to atorvastatin. <i>International Journal of Cardiology</i> , 2010 , 145, 164-5	3.2	16
171	C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and insulin resistance in patients with diabetes mellitus type 2. <i>Diabetes Research and Clinical Practice</i> , 2010 , 88, 76-80	7.4	16
170	Ala54Thr polymorphism of fatty acid binding protein 2, role on insulin resistance and cardiovascular risk factors in presurgical morbid obesity patients. <i>Obesity Surgery</i> , 2009 , 19, 1691-6	3.7	16
169	Influence of Ala54Thr polymorphism of fatty acid-binding protein-2 on clinical results of biliopancreatic diversion. <i>Nutrition</i> , 2008 , 24, 300-4	4.8	16
168	Insulin resistance is related with liver fibrosis in type 2 diabetic patients with non-alcoholic fatty liver disease proven biopsy and Mediterranean diet pattern as a protective factor. <i>Endocrine</i> , 2020 , 68, 557-563	4	15
167	Effect of -55CT Polymorphism of UCP3 on Insulin Resistance and Cardiovascular Risk Factors after a High Protein/Low Carbohydrate versus a Standard Hypocaloric Diet. <i>Annals of Nutrition and Metabolism</i> , 2016 , 68, 157-63	4.5	15
166	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk factors and weight loss after biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 259-63	4.5	15
165	Relation of leptin and adiponectin with cardiovascular risk factors, intact parathormone, and vitamin D levels in patients with primary hyperparathyroidism. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 398-402	3	15
164	Influence of G1359A polymorphism of the cannabinoid receptor gene on anthropometric parameters and insulin resistance in women with obesity. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 272-6	12.7	15
163	Relation of resistin levels with cardiovascular risk factors, insulin resistance and inflammation in naïve diabetes obese patients. <i>Diabetes Research and Clinical Practice</i> , 2010 , 89, 110-4	7.4	15
162	Influence of Lys656Asn polymorphism of leptin receptor gene on leptin response secondary to two hypocaloric diets: a randomized clinical trial. <i>Annals of Nutrition and Metabolism</i> , 2008 , 52, 209-14	4.5	15
161	Diverging results of areal and volumetric bone mineral density in Down syndrome. <i>Osteoporosis International</i> , 2017 , 28, 965-972	5.3	14
160	Influence of Trp64Arg polymorphism of beta 3-adrenoreceptor gene on insulin resistance, adipocytokines and weight loss secondary to two hypocaloric diets. <i>Annals of Nutrition and Metabolism</i> , 2009 , 54, 104-10	4.5	13
159	Carob by-products and seaweeds for the development of functional bread. <i>Journal of Food Processing and Preservation</i> , 2018 , 42, e13700	2.1	13
158	Characterization and in vitro evaluation of seaweed species as potential functional ingredients to ameliorate metabolic syndrome. <i>Journal of Functional Foods</i> , 2018 , 46, 185-194	5.1	13
157	Association of the rs10830963 polymorphism in melatonin receptor type 1B (MTNR1B) with metabolic response after weight loss secondary to a hypocaloric diet based in Mediterranean style. <i>Clinical Nutrition</i> , 2018 , 37, 1563-1568	5.9	12
156	Effects of RS9939609 gene variant in FTO gene on weight loss and cardiovascular risk factors after biliopancreatic diversion surgery. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 1194-8	3.3	12

155	Effects of C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase on weight loss after a hypocaloric diet. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 730-4	12.7	12
154	Effects of C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase on weight loss and cardiovascular risk factors 1 year after biliopancreatic diversion surgery. <i>Surgery for Obesity and Related Diseases</i> , 2010 , 6, 516-20	3	12
153	Changes of ghrelin and leptin in response to hypocaloric diet in obese patients. <i>Nutrition</i> , 2008 , 24, 162-6.8	4.8	12
152	Lack of association of -55CT polymorphism of UCP3 gene with fat distribution in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2007 , 51, 374-8	4.5	12
151	Relation between total homocysteine levels and beer intake in patients with diabetes mellitus Type 2. <i>Annals of Nutrition and Metabolism</i> , 2003 , 47, 119-23	4.5	12
150	rs1501299 Polymorphism in the Adiponectin Gene and Their Association with Total Adiponectin Levels, Insulin Resistance and Metabolic Syndrome in Obese Subjects. <i>Annals of Nutrition and Metabolism</i> , 2016 , 69, 226-231	4.5	12
149	The association of SNP276G>T at adiponectin gene with insulin resistance and circulating adiponectin in response to two different hypocaloric diets. <i>Diabetes Research and Clinical Practice</i> , 2018 , 137, 93-99	7.4	11
148	Gene expression analysis identify a metabolic and cell function alterations as a hallmark of obesity without metabolic syndrome in peripheral blood, a pilot study. <i>Clinical Nutrition</i> , 2018 , 37, 1348-1353	5.9	11
147	RS 10767664 gene variant in Brain Derived Neurotrophic Factor (BDNF) affect metabolic changes and insulin resistance after a standard hypocaloric diet. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 216-220	3.2	11
146	Reference values and universal screening of thyroid dysfunction in pregnant women. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2014 , 61, 336-8		11
145	Genetic variation in the cannabinoid receptor gene (CNR1) (G1359A polymorphism) and their influence on anthropometric parameters and metabolic parameters under a high monounsaturated vs. high polyunsaturated fat hypocaloric diets. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 1431-5	6.3	11
144	Relation of the rs9939609 gene variant in FTO with metabolic syndrome in obese female patients. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 346-50	3.2	11
143	Relation of G1359A polymorphism of the cannabinoid receptor (CB1) gene with metabolic syndrome by ATP III classification. <i>Diabetes/Metabolism Research and Reviews</i> , 2011 , 27, 506-11	7.5	11
142	Circulating visfatin in obese non-diabetic patients in relation to cardiovascular risk factors, insulin resistance, and adipocytokines: a contradictory piece of the puzzle. <i>Nutrition</i> , 2010 , 26, 1130-3	4.8	11
141	Modulation of adipocytokines response and weight loss secondary to a hypocaloric diet in obese patients by -55CT polymorphism of UCP3 gene. <i>Hormone and Metabolic Research</i> , 2008 , 40, 214-8	3.1	11
140	Malnutrition at diagnosis in amyotrophic lateral sclerosis (als) and its influence on survival: Using glim criteria. <i>Clinical Nutrition</i> , 2021 , 40, 237-244	5.9	11
139	Polymorphism G1359A of the cannabinoid receptor gene (CNR1): allelic frequencies and influence on cardiovascular risk factors in a multicentre study of Castilla-Leon. <i>Journal of Human Nutrition and Dietetics</i> , 2016 , 29, 112-7	3.1	10
138	Polymorphism of neuropeptide Y gene rs16147 modifies the response to a hypocaloric diet on cardiovascular risk biomarkers and adipokines. <i>Journal of Human Nutrition and Dietetics</i> , 2017 , 30, 159-165	3.1	10

137	Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor with weight, cardiovascular risk factor, and serum adipokine levels in obese female subjects. <i>Journal of Clinical Laboratory Analysis</i> , 2015 , 29, 100-5	3	10
136	Effects of a High-Protein/Low-Carbohydrate Diet versus a Standard Hypocaloric Diet on Weight and Cardiovascular Risk Factors: Role of a Genetic Variation in the rs9939609 FTO Gene Variant. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2015 , 8, 128-36		10
135	Cardiovascular risk factors and adipocytokines levels after two hypocaloric diets with different fat distribution in obese subjects and rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 853-9	5.2	10
134	Lack of association of serum resistin levels with metabolic syndrome criteria in obese female patients. <i>Clinical Biochemistry</i> , 2011 , 44, 1280-3	3.5	10
133	Serum visfatin concentrations are related to dietary intake in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 265-70	4.5	10
132	Influence of lys656asn polymorphism of leptin receptor gene on surgical results of biliopancreatic diversion. <i>Journal of Gastrointestinal Surgery</i> , 2010 , 14, 899-903	3.3	10
131	Quality of life and dietary intake in elderly patients with dysphagia. <i>Nutrition</i> , 2006 , 22, 584	4.8	10
130	Clinical and biochemical characteristics of patients with home enteral nutrition in an area of Spain. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 612-5	5.2	10
129	Light symptoms following a high-dose intentional L-thyroxine ingestion treated with cholestyramine. <i>Hormone Research in Paediatrics</i> , 2002 , 57, 61-3	3.3	10
128	Consejo nutricional aislado frente a suplemento y consejo nutricionales en pacientes con infección por el virus de la inmunodeficiencia humana. <i>Medicina Clínica</i> , 2003 , 120, 565-567	1	10
127	Predictive factors of non-alcoholic steatohepatitis: relationship with metabolic syndrome. <i>Nutricion Hospitalaria</i> , 2015 , 31, 2496-502	1	10
126	Role of rs670 variant of APOA1 gene on metabolic response after a high fat vs. a low fat hypocaloric diets in obese human subjects. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 249-254	3.2	10
125	Role of rs670 variant of APOA1 gene on lipid profile, insulin resistance and adipokine levels in obese subjects after weight loss with a dietary intervention. <i>Diabetes Research and Clinical Practice</i> , 2018 , 142, 139-145	7.4	10
124	Metabolic syndrome and ALA54THR polymorphism of fatty acid-binding protein 2 in obese patients. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 664-8	12.7	9
123	Effect of angiotensin converting enzyme inhibitors on 1.25-(OH) ₂ D levels of hypertensive patients. Relationship with ACE polymorphisms. <i>Hormone and Metabolic Research</i> , 2006 , 38, 812-6	3.1	9
122	Effect of a hypocaloric diet with a commercial formula in weight loss and quality of life in obese patients with chronic osteoarthritis. <i>Nutricion Hospitalaria</i> , 2012 , 27, 1648-54	1	9
121	Adiponectin gene variant RS rs266729: Relation to lipid profile changes and circulating adiponectin after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2018 , 14, 1402-1408	3	8
120	Polymorphism rs3123554 in the cannabinoid receptor gene type 2 (CNR2) reveals effects on body weight and insulin resistance in obese subjects. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017 , 64, 440-445	1.3	8

119	Effects of a High-Protein/Low-Carbohydrate versus a Standard Hypocaloric Diet on Weight and Cardiovascular Risk Factors during 9 Months: Role of a Genetic Variation in the Cannabinoid Receptor Gene (CNR1) (G1359A Polymorphism). <i>Annals of Nutrition and Metabolism</i> , 2015 , 66, 125-131	4.5	8
118	Diagnostic and functional structure of a high-resolution thyroid nodule clinic: an efficiency model. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2014 , 61, 552-3		8
117	Influence of G308A polymorphism of tumor necrosis factor alpha gene on surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , 2010 , 20, 221-5	3.7	8
116	OST risk index and calcaneus bone densitometry in osteoporosis diagnosis. <i>Journal of Clinical Densitometry</i> , 2007 , 10, 404-7	3.5	8
115	Resting energy expenditure, cardiovascular risk factors and insulin resistance in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2005 , 49, 381-5	4.5	8
114	Association of G1359A polymorphism of the cannabinoid receptor gene (CNR1) with macronutrient intakes in obese females. <i>Journal of Human Nutrition and Dietetics</i> , 2016 , 29, 118-23	3.1	8
113	Role of rs1501299 variant in the adiponectin gene on total adiponectin levels, insulin resistance and weight loss after a Mediterranean hypocaloric diet. <i>Diabetes Research and Clinical Practice</i> , 2019 , 148, 262-267	7.4	8
112	The effect of single-nucleotide polymorphisms at the ADIPOQ gene locus rs1501299 on metabolic parameters after 9 mo of a high-protein/low-carbohydrate versus a standard hypocaloric diet. <i>Nutrition</i> , 2019 , 65, 44-49	4.8	7
111	Role of rs6923761 gene variant in glucagon-like peptide 1 receptor in basal GLP-1 levels, cardiovascular risk factor and serum adipokine levels in naïve type 2 diabetic patients. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 143-7	5.2	7
110	Role of G1359A polymorphism of the cannabinoid receptor gene on weight loss and adipocytokines levels after two different hypocaloric diets. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 287-91	6.3	7
109	Polymorphism rs16147 of the Neuropeptide Y Gene Modifies the Response of Cardiovascular Risk Biomarkers and Adipokines to Two Hypocaloric Diets. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2017 , 10, 63-72		7
108	The deleterious effect of bariatric surgery on cortical and trabecular bone density in the femurs of non-obese, type 2 diabetic Goto-Kakizaki rats. <i>Obesity Surgery</i> , 2012 , 22, 1755-60	3.7	7
107	Genetic variation in the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and their influence on weight loss and insulin resistance under a high monounsaturated fat hypocaloric diet. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 235-9	3.2	7
106	The effects of two different hypocaloric diets on glucagon-like peptide 1 in obese adults, relation with insulin response after weight loss. <i>Journal of Diabetes and Its Complications</i> , 2009 , 23, 239-43	3.2	7
105	Effect of fatty acid-binding protein 2 Ala54Thr genotype on weight loss and cardiovascular risk factors after a high-polyunsaturated fat diet in obese patients. <i>Journal of Investigative Medicine</i> , 2012 , 60, 1194-8	2.9	7
104	Influence of -55CT polymorphism of UCP3 gene on surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , 2010 , 20, 895-9	3.7	7
103	Effect of the TNFalpha-308 G/A polymorphism on the changes produced by atorvastatin in bone mineral density in patients with acute coronary syndrome. <i>Annals of Nutrition and Metabolism</i> , 2008 , 53, 117-21	4.5	7
102	EFFECT ON QUALITY OF LIFE AND HANDGRIP STRENGTH BY DYNAMOMETRY OF AN ENTERAL SPECIFIC SUPPLEMENTS WITH BETA-HYDROXY-BETA-METHYLBUTYRATE AND VITAMIN D IN ELDERLY PATIENTS. <i>Nutrición Hospitalaria</i> , 2015 , 32, 202-7	1	7

101	ROLE OF RS9939609 FTO GENE VARIANT IN WEIGHT LOSS, INSULIN RESISTANCE AND METABOLIC PARAMETERS AFTER A HIGH MONOUNSATURATED VS A HIGH POLYUNSATURATED FAT HYPOCALORIC DIETS. <i>Nutricion Hospitalaria</i> , 2015 , 32, 175-81	1	7
100	Role of the variant in adiponectin gene rs266729 on weight loss and cardiovascular risk factors after a hypocaloric diet with the Mediterranean pattern. <i>Nutrition</i> , 2019 , 60, 1-5	4.8	7
99	Effect of L-arginine supplementation on insulin resistance and adipocytokines levels in head and neck cancer non diabetic patients after surgery. <i>Nutricion Hospitalaria</i> , 2014 , 30, 870-5	1	7
98	Estrogen receptor genes polymorphisms determine serum lipid profile in healthy postmenopausal women treated with calcium, vitamin D, and genistein. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 13115-13120 ⁶	4.7	6
97	Role of Fatty Acid-Binding Protein 2 Ala54Thr Genotype on Weight Loss and Cardiovascular Risk Factors after a High-Protein/Low-Carbohydrate versus a Standard Hypocaloric Diet during 9 Months. <i>Annals of Nutrition and Metabolism</i> , 2015 , 67, 81-6	4.5	6
96	Relation of visfatin to cardiovascular risk factors and adipocytokines in patients with impaired fasting glucose. <i>Nutrition</i> , 2013 , 29, 1300-3	4.8	6
95	Serum visfatin levels and metabolic syndrome criteria in obese female subjects. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 29, 576-81	7.5	6
94	Effects of C358A polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) on weight loss, adipocytokines levels, and insulin resistance after a high polyunsaturated fat diet in obese patients. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 965-9	5.2	6
93	Visfatin levels in female, morbid, nondiabetic obese patients after biliopancreatic diversion surgery. <i>Surgery for Obesity and Related Diseases</i> , 2011 , 7, 195-8	3	6
92	Relation of -55CT polymorphism of uncoupling protein 3 gene with fat mass and insulin resistance in morbidly obese patients. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 608-12	12.7	6
91	Influence of hormonal status and oral intake on phase angle in HIV-infected men. <i>Nutrition</i> , 2004 , 20, 731-4	4.8	6
90	Weight loss normalizes enhanced expression of the oncogene survivin in visceral adipose tissue and blood leukocytes from individuals with obesity. <i>International Journal of Obesity</i> , 2021 , 45, 206-216	5.5	6
89	Factors Related to Weight Gain in Subjects with Sleeve Gastrectomy During Lockdown by the COVID-19 Pandemic. <i>Obesity Surgery</i> , 2021 , 31, 2197-2202	3.7	6
88	Modifications of serum levels of omentin-1 and other cardiovascular risk factors following weight loss secondary to a Mediterranean hypocaloric diet. <i>Clinical Nutrition</i> , 2018 , 37, 2280-2283	5.9	6
87	Hyponatremia in patients receiving parenteral nutrition: the importance of correcting serum sodium for total proteins. The role of the composition of parenteral nutrition in the development of hyponatremia. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 446-451	5.2	6
86	Potential Usefulness of a Wakame/Carob Functional Snack for the Treatment of Several Aspects of Metabolic Syndrome: From In Vitro to In Vivo Studies. <i>Marine Drugs</i> , 2018 , 16,	6	6
85	A circadian rhythm-related MTNR1B genetic variant (rs10830963) modulate body weight change and insulin resistance after 9 months of a high protein/low carbohydrate vs a standard hypocaloric diet. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107534	3.2	5
84	Effect of the rs10767664 Variant of the Brain-Derived Neurotrophic Factor Gene on Weight Change and Cardiovascular Risk Factors in Morbidly Obese Patients after Biliopancreatic Diversion Surgery. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2016 , 9, 116-122		5

83	Association of Neuropeptide Y Gene rs16147 Polymorphism with Cardiovascular Risk Factors, Adipokines, and Metabolic Syndrome in Patients with Obesity. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2016 , 9, 213-221		5
82	Impact of 2 Different Hypocaloric Diets on Serum Omentin Levels in Obese Subjects. <i>Annals of Nutrition and Metabolism</i> , 2018 , 73, 138-144	4.5	5
81	Omentin-1 Changes following Biliopancreatic Diversion and Relationship with Cardiovascular Risk Factors. <i>Annals of Nutrition and Metabolism</i> , 2018 , 73, 106-112	4.5	5
80	Role of G308 promoter variant of tumor necrosis factor alpha gene on weight loss and metabolic parameters after a high monounsaturated versus a high polyunsaturated fat hypocaloric diets. <i>Medicina Clínica</i> , 2013 , 141, 189-93	1	5
79	Oral Nutritional Supplements and Taste Adherence in Malnourished Adults Inpatients, Effect on Adhesion during Hospital Stance. <i>Annals of Nutrition and Metabolism</i> , 2015 , 67, 205-9	4.5	5
78	Effect of rs6923761 gene variant of glucagon-like peptide 1 receptor on metabolic response and weight loss after a 3-month intervention with a hypocaloric diet. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 935-9	5.2	5
77	Relationship among metabolic syndrome, C358A polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and insulin resistance. <i>Journal of Diabetes and Its Complications</i> , 2012 , 26, 328-32	3.2	5
76	Basal GLP-1 levels in morbidly obese patients following biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2012 , 61, 70-3	4.5	5
75	Evaluation of weight loss and adipocytokine levels after two hypocaloric diets with different macronutrient distribution in obese subjects with the rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Annals of Nutrition and Metabolism</i> , 2013 , 63, 277-82	4.5	5
74	Genetic variation in the beta 3-adrenoreceptor gene (Trp64Arg polymorphism) and its influence on anthropometric parameters and insulin resistance under a high monounsaturated versus a high polyunsaturated fat hypocaloric diet. <i>Annals of Nutrition and Metabolism</i> , 2013 , 62, 303-9	4.5	5
73	Influence of insulin resistance and adipocytokines on elevated serum alanine aminotransferase in obese patients. <i>Archives of Medical Research</i> , 2008 , 39, 110-4	6.6	5
72	Bone mineral density, bone remodeling and osteoprotegerin in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2008 , 129, 144-5	3.2	5
71	Does the prevalence of the metabolic syndrome improve by applying the International Diabetes Federation criteria?. <i>Public Health Nutrition</i> , 2007 , 10, 1173-80	3.3	5
70	Adiponectin Gene Variant rs266729 Interacts with Different Macronutrient Distribution of Two Different Hypocaloric Diets. <i>Lifestyle Genomics</i> , 2020 , 13, 20-27	2	5
69	GENETIC VARIATION IN THE BETA-3-ADRENORECEPTOR GENE (TRP64ARG POLYMORPHISM) AND THEIR INFLUENCE ON ANTHROPOMETRIC PARAMETERS AND INSULIN RESISTANCE AFTER A HIGH PROTEIN/LOW CARBOHYDRATE VERSUS A STANDARD HYPOCALORIC DIET. <i>Nutricion Hospitalaria</i> , 2015 , 32, 487-93	1	5
68	The Association of SNP276G>T at Adiponectin Gene with Insulin Resistance and Circulating Adiponectin in Morbid Obese Patients After a Biliopancreatic Diversion Surgery. <i>Obesity Surgery</i> , 2017 , 27, 3247-3252	3.7	4
67	Effect of Wakame and Carob Pod Snacks on Non-Alcoholic Fatty Liver Disease. <i>Nutrients</i> , 2019 , 11,	6.7	4
66	Influence of Hyperglycemia Associated with Enteral Nutrition on Mortality in Patients with Stroke. <i>Nutrients</i> , 2019 , 11,	6.7	4

65	Role of neuropeptide Y gene variant (rs161477) in liver histology in obese patients with non-alcoholic fatty liver disease. <i>Endocrinologia, Diabetes Y Nutrición</i> , 2019 , 66, 217-222	1.3	4
64	Cardiovascular Risk Factors and Insulin Resistance after Two Hypocaloric Diets with Different Fat Distribution in Obese Subjects: Effect of the rs10767664 Gene Variant in Brain-Derived Neurotrophic Factor. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2017 , 10, 163-171		4
63	Effects of a high-protein/low-carbohydrate versus a standard hypocaloric diet on adipocytokine levels and cardiovascular risk factors during 9 months, role of rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 1183-9	5.2	4
62	Cost-Effectiveness Analysis of Insulin Detemir Compared to Neutral Protamine Hagedorn (NPH) in Patients with Type 1 and Type 2 Diabetes Mellitus in Spain. <i>Diabetes Therapy</i> , 2015 , 6, 593-610	3.6	4
61	Relationship of -55C/T polymorphism of uncoupling protein 3 (UCP3) gene with metabolic syndrome by ATP III classification. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 272-8	3	4
60	Influence of G308A promoter variant of tumor necrosis factor-alpha gene on insulin resistance and weight loss secondary to two hypocaloric diets: a randomized clinical trial. <i>Archives of Medical Research</i> , 2009 , 40, 36-41	6.6	4
59	The ratio of adiponectin to HOMA as an index of metabolic syndrome in obese women. <i>Annals of Nutrition and Metabolism</i> , 2011 , 58, 301-6	4.5	4
58	Relation of Trp64Arg polymorphism of beta 3 adrenoreceptor gene with metabolic syndrome and insulin resistance in obese women. <i>Nutricion Hospitalaria</i> , 2017 , 34, 383-388	1	4
57	Dietary-fat effect of the rs10830963 polymorphism in MTNR1B on insulin resistance in response to 3 months weight-loss diets. <i>Endocrinologia, Diabetes Y Nutrición</i> , 2020 , 67, 43-52	1.3	4
56	Influence of a multidisciplinary protocol on nutritional status at diagnosis in amyotrophic lateral sclerosis. <i>Nutrition</i> , 2018 , 48, 67-72	4.8	4
55	rs10767664 Gene Variant in Brain-Derived Neurotrophic Factor Is Associated with Diabetes Mellitus Type 2 in Caucasian Females with Obesity. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 286-292	4.5	3
54	The rs1862513 Variant in Resistin Gene-Modified Insulin Resistance and Insulin Levels after Weight Loss Secondary to Hypocaloric Diet. <i>Annals of Nutrition and Metabolism</i> , 2016 , 69, 256-262	4.5	3
53	Different effects of high-protein/low-carbohydrate versus standard hypocaloric diet on insulin resistance and lipid profile: Role of rs16147 variant of neuropeptide Y. <i>Diabetes Research and Clinical Practice</i> , 2019 , 156, 107825	7.4	3
52	Expression of genes related to energy metabolism (osteocalcin, FOXO1, insulin receptor, and SOST) in bone cells of Goto-Kakizaki rats and response to bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2014 , 10, 299-303	3	3
51	Fatty Acid Binding Proteins and Cardiovascular Risk. <i>Current Cardiovascular Risk Reports</i> , 2013 , 7, 17-24	0.9	3
50	Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor to metabolic syndrome in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 253-8	4.5	3
49	Relationship of fat distribution with adipokines in patients with acquired immunodeficiency virus infection. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 336-41	3	3
48	Lys656Asn polymorphism of leptin receptor gene is related with leptin changes after a high monounsaturated fat diet in obese patients. <i>Journal of Investigative Medicine</i> , 2013 , 61, 286-90	2.9	3

47	The serum profile of adipokines in naïve patients with diabetes mellitus type 2 and obesity. <i>Journal of Clinical Laboratory Analysis</i> , 2011 , 25, 409-13	3	3
46	C358A missense polymorphism of the endocannabinoid-degrading enzyme fatty acid amide hydrolase (FAAH) and visfatin levels in obese females. <i>International Journal of Obesity</i> , 2010 , 34, 511-5	5.5	3
45	Influence of Lys656Asn polymorphism of leptin receptor gene on insulin resistance in patients with diabetes mellitus type 2. <i>Diabetes Research and Clinical Practice</i> , 2008 , 81, e9-e11	7.4	3
44	Influence of G308A polymorphism of tumor necrosis factor-alpha gene on inflammatory markers in postsurgical head and neck cancer patients with early enteral nutrition. <i>Nutrition</i> , 2007 , 23, 529-32	4.8	3
43	Circulating adipocytokines in obese nondiabetic patients in relationship with cardiovascular risk factors, anthropometry and resting-energy expenditure. <i>Annals of Nutrition and Metabolism</i> , 2007 , 51, 416-20	4.5	3
42	Algoritmo de utilizaci3n de f3rmulas de nutrici3n enteral. <i>Endocrinologia Y Nutrici3n: Organo De La Sociedad Espanola De Endocrinologia Y Nutrici3n</i> , 2006 , 53, 290-295		3
41	Pravastatin in hyperlipidemia secondary to HIV protease inhibitors without response to fenofibrate: a brief preliminary report. <i>Nutrition</i> , 2003 , 19, 903-4	4.8	3
40	Epigenetic landscape in blood leukocytes following ketosis and weight loss induced by a very low calorie ketogenic diet (VLCKD) in patients with obesity. <i>Clinical Nutrition</i> , 2021 , 40, 3959-3972	5.9	3
39	Association of a cholesteryl ester transfer protein variant (rs1800777) with fat mass, HDL cholesterol levels, and metabolic syndrome. <i>Endocrinologia, Diabetes Y Nutrici3n</i> , 2018 , 65, 387-393	1.3	3
38	Effect of weight loss on bone metabolism in postmenopausal obese women with osteoarthritis. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 378-384	5.4	2
37	Effect of Two Meal Replacement strategies on Cardiovascular Risk Parameters in Advanced Age Patients with Obesity and Osteoarthritis. <i>Nutrients</i> , 2020 , 12,	6.7	2
36	Effect of two types of bariatric surgery (gastrojejunal bypass and sleeve gastropasty) on gene expression of bone remodeling markers in Goto-Kakizaki rats. <i>Obesity Surgery</i> , 2014 , 24, 37-41	3.7	2
35	Atorvastatin and BMD in coronary syndrome. Role of Lys656Asn polymorphism of leptin receptor gene. <i>Endocrine Journal</i> , 2009 , 56, 221-5	2.9	2
34	Relation of Trp64Arg polymorphism of beta3-adrenoreceptor gene with cardiovascular risk factors in presurgical morbidly obese patients. <i>Archives of Medical Research</i> , 2008 , 39, 791-5	6.6	2
33	Association Between Bat Vitamin D Receptor 3R Haplotypes and Vitamin D Levels at Baseline and a Lower Response After Increased Vitamin D Supplementation and Exposure to Sunlight. <i>International Journal for Vitamin and Nutrition Research</i> , 2020 , 90, 290-294	1.7	2
32	Implication of the rs670 variant of APOA1 gene with lipid profile, serum adipokine levels and components of metabolic syndrome in adult obese subjects. <i>Clinical Nutrition</i> , 2019 , 38, 407-411	5.9	2
31	Leptin gene polymorphism (rs 7799039;G2548A) is associated with changes in lipid profile during a partial meal-replacement hypocaloric diet. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 456-463	3.1	2
30	Polymorphism Ala54Thr of fatty acid-binding protein 2: Allelic frequencies and influence on cardiovascular risk factors in a multicenter study of Castilla y Leon. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 163-8	4.5	1

29	Isoflavones and Bone Health. <i>Current Women's Health Reviews</i> , 2009 , 5, 125-129	0.2	1
28	A Pilot Study of Gene Expression Analysis in Peripheral Blood Mononuclear Cells in Response to a Hypocaloric Mediterranean Diet.. <i>Disease Markers</i> , 2022 , 2022, 3706753	3.2	1
27	Serum lipid and adiponectin/leptin ratio changes after a Mediterranean dietary pattern in non-g-allele carriers of the genetic variant of adiponectin gene rs822393. <i>European Review for Medical and Pharmacological Sciences</i> , 2021 , 25, 3489-3498	2.9	1
26	The relationship between glycosylated hemoglobin, time-in-range and glycemic variability in type 1 diabetes patients under flash glucose monitoring. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2021 , 68, 465-471	0.1	1
25	Effects of a high protein/low carbohydrate low-calorie diet versus a standard low-calorie diet on anthropometric parameters and cardiovascular risk factors, role of polymorphism rs3123554 in the cannabinoid receptor gene type 2 (CB2R). <i>Endocrinología, Diabetes Y Nutrición</i> , 2020 , 67, 446-453	1.3	1
24	Wheat Allergy 2013 , 189-202		1
23	Effects of a High Protein/Low Carbohydrate Versus a Standard Hypocaloric Diet on Weight and Cardiovascular Risk Factors, Role of a Lys656asn Polymorphism of Leptin Receptor Gene. <i>Journal of Metabolic Syndrome</i> , 2016 , 5,		1
22	Common polymorphism in the cannabinoid receptor gene type 2 (CB2R) rs3123554 are associated with metabolic changes after two different hypocaloric diets with different dietary fatty profiles. <i>Clinical Nutrition</i> , 2019 , 38, 2632-2638	5.9	1
21	Polymorphism rs3123554 in the cannabinoid receptor type 2 (CB2R) gene is associated to metabolic changes after biliopancreatic diversion surgery. <i>Endocrinología, Diabetes Y Nutrición</i> , 2019 , 66, 157-163	1.3	1
20	Association of rs670 variant of APOA1 gene with lipid profile and insulin resistance after 9 months of a high protein/low carbohydrate vs a standard hypocaloric diet. <i>Clinical Nutrition</i> , 2020 , 39, 988-993	5.9	1
19	rs6923761 gene variant in glucagon-like peptide 1 receptor: Allelic frequencies and influence on cardiovascular risk factors in a multicenter study of Castilla-Leon. <i>Clinical Nutrition</i> , 2018 , 37, 2144-2148	5.9	1
18	APOA-5 Genetic Variant rs662799: Role in Lipid Changes and Insulin Resistance after a Mediterranean Diet in Caucasian Obese Subjects. <i>Disease Markers</i> , 2021 , 2021, 1257145	3.2	1
17	Adipose tissue and blood leukocytes ACE2 DNA methylation in obesity and after weight loss. <i>European Journal of Clinical Investigation</i> , 2021 , e13685	4.6	1
16	Muscular Ultrasonography in Morphofunctional Assessment of Patients with Oncological Pathology at Risk of Malnutrition.. <i>Nutrients</i> , 2022 , 14,	6.7	1
15	Association of -55CT polymorphism of UCP3 gene with fat distribution, cardiovascular risk factors and adipocytokines in patients with Type 2 diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 625-8	5.2	1
14	Effects of a high protein/low carbohydrate low-calorie diet versus a standard low-calorie diet on anthropometric parameters and cardiovascular risk factors, role of polymorphism rs3123554 in the cannabinoid receptor gene type 2 (CB2R). <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2020 , 67, 446-453	0.1	0
13	The rs10401670 variant in resistin gene improved insulin resistance response and metabolic parameters secondaries to weight loss after a hypocaloric diet. <i>Clinical Nutrition ESPEN</i> , 2016 , 14, 14-18	1.3	0
12	Effect of two polymorphisms of the resistin gene (rs10401670 and rs1862513) on resistin levels and biochemical parameters in morbidly obese patients 1 year after a biliopancreatic diversion surgery. <i>Clinical Nutrition</i> , 2016 , 35, 1517-1521	5.9	0

11	Role of the rs9939609 gene variant of FTO on cardiovascular risk factors and adipokines levels in naive patients with diabetes mellitus type 2. <i>International Journal of Diabetes in Developing Countries</i> , 2013 , 33, 202-206	0.8
10	Interaction between tumor necrosis factor- β gene -308G/A promoter and leptin receptor gene Lys656Asn single-nucleotide polymorphisms: effect on serum leptin concentrations. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 89-94	4.5
9	Tratamiento nutricional del paciente con enfermedad inflamatoria intestinal. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2007 , 54, 30-34	
8	Total homocysteine levels relation with chronic complications of diabetes, body composition, and other cardiovascular risk factors in a population of patients with diabetes mellitus type 2. <i>Journal of Diabetes and Its Complications</i> , 2004 , 19, 42-42	3.2
7	Evolución clínica de una cohorte de pacientes con enfermedad de Graves-Basedow tratados con metimazol. <i>Medicina Clínica</i> , 2002 , 118, 777-778	1
6	Dietary Intervention during 9 Months with a Hypocaloric Diet, Interaction of the Genetic Variant of Adiponectin Gene rs822393 with Metabolic Parameters.. <i>Disease Markers</i> , 2022 , 2022, 7058389	3.2
5	Genetic Variations With Influence on the Individualized Response to Weight Loss Diets 2020 , 181-186	
4	A Randomized Trial with Two Hypocaloric Diets with Different Lipid Profiles and Effects on Serum Omentin-1 Levels in Obese Subjects.. <i>Disease Markers</i> , 2022 , 2022, 6777283	3.2
3	Effect of the type of specialized nutrition support on the course of the patient with amyotrophic lateral sclerosis (ALS). Interhospital registry SCLEDyN.. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2021 , 68, 699-707	0.1
2	The gene variant rs2419621 of ACYL-CoA synthetase long-chain 5 gene is associated with weight loss and metabolic changes in response to a robotic sleeve gastrectomy in morbid obese subjects. <i>European Review for Medical and Pharmacological Sciences</i> , 2021 , 25, 7037-7043	2.9
1	Role of the variant rs3774261 of adiponectin gene on adiponectin levels and ratio adiponectin/leptin after biliopancreatic diversion in morbid obese subjects.. <i>European Review for Medical and Pharmacological Sciences</i> , 2022 , 26, 240-248	2.9