Daniel Antonio de Luis

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3231423/daniel-antonio-de-luis-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

226 papers

3,344 citations

30 h-index

45 g-index

275 ext. papers

3,874 ext. citations

3.4 avg, IF

5.08 L-index

#	Paper	IF	Citations
226	Dietary Intervention during 9 Months with a Hypocaloric Diet, Interaction of the Genetic Variant of Adiponectin Gene rs822393 with Metabolic Parameters <i>Disease Markers</i> , 2022 , 2022, 7058389	3.2	
225	A Pilot Study of Gene Expression Analysis in Peripheral Blood Mononuclear Cells in Response to a Hypocaloric Mediterranean Diet <i>Disease Markers</i> , 2022 , 2022, 3706753	3.2	1
224	A Randomized Trial with Two Hypocaloric Diets with Different Lipid Profiles and Effects on Serum Omentin-1 Levels in Obese Subjects <i>Disease Markers</i> , 2022 , 2022, 6777283	3.2	
223	Muscular Ultrasonography in Morphofunctional Assessment of Patients with Oncological Pathology at Risk of Malnutrition <i>Nutrients</i> , 2022 , 14,	6.7	1
222	Role of the variant rs3774261 of adiponectin gene on adiponectin levels and ratio adiponectin/leptin after biliopancreatic diversion in morbid obese subjects <i>European Review for Medical and Pharmacological Sciences</i> , 2022 , 26, 240-248	2.9	
221	Serum lipid and adiponectin/leptin ratio changes after a Mediterranean dietary pattern in non-g-allele carriers of the genetic variant of adiponectin gene rs822393. <i>European Review for Medical and Pharmacological Sciences</i> , 2021 , 25, 3489-3498	2.9	1
220	The relationship between glycosylated hemoglobin, time-in-range and glycemic variability in type 1 diabetes patients under flash glucose monitoring. <i>Endocrinologd Diabetes Y Nutricid (English Ed)</i> , 2021 , 68, 465-471	0.1	1
219	Epigenetic landscape in blood leukocytes following ketosis and weight loss induced by a very low calorie ketogenic diet (VLCKD) in patients with obesity. <i>Clinical Nutrition</i> , 2021 , 40, 3959-3972	5.9	3
218	Weight loss normalizes enhanced expression of the oncogene survivin in visceral adipose tissue and blood leukocytes from individuals with obesity. <i>International Journal of Obesity</i> , 2021 , 45, 206-216	5.5	6
217	Leptin gene polymorphism (rs 7799039;G2548A) is associated with changes in lipid profile during a partial meal-replacement hypocaloric diet. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 456-463	3.1	2
216	Factors Related to Weight Gain in Subjects with Sleeve Gastrectomy During Lockdown by the COVID-19 Pandemic. <i>Obesity Surgery</i> , 2021 , 31, 2197-2202	3.7	6
215	APOA-5 Genetic Variant rs662799: Role in Lipid Changes and Insulin Resistance after a Mediterranean Diet in Caucasian Obese Subjects. <i>Disease Markers</i> , 2021 , 2021, 1257145	3.2	1
214	Adipose tissue and blood leukocytes ACE2 DNA methylation in obesity and after weight loss. <i>European Journal of Clinical Investigation</i> , 2021 , e13685	4.6	1
213	Malnutrition at diagnosis in amyotrophic lateral sclerosis (als) and its influence on survival: Using glim criteria. <i>Clinical Nutrition</i> , 2021 , 40, 237-244	5.9	11
212	Effect of the type of specialized nutrition support on the course of the patient with amyotrophic lateral sclerosis (ALS). Interhospital registry SCLEDyN <i>Endocrinolog</i> a <i>Diabetes Y Nutrici</i> a (English Ed), 2021 , 68, 699-707	0.1	
211	The gene variant rs2419621 of ACYL-CoA synthetase long-chain 5 gene is associated with weight loss and metabolic changes in response to a robotic sleeve gastrectomy in morbid obese subjects. European Review for Medical and Pharmacological Sciences, 2021, 25, 7037-7043	2.9	
210	Effects of a high protein/low carbohydrate low-calorie diet versus a standard low-calorie diet on anthropometric parameters and cardiovascular risk factors, role of polymorphism rs3123554 in the cannabinoid receptor gene type 2 (CBR2). Endocrinologa Diabetes Y Nutricia (English Ed.), 2020,	0.1	O

(2019-2020)

209	A circadian rhythm-related MTNR1B genetic variant (rs10830963) modulate body weight change and insulin resistance after 9 months of a high protein/low carbohydrate vs a standard hypocaloric diet. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107534	3.2	5
208	Effect of Two Meal Replacement strategies on Cardiovascular Risk Parameters in Advanced Age Patients with Obesity and Osteoarthritis. <i>Nutrients</i> , 2020 , 12,	6.7	2
207	Insulin resistance is related with liver fibrosis in type 2 diabetic patients with non-alcoholic fatty liver disease proven biopsy and Mediterranean diet pattern as a protective factor. <i>Endocrine</i> , 2020 , 68, 557-563	4	15
206	Effects of a high protein/low carbohydrate low-calorie diet versus a standard low-calorie diet on anthropometric parameters and cardiovascular risk factors, role of polymorphism rs3123554 in the cannabinoid receptor gene type 2 (CB2R). <i>Endocrinologia, Diabetes Y Nutrici</i> , 2020, 67, 446-453	1.3	1
205	Association Between Bat Vitamin D Receptor 3RHaplotypes and Vitamin D Levels at Baseline and a Lower Response After Increased Vitamin D Supplementation and Exposure to Sunlight. <i>International Journal for Vitamin and Nutrition Research</i> , 2020 , 90, 290-294	1.7	2
204	Dietary-fat effect of the rs10830963 polymorphism in MTNR1B on insulin resistance in response to 3 months weight-loss diets. <i>Endocrinologia, Diabetes Y Nutrici</i> , 2020 , 67, 43-52	1.3	4
203	Adiponectin Gene Variant rs266729 Interacts with Different Macronutrient Distribution of Two Different Hypocaloric Diets. <i>Lifestyle Genomics</i> , 2020 , 13, 20-27	2	5
202	Association of rs670 variant of APOA1 gene with lipid profile and insulin resistance after 9 months of a high protein/low carbohydrate vs a standard hypocaloric diet. <i>Clinical Nutrition</i> , 2020 , 39, 988-993	5.9	1
201	Genetic Variations With Influence on the Individualized Response to Weight Loss Diets 2020 , 181-186		
200	Effect of Wakame and Carob Pod Snacks on Non-Alcoholic Fatty Liver Disease. <i>Nutrients</i> , 2019 , 11,	6.7	4
199	Influence of Hyperglycemia Associated with Enteral Nutrition on Mortality in Patients with Stroke. <i>Nutrients</i> , 2019 , 11,	6.7	4
198	Effect of weight loss on bone metabolism in postmenopausal obese women with osteoarthritis. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 378-384	5.4	2
197	The effect of single-nucleotide polymorphisms at the ADIPOQ gene locus rs1501299 on metabolic parameters after 9 mo of a high-protein/low-carbohydrate versus a standard hypocaloric diet. <i>Nutrition</i> , 2019 , 65, 44-49	4.8	7
196	Estrogen receptor genes polymorphisms determine serum lipid profile in healthy postmenopausal women treated with calcium, vitamin D, and genistein. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 1311	5 ⁴ 1 ⁷ 31;	206
195	Role of neuropeptide Y gene variant (rs161477) in liver histology in obese patients with non-alcoholic fatty liver disease. <i>Endocrinologia, Diabetes Y Nutrici</i> , 2019 , 66, 217-222	1.3	4
194	Different effects of high-protein/low-carbohydrate versus standard hypocaloric diet on insulin resistance and lipid profile: Role of rs16147 variant of neuropeptide Y. <i>Diabetes Research and Clinical Practice</i> , 2019 , 156, 107825	7.4	3
193	Common polymorphism in the cannabinoid receptor gene type 2 (CB2R) rs3123554 are associated with metabolic changes after two different hypocaloric diets with different dietary fatty profiles. <i>Clinical Nutrition</i> , 2019 , 38, 2632-2638	5.9	1
192	Role of the variant in adiponectin gene rs266729 on weight loss and cardiovascular risk factors after a hypocaloric diet with the Mediterranean pattern. <i>Nutrition</i> , 2019 , 60, 1-5	4.8	7

191	Role of rs670 variant of APOA1 gene on metabolic response after a high fat vs. a low fat hypocaloric diets in obese human subjects. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 249-254	3.2	10
190	Polymorphism rs3123554 in the cannabinoid receptor type 2 (CB2R) gene is associated to metabolic changes after biliopancreatic diversion surgery. <i>Endocrinologia, Diabetes Y Nutrici</i> a, 2019 , 66, 157-163	1.3	1
189	Role of rs1501299 variant in the adiponectin gene on total adiponectin levels, insulin resistance and weight loss after a Mediterranean hypocaloric diet. <i>Diabetes Research and Clinical Practice</i> , 2019 , 148, 262-267	7.4	8
188	Implication of the rs670 variant of APOA1 gene with lipid profile, serum adipokine levels and components of metabolic syndrome in adult obese subjects. <i>Clinical Nutrition</i> , 2019 , 38, 407-411	5.9	2
187	The association of SNP276G>T at adiponectin gene with insulin resistance and circulating adiponectin in response to two different hypocaloric diets. <i>Diabetes Research and Clinical Practice</i> , 2018 , 137, 93-99	7.4	11
186	Gene expression analysis identify a metabolic and cell function alterations as a hallmark of obesity without metabolic syndrome in peripheral blood, a pilot study. <i>Clinical Nutrition</i> , 2018 , 37, 1348-1353	5.9	11
185	RS 10767664 gene variant in Brain Derived Neurotrophic Factor (BDNF) affect metabolic changes and insulin resistance after a standard hypocaloric diet. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 216-220	3.2	11
184	Association of the rs10830963 polymorphism in melatonin receptor type 1B (MTNR1B) with metabolic response after weight loss secondary to a hypocaloric diet based in Mediterranean style. <i>Clinical Nutrition</i> , 2018 , 37, 1563-1568	5.9	12
183	Impact of 2 Different Hypocaloric Diets on Serum Omentin Levels in Obese Subjects. <i>Annals of Nutrition and Metabolism</i> , 2018 , 73, 138-144	4.5	5
182	Omentin-1 Changes following Biliopancreatic Diversion and Relationship with Cardiovascular Risk Factors. <i>Annals of Nutrition and Metabolism</i> , 2018 , 73, 106-112	4.5	5
181	Adiponectin gene variant RS rs266729: Relation to lipid profile changes and circulating adiponectin after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2018 , 14, 1402-1408	3	8
180	Modifications of serum levels of omentin-1 and other cardiovascular risk factors following weight loss secondary to a Mediterranean hypocaloric diet. <i>Clinical Nutrition</i> , 2018 , 37, 2280-2283	5.9	6
179	Hyponatremia in patients receiving parenteral nutrition: the importance of correcting serum sodium for total proteins. The role of the composition of parenteral nutrition in the development of hyponatremia. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 446-451	5.2	6
178	Influence of a multidisciplinary protocol on nutritional status at diagnosis in amyotrophic lateral sclerosis. <i>Nutrition</i> , 2018 , 48, 67-72	4.8	4
177	rs6923761 gene variant in glucagon-like peptide 1 receptor: Allelic frequencies and influence on cardiovascular risk factors in a multicenter study of Castilla-Leon. <i>Clinical Nutrition</i> , 2018 , 37, 2144-2148	3 5·9	1
176	Potential Usefulness of a Wakame/Carob Functional Snack for the Treatment of Several Aspects of Metabolic Syndrome: From In Vitro to In Vivo Studies. <i>Marine Drugs</i> , 2018 , 16,	6	6
175	Carob by-products and seaweeds for the development of functional bread. <i>Journal of Food Processing and Preservation</i> , 2018 , 42, e13700	2.1	13
174	Role of rs670 variant of APOA1 gene on lipid profile, insulin resistance and adipokine levels in obese subjects after weight loss with a dietary intervention. <i>Diabetes Research and Clinical Practice</i> , 2018 , 142, 139-145	7.4	10

173	Characterization and in vitro evaluation of seaweed species as potential functional ingredients to ameliorate metabolic syndrome. <i>Journal of Functional Foods</i> , 2018 , 46, 185-194	5.1	13
172	Association of a cholesteryl ester transfer protein variant (rs1800777) with fat mass, HDL cholesterol levels, and metabolic syndrome. <i>Endocrinologia, Diabetes Y Nutrici</i> , 2018 , 65, 387-393	1.3	3
171	rs10767664 Gene Variant in Brain-Derived Neurotrophic Factor Is Associated with Diabetes Mellitus Type 2 in Caucasian Females with Obesity. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 286-292	4.5	3
170	Plasma FGF21 levels in obese patients undergoing energy-restricted diets or bariatric surgery: a marker of metabolic stress?. <i>International Journal of Obesity</i> , 2017 , 41, 1570-1578	5.5	42
169	The Association of SNP276G>T at Adiponectin Gene with Insulin Resistance and Circulating Adiponectin in Morbid Obese Patients After a Biliopancreatic Diversion Surgery. <i>Obesity Surgery</i> , 2017 , 27, 3247-3252	3.7	4
168	Polymorphism rs3123554 in the cannabinoid receptor gene type 2 (CNR2) reveals effects on body weight and insulin resistance in obese subjects. <i>Endocrinologia, Diabetes Y Nutrici</i> , 2017 , 64, 440-445	1.3	8
167	Polymorphism rs16147 of the Neuropeptide Y Gene Modifies the Response of Cardiovascular Risk Biomarkers and Adipokines to Two Hypocaloric Diets. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2017 , 10, 63-72		7
166	Diverging results of areal and volumetric bone mineral density in Down syndrome. <i>Osteoporosis International</i> , 2017 , 28, 965-972	5.3	14
165	Polymorphism of neuropeptide Y gene rs16147 modifies the response to a hypocaloric diet on cardiovascular risk biomarkers and adipokines. <i>Journal of Human Nutrition and Dietetics</i> , 2017 , 30, 159-1	<i>6</i> 5 ¹	10
164	Cardiovascular Risk Factors and Insulin Resistance after Two Hypocaloric Diets with Different Fat Distribution in Obese Subjects: Effect of the rs10767664 Gene Variant in Brain-Derived Neurotrophic Factor. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2017 , 10, 163-171		4
163	Relation of Trp64Arg polymorphism of beta 3 adrenoreceptor gene with metabolic syndrome and insulin resistance in obese women. <i>Nutricion Hospitalaria</i> , 2017 , 34, 383-388	1	4
162	Effect of the rs10767664 Variant of the Brain-Derived Neurotrophic Factor Gene on Weight Change and Cardiovascular Risk Factors in Morbidly Obese Patients after Biliopancreatic Diversion Surgery. Journal of Nutrigenetics and Nutrigenomics, 2016 , 9, 116-122		5
161	Guide and Position of the International Society of Nutrigenetics/Nutrigenomics on Personalised Nutrition: Part 1 - Fields of Precision Nutrition. <i>Lifestyle Genomics</i> , 2016 , 9, 12-27	2	100
160	Association of Neuropeptide Y Gene rs16147 Polymorphism with Cardiovascular Risk Factors, Adipokines, and Metabolic Syndrome in Patients with Obesity. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2016 , 9, 213-221		5
159	The rs1862513 Variant in Resistin Gene-Modified Insulin Resistance and Insulin Levels after Weight Loss Secondary to Hypocaloric Diet. <i>Annals of Nutrition and Metabolism</i> , 2016 , 69, 256-262	4.5	3
158	The rs10401670 variant in resistin gene improved insulin resistance response and metabolic parameters secondaries to weight loss after a hypocaloric diet. <i>Clinical Nutrition ESPEN</i> , 2016 , 14, 14-18	1.3	Ο
157	Polymorphism G1359A of the cannabinoid receptor gene (CNR1): allelic frequencies and influence on cardiovascular risk factors in a multicentre study of Castilla-Leon. <i>Journal of Human Nutrition and Dietetics</i> , 2016 , 29, 112-7	3.1	10
156	Effect of -55CT Polymorphism of UCP3 on Insulin Resistance and Cardiovascular Risk Factors after a High Protein/Low Carbohydrate versus a Standard Hypocaloric Diet. <i>Annals of Nutrition and Metabolism</i> , 2016 , 68, 157-63	4.5	15

155	Effects of a High Protein/Low Carbohydrate Versus a Standard Hypocaloric Diet on Weight and Cardiovascular Risk Factors, Role of a Lys656asn Polymorphism of Leptin Receptor Gene. <i>Journal of Metabolic Syndrome</i> , 2016 , 5,		1
154	rs1501299 Polymorphism in the Adiponectin Gene and Their Association with Total Adiponectin Levels, Insulin Resistance and Metabolic Syndrome in Obese Subjects. <i>Annals of Nutrition and Metabolism</i> , 2016 , 69, 226-231	4.5	12
153	Effect of two polymorphisms of the resistin gene (rs10401670 and rs1862513) on resistin levels and biochemical parameters in morbidly obese patients 1 year after a biliopancreatic diversion surgery. <i>Clinical Nutrition</i> , 2016 , 35, 1517-1521	5.9	0
152	Effect of DHA supplementation in a very low-calorie ketogenic diet in the treatment of obesity: a randomized clinical trial. <i>Endocrine</i> , 2016 , 54, 111-122	4	30
151	Association of G1359A polymorphism of the cannabinoid receptor gene (CNR1) with macronutrient intakes in obese females. <i>Journal of Human Nutrition and Dietetics</i> , 2016 , 29, 118-23	3.1	8
150	Effects of a high-protein/low carbohydrate versus a standard hypocaloric diet on adipocytokine levels and insulin resistance in obese patients along 9 months. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 950-4	3.2	75
149	Role of rs6923761 gene variant in glucagon-like peptide 1 receptor in basal GLP-1 levels, cardiovascular risk factor and serum adipokine levels in naWe type 2 diabetic patients. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 143-7	5.2	7
148	Evaluation of weight loss and metabolic changes in diabetic patients treated with liraglutide, effect of RS 6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 595-8	3.2	30
147	Contribution of IIIn-pentetreotide SPECT/CT imaging to conventional somatostatin receptor scintigraphy in the detection of neuroendocrine tumours. <i>Nuclear Medicine Communications</i> , 2015 , 36, 251-9	1.6	16
146	Role of Fatty Acid-Binding Protein 2 Ala54Thr Genotype on Weight Loss and Cardiovascular Risk Factors after a High-Protein/Low-Carbohydrate versus a Standard Hypocaloric Diet during 9 Months. <i>Annals of Nutrition and Metabolism</i> , 2015 , 67, 81-6	4.5	6
145	Oral Nutritional Supplements and Taste Adherence in Malnourished Adults Inpatients, Effect on Adhesion during Hospital Stance. <i>Annals of Nutrition and Metabolism</i> , 2015 , 67, 205-9	4.5	5
144	Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor with weight, cardiovascular risk factor, and serum adipokine levels in obese female subjects. <i>Journal of Clinical Laboratory Analysis</i> , 2015 , 29, 100-5	3	10
143	Effects of a high-protein/low-carbohydrate versus a standard hypocaloric diet on adipocytokine levels and cardiovascular risk factors during 9´months, role of rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 1183-9	5.2	4
142	Effects of a High-Protein/Low-Carbohydrate versus a Standard Hypocaloric Diet on Weight and Cardiovascular Risk Factors during 9 Months: Role of a Genetic Variation in the Cannabinoid Receptor Gene (CNR1) (G1359A Polymorphism). <i>Annals of Nutrition and Metabolism</i> , 2015 , 66, 125-131	4.5	8
141	Cost-Effectiveness Analysis of Insulin Detemir Compared to Neutral Protamine Hagedorn (NPH) in Patients with Type 1 and Type 2 Diabetes Mellitus in Spain. <i>Diabetes Therapy</i> , 2015 , 6, 593-610	3.6	4
140	Effects of a High-Protein/Low-Carbohydrate Diet versus a Standard Hypocaloric Diet on Weight and Cardiovascular Risk Factors: Role of a Genetic Variation in the rs9939609 FTO Gene Variant. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2015 , 8, 128-36		10
139	Predictive factors of non-alcoholic steatohepatitis: relationship with metabolic syndrome. <i>Nutricion Hospitalaria</i> , 2015 , 31, 2496-502	1	10
138	EFFECT ON QUALITY OF LIFE AND HANDGRIP STRENGTH BY DYNAMOMETRY OF AN ENTERAL SPECIFIC SUPLEMENTS WITH BETA-HYDROXY-BETA-METHYLBUTYRATE AND VITAMIN D IN ELDERLY PATIENTS. <i>Nutricion Hospitalaria</i> , 2015 , 32, 202-7	1	7

137	ROLE OF RS9939609 FTO GENE VARIANT IN WEIGHT LOSS, INSULIN RESISTANCE AND METABOLIC PARAMETERS AFTER A HIGH MONOUNSATURATED VS A HIGH POLYUNSATURATED FAT HYPOCALORIC DIETS. <i>Nutricion Hospitalaria</i> , 2015 , 32, 175-81	1	7
136	MEDITERRANEAN DIET IS ASSOCIATED WITH LIVER HISTOLOGY IN PATIENTS WITH NON ALCOHOLIC FATTY LIVER DISEASE. <i>Nutricion Hospitalaria</i> , 2015 , 32, 2518-24	1	33
135	Effect of silymarin plus vitamin E in patients with non-alcoholic fatty liver disease. A randomized clinical pilot study. <i>European Review for Medical and Pharmacological Sciences</i> , 2015 , 19, 3118-24	2.9	57
134	GENETIC VARIATION IN THE BETA-3-ADRENORECEPTOR GENE (TRP64ARG POLYMORPHISM) AND THEIR INFLUENCE ON ANTHROPOMETRIC PARAMETERS AND INSULIN RESISTANCE AFTER A HIGH PROTEIN/LOW CARBOHYDRATE VERSUS A STANDARD HYPOCALORIC DIET. <i>Nutricion Hospitalaria</i> ,	1	5
133	Beneficial effects of liraglutide on adipocytokines, insulin sensitivity parameters and cardiovascular risk biomarkers in patients with Type 2 diabetes: a prospective study. <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 92-6	7.4	36
132	Reference values and universal screening of thyroid dysfunction in pregnant women. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2014 , 61, 336-8	8	11
131	Expression of genes related to energy metabolism (osteocalcin, FOXO1, insulin receptor, and SOST) in bone cells of Goto-Kakizaki rats and response to bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2014 , 10, 299-303	3	3
130	Role of genetic variation in the cannabinoid receptor gene (CNR1) (G1359A polymorphism) on weight loss and cardiovascular risk factors after liraglutide treatment in obese patients with diabetes mellitus type 2. <i>Journal of Investigative Medicine</i> , 2014 , 62, 324-7	2.9	17
129	Effect of rs6923761 gene variant of glucagon-like peptide 1 receptor on metabolic response and weight loss after a 3-month intervention with a hypocaloric diet. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 935-9	5.2	5
128	Diagnostic and functional structure of a high-resolution thyroid nodule clinic: an efficiency model. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2014 , 61, 552-3	3	8
		J	
127	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk	4.5	15
127 126	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk factors and weight loss after biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 259-63 Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor to metabolic syndrome		15
	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk factors and weight loss after biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 259-63 Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor to metabolic syndrome in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 253-8 Cardiovascular risk factors and adipocytokines levels after two hypocaloric diets with different fat	4.5	
126	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk factors and weight loss after biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 259-63 Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor to metabolic syndrome in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 253-8 Cardiovascular risk factors and adipocytokines levels after two hypocaloric diets with different fat distribution in obese subjects and rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 853-9 Effect of two types of bariatric surgery (gastrojejunal bypass and sleeve gastroplasty) on gene	4·5 4·5	3
126	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk factors and weight loss after biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 259-63 Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor to metabolic syndrome in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 253-8 Cardiovascular risk factors and adipocytokines levels after two hypocaloric diets with different fat distribution in obese subjects and rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 853-9 Effect of two types of bariatric surgery (gastrojejunal bypass and sleeve gastroplasty) on gene expression of bone remodeling markers in Goto-Kakizaki rats. <i>Obesity Surgery</i> , 2014 , 24, 37-41	4·5 4·5 5·2	3
126 125 124	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk factors and weight loss after biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 259-63 Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor to metabolic syndrome in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 253-8 Cardiovascular risk factors and adipocytokines levels after two hypocaloric diets with different fat distribution in obese subjects and rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 853-9 Effect of two types of bariatric surgery (gastrojejunal bypass and sleeve gastroplasty) on gene expression of bone remodeling markers in Goto-Kakizaki rats. <i>Obesity Surgery</i> , 2014, 24, 37-41 Effect of L-arginine supplementation on insulin resistance and adipocitokines levels in head and neck cancer non diabetic patients after surgery. <i>Nutricion Hospitalaria</i> , 2014, 30, 870-5 Micronutrient status in morbidly obese women before bariatric surgery. <i>Surgery for Obesity and</i>	4·5 4·5 5·2	3 10 2
126 125 124 123	Role of the rs6923761 gene variant in glucagon-like peptide 1 receptor gene on cardiovascular risk factors and weight loss after biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 259-63 Relation of the rs6923761 gene variant in glucagon-like peptide 1 receptor to metabolic syndrome in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2014, 65, 253-8 Cardiovascular risk factors and adipocytokines levels after two hypocaloric diets with different fat distribution in obese subjects and rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 853-9 Effect of two types of bariatric surgery (gastrojejunal bypass and sleeve gastroplasty) on gene expression of bone remodeling markers in Goto-Kakizaki rats. <i>Obesity Surgery</i> , 2014, 24, 37-41 Effect of L-arginine supplementation on insulin resistance and adipocitokines levels in head and neck cancer non diabetic patients after surgery. <i>Nutricion Hospitalaria</i> , 2014, 30, 870-5 Micronutrient status in morbidly obese women before bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2013, 9, 323-7 Role of G308 promoter variant of tumor necrosis factor alpha gene on weight loss and metabolic	4·5 4·5 5·2 3·7	3 10 2 7

119	Role of the rs9939609 gene variant of FTO on cardiovascular risk factors and adipokines levels in naive patients with diabetes mellitus type 2. <i>International Journal of Diabetes in Developing Countries</i> , 2013 , 33, 202-206	0.8	
118	Experience over 12 years with home enteral nutrition in a healthcare area of Spain. <i>Journal of Human Nutrition and Dietetics</i> , 2013 , 26 Suppl 1, 39-44	3.1	23
117	Genetic variation in the cannabinoid receptor gene (CNR1) (G1359A polymorphism) and their influence on anthropometric parameters and metabolic parameters under a high monounsaturated vs. high polyunsaturated fat hypocaloric diets. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 1431-5	6.3	11
116	Relation of the rs9939609 gene variant in FTO with metabolic syndrome in obese female patients. Journal of Diabetes and Its Complications, 2013 , 27, 346-50	3.2	11
115	Fatty Acid Binding Proteins and Cardiovascular Risk. Current Cardiovascular Risk Reports, 2013, 7, 17-24	0.9	3
114	Genetic variation in the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and their influence on weight loss and insulin resistance under a high monounsaturated fat hypocaloric diet. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 235-9	3.2	7
113	Serum visfatin levels and metabolic syndrome criteria in obese female subjects. Diabetes/Metabolism Research and Reviews, 2013 , 29, 576-81	7.5	6
112	Evaluation of weight loss and adipocytokine levels after two hypocaloric diets with different macronutrient distribution in obese subjects with the rs6923761 gene variant of glucagon-like peptide 1 receptor. <i>Annals of Nutrition and Metabolism</i> , 2013 , 63, 277-82	4.5	5
111	Effects of C358A polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) on weight loss, adipocytokines levels, and insulin resistance after a high polyunsaturated fat diet in obese patients. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 965-9	5.2	6
110	The rs9939609 gene variant in FTO modified the metabolic response of weight loss after a 3-month intervention with a hypocaloric diet. <i>Journal of Investigative Medicine</i> , 2013 , 61, 22-6	2.9	16
109	Genetic variation in the beta 3-adrenoreceptor gene (Trp64Arg polymorphism) and its influence on anthropometric parameters and insulin resistance under a high monounsaturated versus a high polyunsaturated fat hypocaloric diet. <i>Annals of Nutrition and Metabolism</i> , 2013 , 62, 303-9	4.5	5
108	Lys656Asn polymorphism of leptin receptor gene is related with leptin changes after a high monounsaturated fat diet in obese patients. <i>Journal of Investigative Medicine</i> , 2013 , 61, 286-90	2.9	3
107	Wheat Allergy 2013 , 189-202		1
106	Role of G1359A polymorphism of the cannabinoid receptor gene on weight loss and adipocytokines levels after two different hypocaloric diets. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 287-91	6.3	7
105	Evaluation of weight loss and adipocytokines levels after two hypocaloric diets with different macronutrient distribution in obese subjects with rs9939609 gene variant. <i>Diabetes/Metabolism Research and Reviews</i> , 2012 , 28, 663-8	7.5	27
104	Effects of duodenal-jejunal exclusion on beta cell function and hormonal regulation in Goto-Kakizaki rats. <i>American Journal of Surgery</i> , 2012 , 204, 242-7	2.7	16
103	Relationship among metabolic syndrome, C358A polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and insulin resistance. <i>Journal of Diabetes and Its Complications</i> , 2012 , 26, 328-32	3.2	5
102	Relationship of fat distribution with adipokines in patients with acquired immunodeficiency virus infection. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 336-41	3	3

(2011-2012)

101	Relation of leptin and adiponectin with cardiovascular risk factors, intact parathormone, and vitamin D levels in patients with primary hyperparathyroidism. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 398-402	3	15
100	Basal GLP-1 levels in morbidly obese patients following biliopancreatic diversion surgery. <i>Annals of Nutrition and Metabolism</i> , 2012 , 61, 70-3	4.5	5
99	Cost of clinical management of acromegaly in Spain. Clinical Drug Investigation, 2012, 32, 235-45	3.2	22
98	The deleterious effect of bariatric surgery on cortical and trabecular bone density in the femurs of non-obese, type 2 diabetic Goto-Kakizaki rats. <i>Obesity Surgery</i> , 2012 , 22, 1755-60	3.7	7
97	Relationship of -55C/T polymorphism of uncoupling protein 3 (UCP3) gene with metabolic syndrome by ATP III classification. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 272-8	3	4
96	Effects of RS9939609 gene variant in FTO gene on weight loss and cardiovascular risk factors after biliopancreatic diversion surgery. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 1194-8	3.3	12
95	Effect of fatty acid-binding protein 2 Ala54Thr genotype on weight loss and cardiovascular risk factors after a high-polyunsaturated fat diet in obese patients. <i>Journal of Investigative Medicine</i> , 2012 , 60, 1194-8	2.9	7
94	Association of -55CT polymorphism of UCP3 gene with fat distribution, cardiovascular risk factors and adipocytokines in patients with Type 2 diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 625-8	5.2	1
93	Effect of a hypocaloric diet with a commercial formula in weight loss and quality of life in obese patients with chronic osteoarthritis. <i>Nutricion Hospitalaria</i> , 2012 , 27, 1648-54	1	9
92	Allergic hypersensitivity to cannabis in patients with allergy and illicit drug users. <i>Allergologia Et Immunopathologia</i> , 2011 , 39, 271-9	1.9	25
91	Lack of association of serum resistin levels with metabolic syndrome criteria in obese female patients. <i>Clinical Biochemistry</i> , 2011 , 44, 1280-3	3.5	10
90	Relation of osteocalcin with insulin resistance and histopathological changes of non alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2011 , 10, 50-55	3.1	22
89	Influence of G1359A polymorphism of the cannabinoid receptor gene on anthropometric parameters and insulin resistance in women with obesity. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 272-6	12.7	15
88	Metabolic syndrome and ALA54THR polymorphism of fatty acid-binding protein 2 in obese patients. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 664-8	12.7	9
87	Effects of C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase on weight loss after a hypocaloric diet. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 730-4	12.7	12
86	Zinc and copper serum levels of morbidly obese patients before and after biliopancreatic diversion: 4 years of follow-up. <i>Journal of Gastrointestinal Surgery</i> , 2011 , 15, 2178-81	3.3	37
85	Relation of G1359A polymorphism of the cannabinoid receptor (CB1) gene with metabolic syndrome by ATP III classification. <i>Diabetes/Metabolism Research and Reviews</i> , 2011 , 27, 506-11	7.5	11
84	The serum profile of adipokines in naMe patients with diabetes mellitus type 2 and obesity. <i>Journal of Clinical Laboratory Analysis</i> , 2011 , 25, 409-13	3	3

83	Visfatin levels in female, morbid, nondiabetic obese patients after biliopancreatic diversion surgery. <i>Surgery for Obesity and Related Diseases</i> , 2011 , 7, 195-8	3	6
82	The ratio of adiponectin to HOMA as an index of metabolic syndrome in obese women. <i>Annals of Nutrition and Metabolism</i> , 2011 , 58, 301-6	4.5	4
81	Resistin levels in morbid obese patients following the biliopancreatic diversion surgery. <i>Hormone and Metabolic Research</i> , 2011 , 43, 205-8	3.1	23
80	C358A missense polymorphism of the endocannabinoid-degrading enzyme fatty acid amide hydrolase (FAAH) and visfatin levels in obese females. <i>International Journal of Obesity</i> , 2010 , 34, 511-5	5.5	3
79	Serum visfatin concentrations are related to dietary intake in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 265-70	4.5	10
78	Interaction between tumor necrosis factor-lgene -308G/A promoter and leptin receptor gene Lys656Asn single-nucleotide polymorphisms: effect on serum leptin concentrations. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 89-94	4.5	
77	Polymorphism Ala54Thr of fatty acid-binding protein 2: Allelic frequencies and influence on cardiovascular risk factors in a multicenter study of Castilla y Leon. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 163-8	4.5	1
76	Vitamin d levels and lipid response to atorvastatin. <i>International Journal of Endocrinology</i> , 2010 , 2010, 320721	2.7	26
75	Effects of C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase on weight loss and cardiovascular risk factors 1 year after biliopancreatic diversion surgery. Surgery for Obesity and Related Diseases, 2010 , 6, 516-20	3	12
74	Levels of DKK1 in patients with acute myocardial infarction and response to atorvastatin. <i>International Journal of Cardiology</i> , 2010 , 145, 164-5	3.2	16
73	C358A missense polymorphism of the endocannabinoid degrading enzyme fatty acid amide hydrolase (FAAH) and insulin resistance in patients with diabetes mellitus type 2. <i>Diabetes Research and Clinical Practice</i> , 2010 , 88, 76-80	7.4	16
72	Relation of resistin levels with cardiovascular risk factors, insulin resistance and inflammation in naWe diabetes obese patients. <i>Diabetes Research and Clinical Practice</i> , 2010 , 89, 110-4	7.4	15
71	Influence of lys656asn polymorphism of leptin receptor gene on surgical results of biliopancreatic diversion. <i>Journal of Gastrointestinal Surgery</i> , 2010 , 14, 899-903	3.3	10
70	Influence of -55CT polymorphism of UCP3 gene on surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , 2010 , 20, 895-9	3.7	7
69	Influence of G308A polymorphism of tumor necrosis factor alpha gene on surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , 2010 , 20, 221-5	3.7	8
68	Relation of -55CT polymorphism of uncoupling protein 3 gene with fat mass and insulin resistance in morbidly obese patients. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 608-12	12.7	6
67	Circulating visfatin in obese non-diabetic patients in relation to cardiovascular risk factors, insulin resistance, and adipocytokines: a contradictory piece of the puzzle. <i>Nutrition</i> , 2010 , 26, 1130-3	4.8	11
66	Influence of Trp64Arg polymorphism of beta 3-adrenoreceptor gene on insulin resistance, adipocytokines and weight loss secondary to two hypocaloric diets. <i>Annals of Nutrition and Metabolism</i> , 2009 , 54, 104-10	4.5	13

(2008-2009)

65	The effects of two different hypocaloric diets on glucagon-like peptide 1 in obese adults, relation with insulin response after weight loss. <i>Journal of Diabetes and Its Complications</i> , 2009 , 23, 239-43	3.2	7
64	Influence of G308A promoter variant of tumor necrosis factor-alpha gene on insulin resistance and weight loss secondary to two hypocaloric diets: a randomized clinical trial. <i>Archives of Medical Research</i> , 2009 , 40, 36-41	6.6	4
63	Influence of visfatin on histopathological changes of non-alcoholic fatty liver disease. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1772-7	4	54
62	Ala54Thr polymorphism of fatty acid binding protein 2, role on insulin resistance and cardiovascular risk factors in presurgical morbid obesity patients. <i>Obesity Surgery</i> , 2009 , 19, 1691-6	3.7	16
61	Relation of resistin levels with cardiovascular risk factors and insulin resistance in non-diabetes obese patients. <i>Diabetes Research and Clinical Practice</i> , 2009 , 84, 174-8	7.4	22
60	Atorvastatin and BMD in coronary syndrome. Role of Lys656Asn polymorphism of leptin receptor gene. <i>Endocrine Journal</i> , 2009 , 56, 221-5	2.9	2
59	Isoflavones and Bone Health. Current Womenks Health Reviews, 2009, 5, 125-129	0.2	1
58	Influence of insulin resistance and adipocytokines on elevated serum alanine aminotransferase in obese patients. <i>Archives of Medical Research</i> , 2008 , 39, 110-4	6.6	5
57	Relation of Trp64Arg polymorphism of beta3-adrenoreceptor gene with cardiovascular risk factors in presurgical morbidly obese patients. <i>Archives of Medical Research</i> , 2008 , 39, 791-5	6.6	2
56	Changes of ghrelin and leptin in response to hypocaloric diet in obese patients. <i>Nutrition</i> , 2008 , 24, 162	-6 4.8	12
55	Influence of Ala54Thr polymorphism of fatty acid-binding protein-2 on clinical results of biliopancreatic diversion. <i>Nutrition</i> , 2008 , 24, 300-4	4.8	16
54	Effect of a hypocaloric diet on serum visfatin in obese non-diabetic patients. <i>Nutrition</i> , 2008 , 24, 517-21	4.8	39
53	Bone mineral density, bone remodeling and osteoprotegerin in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2008 , 129, 144-5	3.2	5
52	Effect of a hypocaloric diet in transaminases in nonalcoholic fatty liver disease and obese patients, relation with insulin resistance. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 74-8	7.4	27
51	Influence of Lys656Asn polymorphism of leptin receptor gene on insulin resistance in patients with diabetes mellitus type 2. <i>Diabetes Research and Clinical Practice</i> , 2008 , 81, e9-e11	7.4	3
50	Influence of Lys656Asn polymorphism of leptin receptor gene on leptin response secondary to two hypocaloric diets: a randomized clinical trial. <i>Annals of Nutrition and Metabolism</i> , 2008 , 52, 209-14	4.5	15
49	Relation of Trp64Arg polymorphism of beta 3-adrenergic receptor gene to adipocytokines and fat distribution in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2008 , 52, 267-71	4.5	23
48	Effect of the TNFalpha-308 G/A polymorphism on the changes produced by atorvastatin in bone mineral density in patients with acute coronary syndrome. <i>Annals of Nutrition and Metabolism</i> , 2008 , 53, 117-21	4.5	7

47	Clinical results and nutritional consequences of biliopancreatic diversion: three years of follow-up. <i>Annals of Nutrition and Metabolism</i> , 2008 , 53, 234-9	4.5	52
46	Modulation of adipocytokines response and weight loss secondary to a hypocaloric diet in obese patients by -55CT polymorphism of UCP3 gene. <i>Hormone and Metabolic Research</i> , 2008 , 40, 214-8	3.1	11
45	Influence of insulin resistance and adipokines in the grade of steatosis of nonalcoholic fatty liver disease. <i>Digestive Diseases and Sciences</i> , 2008 , 53, 1088-92	4	49
44	OST risk index and calcaneus bone densitometry in osteoporosis diagnosis. <i>Journal of Clinical Densitometry</i> , 2007 , 10, 404-7	3.5	8
43	Tratamiento nutricional del paciente con enfermedad inflamatoria intestinal. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2007 , 54, 30-34		
42	Clinical and biochemical outcomes after a randomized trial with a high dose of enteral arginine formula in postsurgical head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 200-4	5.2	38
41	Predictors of the metabolic syndrome and correlation with computed axial tomography. <i>Nutrition</i> , 2007 , 23, 36-45	4.8	40
40	Influence of G308A polymorphism of tumor necrosis factor-alpha gene on inflammatory markers in postsurgical head and neck cancer patients with early enteral nutrition. <i>Nutrition</i> , 2007 , 23, 529-32	4.8	3
39	Influence of ALA54THR polymorphism of fatty acid-binding protein 2 on obesity and cardiovascular risk factors. <i>Hormone and Metabolic Research</i> , 2007 , 39, 830-4	3.1	17
38	Effects of a low-fat versus a low-carbohydrate diet on adipocytokines in obese adults. <i>Hormone Research in Paediatrics</i> , 2007 , 67, 296-300	3.3	21
37	Circulating adipocytokines in obese nondiabetic patients in relationship with cardiovascular risk factors, anthropometry and resting-energy expenditure. <i>Annals of Nutrition and Metabolism</i> , 2007 , 51, 416-20	4.5	3
36	Lack of association of -55CT polymorphism of UCP3 gene with fat distribution in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2007 , 51, 374-8	4.5	12
35	Does the prevalence of the metabolic syndrome improve by applying the International Diabetes Federation criteria?. <i>Public Health Nutrition</i> , 2007 , 10, 1173-80	3.3	5
34	The effects of duodenal-jejunal exclusion on hormonal regulation of glucose metabolism in Goto-Kakizaki rats. <i>American Journal of Surgery</i> , 2007 , 194, 221-4	2.7	99
33	Leptin receptor Lys656Asn polymorphism is associated with decreased leptin response and weight loss secondary to a lifestyle modification in obese patients. <i>Archives of Medical Research</i> , 2006 , 37, 854-	.9 ^{6.6}	36
32	Quality of life and dietary intake in elderly patients with dysphagia. <i>Nutrition</i> , 2006 , 22, 584	4.8	10
31	Effect of angiotensin converting enzyme inhibitors on 1.25-(OH)2 D levels of hypertensive patients. Relationship with ACE polymorphisms. <i>Hormone and Metabolic Research</i> , 2006 , 38, 812-6	3.1	9
30	Nutritional assessment: predictive variables at hospital admission related with length of stay. Annals of Nutrition and Metabolism, 2006, 50, 394-8	4.5	34

(2003-2006)

29	Tissue electric properties in head and neck cancer patients. <i>Annals of Nutrition and Metabolism</i> , 2006 , 50, 7-10	4.5	18
28	Algoritmo de utilizacifi de ffimulas de nutricifi enteral. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2006 , 53, 290-295		3
27	Influence of ALA54THR polymorphism of fatty acid binding protein 2 on lifestyle modification response in obese subjects. <i>Annals of Nutrition and Metabolism</i> , 2006 , 50, 354-60	4.5	27
26	Nutritional status of adult patients admitted to internal medicine departments in public hospitals in Castilla y Leon, Spain - A multi-center study. <i>European Journal of Internal Medicine</i> , 2006 , 17, 556-60	3.9	44
25	Experience of 6 years with home enteral nutrition in an area of Spain. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 553-7	5.2	21
24	Early clinical and surgical results of biliopancreatic diversion. <i>Obesity Surgery</i> , 2005 , 15, 799-802	3.7	27
23	Immunoenhanced enteral nutrition, effect on inflammatory markers in head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 145-7	5.2	30
22	Total homocysteine levels relation with chronic complications of diabetes, body composition, and other cardiovascular risk factors in a population of patients with diabetes mellitus type 2. <i>Journal of Diabetes and Its Complications</i> , 2005 , 19, 42-6	3.2	65
21	Dietary intake in patients with asthma: a case control study. <i>Nutrition</i> , 2005 , 21, 320-4	4.8	47
20	Resting energy expenditure, cardiovascular risk factors and insulin resistance in obese patients. <i>Annals of Nutrition and Metabolism</i> , 2005 , 49, 381-5	4.5	8
19	Randomized clinical trial with an enteral arginine-enhanced formula in early postsurgical head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1505-8	5.2	38
18	Effects of a high-fiber diet on symptoms of irritable bowel syndrome: a randomized clinical trial. <i>Nutrition</i> , 2004 , 20, 735-7	4.8	27
17	Influence of hormonal status and oral intake on phase angle in HIV-infected men. <i>Nutrition</i> , 2004 , 20, 731-4	4.8	6
16	Non-insulin-dependent diabetes, bone mineral density, and cardiovascular risk factors. <i>Journal of Diabetes and Its Complications</i> , 2004 , 18, 317-21	3.2	25
15	Effect on quality of life with a new insulin injection device in elderly patients with diabetes mellitus type 2. <i>Journal of Diabetes and Its Complications</i> , 2004 , 18, 216-9	3.2	19
14	Total homocysteine levels relation with chronic complications of diabetes, body composition, and other cardiovascular risk factors in a population of patients with diabetes mellitus type 2. <i>Journal of Diabetes and Its Complications</i> , 2004 , 19, 42-42	3.2	
13	Effect of soluble fiber intake in lipid and glucose levels in healthy subjects: a randomized clinical trial. <i>Diabetes Research and Clinical Practice</i> , 2004 , 65, 7-11	7.4	74
12	Clinical and biochemical characteristics of patients with home enteral nutrition in an area of Spain. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 612-5	5.2	10

11	Relation between total homocysteine levels and beer intake in patients with diabetes mellitus Type 2. <i>Annals of Nutrition and Metabolism</i> , 2003 , 47, 119-23	4.5	12	
10	Pravastatin in hyperlipidemia secondary to HIV protease inhibitors without response to fenofibrate: a brief preliminary report. <i>Nutrition</i> , 2003 , 19, 903-4	4.8	3	
9	Consejo nutricional aislado frente a suplemento y consejo nutricionales en pacientes con infeccib por el virus de la inmunodeficiencia humana. <i>Medicina Claica</i> , 2003 , 120, 565-567	1	10	
8	Postsurgery enteral nutrition in head and neck cancer patients. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1126-9	5.2	43	
7	Light symptoms following a high-dose intentional L-thyroxine ingestion treated with cholestyramine. <i>Hormone Research in Paediatrics</i> , 2002 , 57, 61-3	3.3	10	
6	Evolucifi clflica de una cohorte de pacientes con enfermedad de Graves-Basedow tratados con metimazol. <i>Medicina Clflica</i> , 2002 , 118, 777-778	1		
5	Diagnosis of hepatopulmonary syndrome with contrast transesophageal echocardiography: advantages over contrast transthoracic echocardiography. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 17	24 3 -8	45	
4	Induction of puberty with human chorionic gonadotropin and follicle-stimulating hormone in adolescent males with hypogonadotropic hypogonadism. <i>Fertility and Sterility</i> , 1999 , 71, 244-8	4.8	74	
3	Helicobacter pylori infection and insulin-dependent diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 1998 , 39, 143-6	7.4	50	
2	Association of Helicobacter pylori infection with cardiovascular and cerebrovascular disease in diabetic patients. <i>Diabetes Care</i> , 1998 , 21, 1129-32	14.6	47	
1	Helicobacter pylori infection is markedly increased in patients with autoimmune atrophic thyroiditis. <i>Journal of Clinical Gastroenterology</i> , 1998 , 26, 259-63	3	101	