List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3232760/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Identification of novel biomarkers to distinguish bradykininâ€mediated angioedema from mast cellâ€/histamineâ€mediated angioedema. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 946-955. | 2.7 | 11 |
| 2 | Hemorrhagic rash on the legs. JAAD Case Reports, 2021, 12, 67-69. | 0.4 | 2 |
| 3 | Dupilumab in eosinophilic cellulitis (Wells' syndrome) – case report of a potential new treatment option. JDDG - Journal of the German Society of Dermatology, 2021, 19, 1653-1655. | 0.4 | 8 |
| 4 | Potent Anti-Inflammatory Effects of Tetracyclines on Human Eosinophils. Frontiers in Allergy, 2021, 2, 754501. | 1.2 | 2 |
| 5 | The pseudoallergen receptor MRGPRX2 on peripheral blood basophils and eosinophils: Expression and function. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2229-2242. | 2.7 | 71 |
| 6 | Reply to Sabato V et al "Surface expression of MRGPRX2 expression on resting basophils: An area of controversy― Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2424-2427. | 2.7 | 6 |
| 7 | Neuronal branching of sensory neurons is associated with BDNFâ€positive eosinophils in atopic dermatitis. Clinical and Experimental Allergy, 2020, 50, 577-584. | 1.4 | 40 |
| 8 | Urticaria: Collegium Internationale Allergologicum (CIA) Update 2020. International Archives of Allergy and Immunology, 2020, 181, 321-333. | 0.9 | 108 |
| 9 | Generalized reactions during skin testing with clindamycin in drug hypersensitivity: a report of 3 cases and review of the literature. Contact Dermatitis, 2018, 78, 274-280. | 0.8 | 13 |
| 10 | Localized subepidermalÂblistering: not always bullous pemphigoid but a diagnostic challenge. JDDG - Journal of the German Society of Dermatology, 2018, 16, 205-207. | 0.4 | 0 |
| 11 | Empfehlungen der Arbeitsgruppe "Photopatchtest" der Deutschen Kontaktallergieâ€Gruppe (DKG) zur Durchführung des Photopatchtests. JDDG - Journal of the German Society of Dermatology, 2018, 16, 1363-1364. | 0.4 | 10 |
| 12 | Recommendations for photopatch testing by the Photopatch Test Working Group of the German Contact Dermatitis Research Group (DKG). JDDG - Journal of the German Society of Dermatology, 2018, 16, 1363-1364. | 0.4 | 13 |
| 13 | Eosinophils are a Major Source of Interleukin-31 in Bullous Pemphigoid. Acta Dermato-Venereologica, 2018, 98, 766-771. | 0.6 | 56 |
| 14 | Increased Activity and Apoptosis of Eosinophils in Blister Fluids, Skin and Peripheral Blood of Patients with Bullous Pemphigoid. Acta Dermato-Venereologica, 2017, 97, 464-471. | 0.6 | 23 |
| 15 | Evaluation of visual outcomes and patient satisfaction after implantation of a diffractive trifocal intraocular lens. Journal of Cataract and Refractive Surgery, 2016, 42, 203-210. | 0.7 | 93 |
| 16 | S2k guideline on diagnosis and treatment of atopic dermatitis – short version. JDDG - Journal of the German Society of Dermatology, 2016, 14, 92-105. | 0.4 | 49 |
| 17 | Urticaria and Angioedema. , 2016, , 143-165. | | 3 |
| 18 | S2k-Leitlinie Neurodermitis (atopisches Ekzem, atopische Dermatitis) – Kurzversion. Allergo Journal, 2016, 25, 36-51. | 0.1 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | S2k guideline on diagnosis and treatment of atopic dermatitis — short version. Allergo Journal International, 2016, 25, 82-95. | 0.9 | 60 |
| 20 | A mild form of dermatomyositis as a prodromal sign of lung adenocarcinoma: a case report. Journal of Medical Case Reports, 2016, 10, 34. | 0.4 | 9 |
| 21 | S2k‣eitlinie Neurodermitis [atopisches Ekzem; atopische Dermatitis] – Kurzversion. JDDG - Journal of the German Society of Dermatology, 2016, 14, 92-106. | 0.4 | 65 |
| 22 | IL-31 Induces Chemotaxis, Calcium Mobilization, Release of Reactive Oxygen Species, and CCL26 in Eosinophils, Which Are Capable to Release IL-31. Journal of Investigative Dermatology, 2015, 135, 1908-1911. | 0.3 | 71 |
| 23 | Exacerbation of atopic dermatitis on grass pollen exposure in an environmental challenge chamber. Journal of Allergy and Clinical Immunology, 2015, 136, 96-103.e9. | 1.5 | 137 |
| 24 | Substance P activates human eosinophils. Experimental Dermatology, 2015, 24, 557-559. | 1.4 | 38 |
| 25 | The Diagnosis and Graded Therapy of Atopic Dermatitis. Deutsches Ärzteblatt International, 2014, 111, 509-20, i. | 0.6 | 39 |
| 26 | Is there a therapeutic benefit of complete lymph node dissection in melanoma patients with low tumor burden in the sentinel node?. Melanoma Research, 2014, 24, 454-461. | 0.6 | 42 |
| 27 | Lower prevalence of lymphatic metastasis and poorer survival of the sentinel node-negative patients limit the prognostic value of sentinel node biopsy for head or neck melanomas. Melanoma Research, 2014, 24, 158-164. | 0.6 | 7 |
| 28 | Urticaria. JDDG - Journal of the German Society of Dermatology, 2014, 12, 997-1009. | 0.4 | 22 |
| 29 | Urtikaria. JDDG - Journal of the German Society of Dermatology, 2014, 12, 997-1010. | 0.4 | 12 |
| 30 | Nonâ€melanoma skin cancer is reduced after switch of immunosuppression to mTORâ€inhibitors in organ transplant recipients. JDDG - Journal of the German Society of Dermatology, 2014, 12, 480-488. | 0.4 | 26 |
| 31 | Serum IL-31 levels are increased in a subset of patients with mastocytosis and correlate with disease severity in adult patients. Journal of Allergy and Clinical Immunology, 2013, 132, 232-235.e4. | 1.5 | 60 |
| 32 | Management of Childhood Urticaria: Current Knowledge and Practical Recommendations. Acta Dermato-Venereologica, 2013, 93, 500-508. | 0.6 | 63 |
| 33 | Reply to N. Rompoti et al. Journal of Clinical Oncology, 2013, 31, 3845-3846. | 0.8 | 1 |
| 34 | Serious Skin Toxicity With the Combination of BRAF Inhibitors and Radiotherapy. Journal of Clinical Oncology, 2013, 31, e220-e222. | 0.8 | 70 |
| 35 | Erythema nodosum in a patient undergoing vemurafenib therapy for metastatic melanoma. European Journal of Dermatology, 2013, 23, 118-118. | 0.3 | 14 |
| 36 | Increasing long-term safety of seasonal grass pollen sublingual immunotherapy: the ECRIT study. Expert Opinion on Drug Safety, 2012, 11, 7-13. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Dynamic Changes in Nevi of a Patient With Melanoma Treated With Vemurafenib. Archives of Dermatology, 2012, 148, 1183. | 1.7 | 55 |
| 38 | Modulation of basophil activity: AÂnovel function of the neuropeptide α-melanocyte–stimulating hormone. Journal of Allergy and Clinical Immunology, 2012, 129, 1085-1093. | 1.5 | 25 |
| 39 | SQ-standardized sublingual grass immunotherapy: Confirmation of disease modification 2 years after 3 years ofÂtreatment in a randomized trial. Journal of Allergy and Clinical Immunology, 2012, 129, 717-725.e5. | 1.5 | 447 |
| 40 | Atopic dermatitis and allergic contact dermatitis. , 2012, , 263-286. | | 1 |
| 41 | Cutaneous Side Effects of New Antitumor Drugs. Deutsches Ärzteblatt International, 2012, 109, 133-40. | 0.6 | 40 |
| 42 | Diagnostics of autoimmune bullous diseases in German dermatology departments. JDDG - Journal of the German Society of Dermatology, 2012, 10, 492-499. | 0.4 | 14 |
| 43 | Contact allergy to dental materials. JDDG - Journal of the German Society of Dermatology, 2012, 10, 391-396. | 0.4 | 14 |
| 44 | Kontaktallergie auf Dentalmaterialien. JDDG - Journal of the German Society of Dermatology, 2012, 10, 391-397. | 0.4 | 9 |
| 45 | micro <scp>RNA</scp> â€21 is upregulated in malignant melanoma and influences apoptosis of melanocytic cells. Experimental Dermatology, 2012, 21, 509-514. | 1.4 | 66 |
| 46 | ILâ€31 significantly correlates with disease activity and Th2 cytokine levels in children with atopic dermatitis. Pediatric Allergy and Immunology, 2012, 23, 285-288. | 1.1 | 139 |
| 47 | Neuroimmunology and Itch of Atopic Dermatitis. Pediatric and Adolescent Medicine, 2011, , 56-63. | 0.4 | 0 |
| 48 | Successful treatment of an angiosarcoma of the head - options for systemic therapy. JDDG - Journal of the German Society of Dermatology, 2011, 9, 477-478. | 0.4 | 0 |
| 49 | The impact of oral vitamin A derivatives on lipid metabolism – What recommendations can be derived for dealing with this issue in the daily dermatological practice?. JDDG - Journal of the German Society of Dermatology, 2011, 9, 600-606. | 0.4 | 18 |
| 50 | Reply to assessment of capsular melanoma cell deposits in sentinel lymph nodes. Cancer, 2011, 117, 2821-2821. | 2.0 | 0 |
| 51 | Age as a key factor influencing metastasizing patterns and diseaseâ€specific survival after sentinel lymph node biopsy for cutaneous melanoma. International Journal of Cancer, 2011, 129, 1435-1442. | 2.3 | 43 |
| 52 | Which Parameters to Choose for Prediction of Non-Sentinel Lymph Node Positivity in Melanoma?. Journal of Clinical Oncology, 2011, 29, e315-e315. | 0.8 | 4 |
| 53 | Parameters Predicting Prognosis in Melanoma Sentinel Nodes. Journal of Clinical Oncology, 2011, 29, 3588-3590. | 0.8 | 7 |
| 54 | Comparison of classification systems in melanoma sentinel lymph nodes—An analysis of 697 patients from a single center. Cancer, 2010, 116, 3178-3178. | 2.0 | 44 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | MicroRNAâ€15b represents an independent prognostic parameter and is correlated with tumor cell proliferation and apoptosis in malignant melanoma. International Journal of Cancer, 2010, 126, 2553-2562. | 2.3 | 168 |
| 56 | The handâ€footâ€syndrome associated with medical tumor therapy – classification and management. JDDG - Journal of the German Society of Dermatology, 2010, 8, 652-661. | 0.4 | 77 |
| 57 | Das Hand-Fuß-Syndrom als Nebenwirkung der medikamentösen Tumortherapie - Klassifikation und Management. JDDG - Journal of the German Society of Dermatology, 2010, 8, 652-662. | 0.4 | 49 |
| 58 | Increased levels of serum ILâ€31 in chronic spontaneous urticaria*. Experimental Dermatology, 2010, 19, 464-466. | 1.4 | 75 |
| 59 | Long-term clinical efficacy in grass pollen–induced rhinoconjunctivitis after treatment with SQ-standardized grass allergy immunotherapy tablet. Journal of Allergy and Clinical Immunology, 2010, 125, 131-138.e7. | 1.5 | 311 |
| 60 | Anal Mucosal Melanoma with <i>KIT</i> -Activating Mutation and Response to Imatinib Therapy – Case Report and Review of the Literature. Dermatology, 2010, 220, 77-81. | 0.9 | 74 |
| 61 | Urticaria and Angioedema. , 2009, , 41-55. | | 0 |
| 62 | Urticaria and infections. Allergy, Asthma and Clinical Immunology, 2009, 5, 10. | 0.9 | 150 |
| 63 | Investigation of contact allergy to dental metals in 206 patients. Contact Dermatitis, 2009, 60, 339-343. | 0.8 | 113 |
| 64 | Eosinophil granulocytes: functional differences of a new isolation kit compared to the isolation with antiâ€CD16â€conjugated MicroBeads. Experimental Dermatology, 2009, 18, 653-655. | 1.4 | 6 |
| 65 | Dauerbrenner Urtikaria. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2009, , 154-159. | 0.0 | 0 |
| 66 | Criteria in Sentinel Lymph Nodes of Melanoma Patients that Predict Involvement of Nonsentinel Lymph Nodes. Annals of Surgical Oncology, 2008, 15, 1723-1732. | 0.7 | 55 |
| 67 | Allergic contact dermatitis to acid blue 158 in suture material. Contact Dermatitis, 2008, 59, 192-193. | 0.8 | 18 |
| 68 | Antibiotic treatment of cutaneous infections with <i>Staphylococcus aureus</i> in patients with atopic dermatitis: current antimicrobial resistances and susceptibilities. Experimental Dermatology, 2008, 17, 953-957. | 1.4 | 55 |
| 69 | Intracutaneous injection of the macrophageâ€activating lipopeptideâ€2 (MALPâ€2) which accelerates wound healing in mice – a phase I trial in 12 patients. Experimental Dermatology, 2008, 17, 1052-1056. | 1.4 | 22 |
| 70 | Sentinel lymph node status is the most important prognostic factor for thick (≥ 4 mm) melanomas. JDDG - Journal of the German Society of Dermatology, 2008, 6, 198-203. | 0.4 | 57 |
| 71 | Dysregulation of toll-like receptor-2 (TLR-2)-induced effects in monocytes from patients with atopic dermatitis: impact of the TLR-2 R753Q polymorphism. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 728-734. | 2.7 | 79 |
| 72 | Sublingual grass allergen tablet immunotherapy provides sustained clinical benefit with progressive immunologic changes over 2 years. Journal of Allergy and Clinical Immunology, 2008, 121, 512-518.e2. | 1.5 | 192 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Correlation of IL-31 serum levels with severity of atopic dermatitis. Journal of Allergy and Clinical Immunology, 2008, 122, 421-423. | 1.5 | 272 |
| 74 | The functional activity of basophil granulocytes is modulated by acute mental stress and sympathetic activation in vivo and in vitro. Journal of Allergy and Clinical Immunology, 2008, 122, 1227-1229. | 1.5 | 4 |
| 75 | Photodynamic Therapy With Methyl Aminolevulinate for Prevention of New Skin Lesions in Transplant Recipients: A Randomized Study. Transplantation, 2008, 86, 423-429. | 0.5 | 94 |
| 76 | The Role of Pimecrolimus Cream 1% (Elidel®) in Managing Adult Atopic Eczema. Dermatology, 2007, 215, 18-26. | 0.9 | 12 |
| 77 | Prognostic Significance of Isolated HMB45 or Melan A Positive Cells in Melanoma Sentinel Lymph Nodes. American Journal of Surgical Pathology, 2007, 31, 1175-1180. | 2.1 | 66 |
| 78 | Autoimmunity as a prognostic factor in melanoma patients treated with adjuvant lowâ€dose interferon alpha. International Journal of Cancer, 2007, 121, 2562-2566. | 2.3 | 36 |
| 79 | Evidence-based therapy of chronic urticaria. JDDG - Journal of the German Society of Dermatology, 2007, 5, 146-157. | 0.4 | 24 |
| 80 | Evidenzbasierte Therapie der chronischen Urtikaria. JDDG - Journal of the German Society of Dermatology, 2007, 5, | 0.4 | 0 |
| 81 | Therapeutic use of erythropoietin in dermatooncology. JDDG - Journal of the German Society of Dermatology, 2007, 5, 280-285. | 0.4 | Ο |
| 82 | Tumoral melanosis involving the sentinel lymph nodes: a case report. Journal of Cutaneous Pathology, 2007, 34, 284-286. | 0.7 | 30 |
| 83 | Staphylococcus aureus-derived enterotoxins enhance house dust mite-induced patch test reactions in atopic dermatitis. Experimental Dermatology, 2007, 16, 124-129. | 1.4 | 39 |
| 84 | Unmet Needs in Urticaria. Allergy and Clinical Immunology International, 2007, 19, 166-168. | 0.3 | 0 |
| 85 | Immuntherapie der atopischen Dermatitis. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2007, , 396-402. | 0.0 | 0 |
| 86 | Cost Effectiveness of Levocetirizine in??Chronic Idiopathic Urticaria. Clinical Drug Investigation, 2006, 26, 1-11. | 1.1 | 27 |
| 87 | Diagnosis and treatment of atopic dermatitis in children and adults: European Academy of Allergology and Clinical Immunology/American Academy of Allergy, Asthma and Immunology/PRACTALL Consensus Report. Journal of Allergy and Clinical Immunology, 2006, 118, 152-169. | 1.5 | 419 |
| 88 | Efficacy and safety of sublingual immunotherapy with grass allergen tablets for seasonal allergic rhinoconjunctivitis. Journal of Allergy and Clinical Immunology, 2006, 118, 434-440. | 1.5 | 415 |
| 89 | Atopic Dermatitis and Allergic Contact Dermatitis. , 2006, , 107-127. | | 3 |
| 90 | Usefulness of specific immunotherapy in patients with atopic dermatitis and allergic sensitization to house dust mites: a multi-centre, randomized, dose-response study Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 202-205. | 2.7 | 256 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Circulating levels of brain-derived neurotrophic factor correlate with disease severity in the intrinsic type of atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2006, 61, 1416-1418. | 2.7 | 90 |
| 92 | Levocetirizine is an effective treatment in patients suffering from chronic idiopathic urticaria: a randomized, double-blind, placebo-controlled, parallel, multicenter study. International Journal of Dermatology, 2006, 45, 469-474. | 0.5 | 65 |
| 93 | Allergic Manifestations of Skin Diseases – Atopic Dermatitis. , 2006, 91, 76-86. | | 23 |
| 94 | No Effect of Anti-Interleukin-5 Therapy (Mepolizumab) on the Atopy Patch Test in Atopic Dermatitis Patients. International Archives of Allergy and Immunology, 2006, 141, 290-294. | 0.9 | 47 |
| 95 | SEB-Oktapeptide induzieren eine enterotoxinspezifische T-Zellantwort bei atopischer Dermatitis. Allergologie, 2006, 29, 383-392. | 0.1 | 0 |
| 96 | Neuroimmunological findings in allergic skin diseases. Current Opinion in Allergy and Clinical Immunology, 2005, 5, 419-424. | 1.1 | 54 |
| 97 | Pimecrolimus for the treatment of atopic dermatitis. Therapy: Open Access in Clinical Medicine, 2005, 2, 37-56. | 0.2 | 2 |
| 98 | Anti-IL-5 recombinant humanized monoclonal antibody (Mepolizumab) for the treatment of atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 693-696. | 2.7 | 304 |
| 99 | Therapy of noninfectious granulomatous skin diseases with fumaric acid esters. British Journal of Dermatology, 2005, 152, 1290-1295. | 1.4 | 59 |
| 100 | Successful treatment with oral isotretinoin of acneiform skin lesions associated with cetuximab therapy. British Journal of Dermatology, 2005, 153, 849-851. | 1.4 | 65 |
| 101 | Alpha-toxin is produced by skin colonizing Staphylococcus aureus and induces a T helper type 1 response in atopic dermatitis. Clinical and Experimental Allergy, 2005, 35, 1088-1095. | 1.4 | 78 |
| 102 | Delayed-type hypersensitivity to protamine as a complication of insulin therapy. Contact Dermatitis, 2005, 53, 57-58. | 0.8 | 14 |
| 103 | Cloning, expression, and functional characterization of cynomolgus monkey(Macaca fascicularis)CC chemokine receptor 1. Journal of Leukocyte Biology, 2005, 78, 1175-1184. | 1.5 | 6 |
| 104 | Immunomodulation and Safety of Topical Calcineurin Inhibitors for the Treatment of Atopic Dermatitis. Dermatology, 2005, 211, 174-187. | 0.9 | 130 |
| 105 | Brain-derived neurotrophic factor is increased in atopic dermatitis and modulates eosinophil functions compared with that seen in nonatopic subjects. Journal of Allergy and Clinical Immunology, 2005, 115, 1268-1275. | 1.5 | 121 |
| 106 | Chronic urticaria: assessment of current treatment. Expert Review of Clinical Immunology, 2005, 1, 459-473. | 1.3 | 20 |
| 107 | Safety and Efficacy of Topical Calcineurin Inhibitors in the Treatment of Childhood Atopic Dermatitis. American Journal of Clinical Dermatology, 2005, 6, 65-77. | 3.3 | 81 |
| 108 | Triggerfaktoren der atopischen Dermatitis. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 205-213. | 0.0 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Pimecrolimus for the treatment of atopic dermatitis. Therapy: Open Access in Clinical Medicine, 2005, 2, 37-56. | 0.2 | 0 |
| 110 | Influence of Pimecrolimus Cream 1% on Different Morphological Signs of Eczema in Infants with Atopic Dermatitis. Dermatology, 2004, 209, 314-320. | 0.9 | 29 |
| 111 | Topical immunomodulators in the treatment of atopic dermatitis / Topische Immunmodulatoren bei der Behandlung der atopischen Dermatitis. Laboratoriums Medizin, 2004, 28, 284-287. | 0.1 | 0 |
| 112 | Birch pollen-related food as a provocation factor of allergic symptoms in children with atopic eczema/dermatitis syndrome. Allergy: European Journal of Allergy and Clinical Immunology, 2004, 59, 988-994. | 2.7 | 79 |
| 113 | Late eczematous reactions to food in children with atopic dermatitis. Clinical and Experimental Allergy, 2004, 34, 817-824. | 1.4 | 217 |
| 114 | Human monocyte-derived dendritic cells are chemoattracted to C3a after up-regulation of the C3a receptor with interferons. Immunology, 2004, 111, 435-443. | 2.0 | 60 |
| 115 | Cell-to-cell contact between activated CD4+ T lymphocytes and unprimed monocytes interferes with a TH1 response. Journal of Allergy and Clinical Immunology, 2004, 114, 965-973. | 1.5 | 17 |
| 116 | Alterations of stress-induced expression of membrane molecules and intracellular cytokine levels in patients with atopic dermatitis depend on serum IgE levels. Journal of Allergy and Clinical Immunology, 2004, 114, 977-978. | 1.5 | 11 |
| 117 | Rapid identification and differentiation of fungal DNA in dermatological specimens by LightCycler PCR. Journal of Medical Microbiology, 2004, 53, 1207-1214. | 0.7 | 39 |
| 118 | Comparison of localized high-dose UVA1 irradiation versus topical cream psoralen-UVA for treatment of chronic vesicular dyshidrotic eczema. Journal of the American Academy of Dermatology, 2004, 50, 68-72. | 0.6 | 74 |
| 119 | Chronic urticaria and infections. Current Opinion in Allergy and Clinical Immunology, 2004, 4, 387-396. | 1.1 | 120 |
| 120 | Up-regulation of C5a receptor expression and function on human monocyte derived dendritic cells by prostaglandin E2. Immunology, 2003, 110, 458-465. | 2.0 | 21 |
| 121 | Human Dendritic Cells Express the IL-18R and Are Chemoattracted to IL-18. Journal of Immunology, 2003, 171, 6363-6371. | 0.4 | 83 |
| 122 | Pseudoallergie: Entitäoder Fiktion?. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2003, , 109-111. | 0.0 | 0 |
| 123 | Suppression of IL-12 Production by Soluble CD40 Ligand: Evidence for Involvement of the p44/42 Mitogen-Activated Protein Kinase Pathway. Journal of Immunology, 2002, 168, 3793-3800. | 0.4 | 35 |
| 124 | Imiquimod 5% Cream in the Treatment of Human Papillomavirus-16-Positive Erythroplasia of Queyrat. Dermatology, 2002, 205, 67-69. | 0.9 | 28 |
| 125 | Successful Therapy of Annular Elastolytic Giant Cell Granuloma with Fumaric Acid Esters. Dermatology, 2002, 205, 421-424. | 0.9 | 18 |
| 126 | Staphylococcal exotoxins exert proinflammatory effects through inhibition of eosinophil apoptosis, increased surface antigen expression (CD11b, CD45, CD54, and CD69), and enhanced cytokine-activated oxidative burst, thereby triggering allergic inflammatory reactions. Journal of Allergy and Clinical Immunology, 2002, 109, 477-484. | 1.5 | 54 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Expression and function of histamine receptors 1 and 2 on human monocyte-derived dendritic cells. Journal of Allergy and Clinical Immunology, 2002, 109, 524-531. | 1.5 | 83 |
| 128 | Long-term management of atopic dermatitis in infants with topical pimecrolimus, a nonsteroid anti-inflammatory drug. Journal of Allergy and Clinical Immunology, 2002, 110, 277-284. | 1.5 | 250 |
| 129 | Helicobacter pylori Infection in Skin Diseases. American Journal of Clinical Dermatology, 2002, 3, 273-282. | 3.3 | 90 |
| 130 | Helicobacter pylori Infection in Skin Diseases. American Journal of Clinical Dermatology, 2002, 3, 579. | 3.3 | 1 |
| 131 | Absence of HHV-8 DNA in hobnail hemangiomas. Journal of Cutaneous Pathology, 2002, 29, 154-158. | 0.7 | 14 |
| 132 | Specificity of tyrosinase and HMB45 PCR in the detection of melanoma metastases in sentinel lymph node biopsies. Histopathology, 2002, 41, 510-518. | 1.6 | 29 |
| 133 | Successful treatment of anogenital Bowen's disease with the immunomodulator imiquimod, and monitoring of therapy by DNA image cytometry. British Journal of Dermatology, 2002, 147, 160-165. | 1.4 | 47 |
| 134 | The incidence of atopic dermatitis in school entrants is associated with individual life-style factors but not with local environmental factors in Hannover, Germany. British Journal of Dermatology, 2002, 147, 95-104. | 1.4 | 52 |
| 135 | Staphylococcus aureus: colonizing features and influence of an antibacterial treatment in adults with atopic dermatitis. British Journal of Dermatology, 2002, 147, 55-61. | 1.4 | 291 |
| 136 | Levels of circulating CD8+ T lymphocytes, natural killer cells, and eosinophils increase upon acute psychosocial stress in patients with atopic dermatitis. Journal of Allergy and Clinical Immunology, 2001, 107, 171-177. | 1.5 | 110 |
| 137 | Different expression of cytokine and membrane molecules by circulating lymphocytes on acute mental stress in patients with atopic dermatitis in comparison with healthy controls. Journal of Allergy and Clinical Immunology, 2001, 108, 455-462. | 1.5 | 87 |
| 138 | Pathophysiological Role of Leukotrienes in Dermatological Diseases. BioDrugs, 2001, 15, 729-743. | 2.2 | 23 |
| 139 | The Chemokine Network in Eosinophil Activation. Allergy and Asthma Proceedings, 2001, 22, 139-148. | 1.0 | 6 |
| 140 | Detection of mRNA for Eotaxin-2 and Eotaxin-3 in Human Dermal Fibroblasts and Their Distinct Activation Profile on Human Eosinophils. Journal of Investigative Dermatology, 2001, 116, 498-505. | 0.3 | 55 |
| 141 | Characterization of the CC Chemokine Receptor 3 on Human Keratinocytes. Journal of Investigative Dermatology, 2001, 116, 549-555. | 0.3 | 25 |
| 142 | Detection of Clonal T Cell Receptor γ Gene Rearrangements in Cutaneous T Cell Lymphoma by LightCycler-Polymerase Chain Reaction. Journal of Investigative Dermatology, 2001, 116, 926-932. | 0.3 | 19 |
| 143 | Detection of anaphylatoxin receptors on CD83+ dendritic cells derived from human skin. Immunology, 2001, 103, 210-217. | 2.0 | 46 |
| 144 | Bacterial infections and atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 1034-1041. | 2.7 | 115 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Urine eosinophil protein X (EPX) is an in vitro parameter of inflammation in atopic dermatitis of the adult age. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 780-784. | 2.7 | 33 |
| 146 | Aminooxypentane-RANTES Induces CCR3 Activation and Internalization of CCR3 from the Surface of Human Eosinophils. International Archives of Allergy and Immunology, 2001, 124, 227-229. | 0.9 | 11 |
| 147 | Evidence for a Similar Cytokine Pattern Expressed in Allergic Contact and Atopic Dermatitis. International Archives of Allergy and Immunology, 2001, 124, 346-348. | 0.9 | 4 |
| 148 | Sensitive Detection of Borrelia burgdorferi Sensu Lato DNA and Differentiation of Borrelia Species by LightCycler PCR. Journal of Clinical Microbiology, 2001, 39, 2663-2667. | 1.8 | 35 |
| 149 | The Sequence of Stimuli Determines the Amount of IL-12 Produced by Human Monocytes. International Archives of Allergy and Immunology, 2001, 124, 218-220. | 0.9 | 2 |
| 150 | IL-3 Induces Down-Regulation of CCR3 Protein and mRNA in Human Eosinophils. Journal of Immunology, 2001, 167, 3443-3453. | 0.4 | 41 |
| 151 | Helicobacter-Infektion und Hauterkrankungen: Was ist wirklich dran?. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2001, , 467-469. | 0.0 | 0 |
| 152 | Modulation of Eosinophil Effector Functions: The Potential Role of Monoclonal Antibodies and Chemokine Receptor Antagonists. Allergy and Asthma Proceedings, 2000, 21, 345-349. | 1.0 | 2 |
| 153 | The CC chemokine receptor 3 CCR3 is functionally expressed on eosinophils but not on neutrophils. European Journal of Immunology, 2000, 30, 2759-2764. | 1.6 | 25 |
| 154 | Severe atopic dermatitis is associated with sensitization to staphylococcal enterotoxin B (SEB). Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 551-555. | 2.7 | 147 |
| 155 | Allelic loss at the neurofibromatosis type 1 (NF1) gene locus is frequent in desmoplastic neurotropic melanoma. Human Genetics, 2000, 107, 357-361. | 1.8 | 48 |
| 156 | Activated Human T Lymphocytes Express a Functional C3a Receptor. Journal of Immunology, 2000, 165, 6599-6605. | 0.4 | 110 |
| 157 | Reactive Oxygen Release. , 2000, 138, 153-156. | | 2 |
| 158 | Actin Polymerization. , 2000, 138, 149-152. | | 0 |
| 159 | Characterization of Synthetic C3a Analog Peptides on Human Eosinophils in Comparison to the Native Complement Component C3a. Journal of Immunology, 2000, 164, 3783-3789. | 0.4 | 21 |
| 160 | Retiform hemangioendothelioma: Another tumor associated with human herpesvirus type 8?. Journal of the American Academy of Dermatology, 2000, 42, 290-292. | 0.6 | 56 |
| 161 | Differential Activation of CC Chemokine Receptors by AOP-RANTES. Journal of Biological Chemistry, 2000, 275, 7787-7794. | 1.6 | 68 |
| 162 | Chronic urticaria serum induces histamine release, leukotriene production, and basophil CD63 surface expression—Inhibitory effects of anti-inflammatory drugs. Journal of Allergy and Clinical Immunology, 2000, 105, 552-560. | 1.5 | 111 |

| # | Article | IF | CITATIONS |
|-----|--|---------|-----------|
| 163 | Immunological aspects of allergic inflammation: eosinophils. , 2000, , 49-71. | | Ο |
| 164 | Quantification of Eosinophilic Granule Protein Deposition in Biopsies of Inflammatory Skin Diseases by Automated Image Analysis of Highly Sensitive Immunostaining. Analytical Cellular Pathology, 1999, 19, 153-162. | 2.1 | 6 |
| 165 | The Biologic Role of Interleukin-8: Functional Analysis and Expression of CXCR1 and CXCR2 on Human Eosinophils. Blood, 1999, 93, 694-702. | 0.6 | 92 |
| 166 | Suppression of Interleukin-12 Production by Human Monocytes After Preincubation With Lipopolysaccharide. Blood, 1999, 94, 1717-1726. | 0.6 | 48 |
| 167 | Eosinophil Apoptosis Is Mediated by Stimulators of Cellular Oxidative Metabolisms and Inhibited by Antioxidants: Involvement of a Thiol-Sensitive Redox Regulation in Eosinophil Cell Death. Blood, 1999, 94, 2365-2373. | 0.6 | 63 |
| 168 | The CC Chemokine Receptor Antagonist Met–RANTES Inhibits Eosinophil Effector Functions. International Archives of Allergy and Immunology, 1999, 118, 462-465. | 0.9 | 34 |
| 169 | Evidence for a Birch Pollen–Specific Cutaneous T–Cell Response in Food–Responsive Atopic Dermatitis. International Archives of Allergy and Immunology, 1999, 118, 230-231. | 0.9 | 9 |
| 170 | Significant Delay of Apoptosis and Fas Resistance in Eosinophils of Subjects with Intrinsic and Extrinsic Type of Atopic Dermatitis. International Archives of Allergy and Immunology, 1999, 118, 234-235. | 0.9 | 19 |
| 171 | Evaluation of C3a receptor expression on human leucocytes by the use of novel monoclonal antibodies. Immunology, 1999, 97, 166-172. | 2.0 | 88 |
| 172 | Allelic loss at the p73 locus (1p36.33) is infrequent in malignant melanoma. Archives of Dermatological Research, 1999, 291, 362-364. | 1.1 | 7 |
| 173 | Birch pollen–related foods trigger atopic dermatitis in patients with specific cutaneous T-cell responses to birch pollen antigensâ~†â~†â~†â~ Journal of Allergy and Clinical Immunology, 1999, 104, 466-472. | 1.5 | 202 |
| 174 | Activation of Human Eosinophil Effector Functions by CC Chemokines. Allergy and Asthma Proceedings, 1999, 20, 365-369. | 1.0 | 5 |
| 175 | Der eosinophile Granulozyt. Fortschritte Der Praktischen Dermatologie Und Venerologie, 1999, , 475-486. | 0.0 | Ο |
| 176 | The Biologic Role of Interleukin-8: Functional Analysis and Expression of CXCR1 and CXCR2 on Human Eosinophils. Blood, 1999, 93, 694-702. | 0.6 | 38 |
| 177 | Eotaxin-2 activates chemotaxis-related events and release of reactive oxygen species via pertussis toxin-sensitive G proteins in human eosinophils. European Journal of Immunology, 1998, 28, 2152-2158. | 1.6 | 58 |
| 178 | The Human Mast Cell Line HMCâ€l Binds and Responds to C3a but not C3a(desArg). Scandinavian Journal of Immunology, 1998, 47, 19-24. | 1.3 | 37 |
| 179 | High-dose UVA1 therapy for atopic dermatitis: Results of a multicenter trial. Journal of the American Academy of Dermatology, 1998, 38, 589-593. | 0.6 | 205 |
| 180 | IL-4–induced apoptosis in peripheral blood eosinophilsâ~†â~†â~†â~â~â~ Journal of Allergy and Clinical Immu 1998, 102, 1013-1020. | nology, | 47 |

| # | Article | IF | CITATIONS |
|-----|---|---------------------------------------|------------------|
| 181 | Prevalence of Helicobacter pylori–Associated Gastritis in Chronic Urticaria. International Archives of Allergy and Immunology, 1998, 116, 288-294. | 0.9 | 133 |
| 182 | Stress-Induced Endocrine and Immunological Changes in Psoriasis Patients and Healthy Controls. Psychotherapy and Psychosomatics, 1998, 67, 37-42. | 4.0 | 77 |
| 183 | Analysis of the Phenotype and Cytokine Pattern of Blood- and Skin-Derived Nickel Specific T Cells in Allergic Contact Dermatitis. International Archives of Allergy and Immunology, 1997, 113, 384-386. | 0.9 | 21 |
| 184 | Evidence that Singlet Oxygen-induced Human T Helper Cell Apoptosis Is the Basic Mechanism of Ultraviolet-A Radiation Phototherapy. Journal of Experimental Medicine, 1997, 186, 1763-1768. | 4.2 | 271 |
| 185 | Delayed eosinophil programmed cell death in vitro: A common feature of inhalant allergy and extrinsic and intrinsic atopic dermatitisâ~†â~†â~†â~â~â~ Journal of Allergy and Clinical Immunology, 1997, 100 |), ¹ 5 ⁵ 36-543 | . ¹³¹ |
| 186 | Milk-responsive atopic dermatitis is associated with a casein-specific lymphocyte response in adolescent and adult patients. Journal of Allergy and Clinical Immunology, 1997, 99, 124-133. | 1.5 | 69 |
| 187 | Unilateral laterothoracic exanthem (asymmetrical periflexural exanthem of childhood): Report of an adult patient. Journal of the American Academy of Dermatology, 1997, 37, 484-485. | 0.6 | 28 |
| 188 | Alkaptonuric ochronosis: Report of two affected brothers. Journal of the American Academy of Dermatology, 1997, 37, 305-307. | 0.6 | 11 |
| 189 | Rapid expression of the CD69 antigen on T cells and natural killer cells upon antigenic stimulation of peripheral blood mononuclear cell suspensions. Allergy: European Journal of Allergy and Clinical Immunology, 1997, 52, 465-469. | 2.7 | 51 |
| 190 | Identification of aneuploidy in recurrent clear cell hidradenoma by DMA image cytometry (ICM-DNA). Journal of Cutaneous Pathology, 1997, 24, 314-321. | 0.7 | 6 |
| 191 | Further Evidence For Ultraviolet Light Induction Of CDKN2(p16INK4) Mutations In Sporadic Melanoma In Vivo. Journal of Investigative Dermatology, 1997, 108, 950. | 0.3 | 14 |
| 192 | Blood- and skin-derived monocytes/macrophages respond to C3a but not to C3a(desArg) with a transient release of calcium via a pertussis toxin-sensitive signal transduction pathway. European Journal of Immunology, 1997, 27, 2317-2322. | 1.6 | 35 |
| 193 | The CC chemokine antagonist Met-RANTES inhibits eosinophil effector functions through the chemokine receptors CCR1 and CCR3. European Journal of Immunology, 1997, 27, 2892-2898. | 1.6 | 122 |
| 194 | Nahrungsmittelallergie 1996. Fortschritte Der Praktischen Dermatologie Und Venerologie, 1997, , 214-220. | 0.0 | 0 |
| 195 | Detection of C5a receptors on human eosinophils and inhibition of eosinophil effector functions by anti-C5a receptor (CD88) antibodies. European Journal of Immunology, 1996, 26, 1560-1564. | 1.6 | 37 |
| 196 | Human eotaxin represents a potent activator of the respiratory burst of human eosinophils. European Journal of Immunology, 1996, 26, 1919-1925. | 1.6 | 162 |
| 197 | Actin polymerization in human eosinophils, unlike human neutrophils, depends on intracellular calcium mobilization. , 1996, 167, 548-555. | | 43 |
| 198 | The role of circulating food antigen-specific lymphocytes in food allergic children with atopic dermatitis. British Journal of Dermatology, 1996, 135, 935-941. | 1.4 | 85 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Allergen Specificity of Skin-Infiltrating T Cells Is Not Restricted to a Type-2 Cytokine Pattern in Chronic Skin Lesions of Atopic Dermatitis. Journal of Investigative Dermatology, 1996, 107, 871-876. | 0.3 | 203 |
| 200 | Subcelluar Mechanisms of Eosinophil Degranulation: The Role of RANTES, Interleukin-5 and Tumor Necrosis Factor-α. International Archives of Allergy and Immunology, 1995, 107, 345-345. | 0.9 | 4 |
| 201 | Activation of the Respiratory Burst in Human Eosinophils by Chemotaxins Requires Intracellular Calcium Fluxes. Journal of Investigative Dermatology, 1995, 105, 231-236. | 0.3 | 29 |
| 202 | Synthesis and Surface Expression of ICAM-1 in Polymorphonuclear Neutrophilic Leukocytes in Normal Subiects and during Inflammatory Disease. Immunobiology, 1995, 193, 456-464. | 0.8 | 25 |
| 203 | C3a activates reactive oxygen radical species production and intracellular calcium transients in human eosinophils. European Journal of Immunology, 1994, 24, 518-522. | 1.6 | 153 |
| 204 | TNFalpha-induced activation of eosinophil oxidative metabolism and morphology - Comparison with IL-5*. Experimental Dermatology, 1994, 3, 176-188. | 1.4 | 24 |
| 205 | The Chemokine RANTES Is More than a Chemoattractant: Characterization of Its Effect on Human Eosinophil Oxidative Metabolism and Morphology in Comparison with IL-5 and GM-CSF. Journal of Investigative Dermatology, 1994, 102, 906-914. | 0.3 | 87 |
| 206 | Flow cytometry reveals different lag times in rapid cytoplasmic calcium elevations in human neutrophils in response to N-formyl peptide. Journal of Cellular Physiology, 1993, 157, 637-643. | 2.0 | 14 |
| 207 | Phorbol-12-Myristate-13-Acetate-Treated Human Keratinocytes Express B7-Like Molecules That Serve a Costimulatory Role in T-Cell Activation. Journal of Investigative Dermatology, 1993, 100, 275-281. | 0.3 | 41 |
| 208 | Induction of Intercellular Adhesion Molecule 1 (ICAM-1) Expression in Normal Human Eosinophils by Inflammatory Cytokines. Journal of Investigative Dermatology, 1993, 100, 417-423. | 0.3 | 72 |
| 209 | The role of cytokines in the psoriatic inflammation. Journal of Dermatological Science, 1993, 5, 133-142. | 1.0 | 30 |
| 210 | Granulocyte activation in bullous diseases: Release of granular proteins in bullous pemphigoid and pemphigus vulgaris. Journal of the American Academy of Dermatology, 1993, 29, 210-215. | 0.6 | 66 |
| 211 | High-dose UVA1 therapy in the treatment of patients with atopic dermatitis. Journal of the American Academy of Dermatology, 1992, 26, 225-230. | 0.6 | 317 |
| 212 | Ultraviolet Radiation Effects on Human Keratinocyte ICAM-1 Expression: UV-Induced Inhibition of Cytokine-Induced ICAM-1 mRNA Expression Is Transient, Differentially Restored for IFNÎ ³ Versus TNFα, and Followed by ICAM-1 Induction Via a TNFα-Like Pathway. Journal of Investigative Dermatology, 1992, 98–923-928 | 0.3 | 71 |
| 213 | Human epidermal keratinocytes are a source of soluble ICAM-1 molecules*. Experimental Dermatology, 1992, 1, 27-30. | 1.4 | 32 |
| 214 | Eosinophil cationic protein in sera of patients with atopic dermatitis. Journal of the American Academy of Dermatology, 1991, 24, 555-558. | 0.6 | 83 |
| 215 | Increased IL-6 Production by Monocytes and Keratinocytes in Patients with Psoriasis. Journal of Investigative Dermatology, 1991, 97, 27-33. | 0.3 | 143 |
| 216 | 55-kd Tumor Necrosis Factor Receptor Is Expressed by Human Keratinocytes and Plays a Pivotal Role in Regulation of Human Keratinocyte ICAM-1 Expression. Journal of Investigative Dermatology, 1991, 97, 911-916. | 0.3 | 76 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Tumor Necrosis Factor β and Ultraviolet Radiation Are Potent Regulators of Human Keratinocyte ICAM-1 Expression. Journal of Investigative Dermatology, 1990, 95, 127-131. | 0.3 | 96 |
| 218 | Activation of the Oxidative Metabolism in Human Polymorphonuclear Neutrophilic Granulocytes: The Role of Immuno-Modulating Cytokines. Journal of Investigative Dermatology, 1990, 95, S94-S99. | 0.3 | 39 |
| 219 | Interaction of Granulocytes and Endothelial Cells upon Stimulation with Tumor Necrosis Factor-α: An Ultrastructural Study. Immunobiology, 1990, 181, 267-275. | 0.8 | 11 |
| 220 | Airborne contact dermatitis from colophony: phototoxic reaction?. Contact Dermatitis, 1989, 21, 275-276. | 0.8 | 8 |
| 221 | Human Tumor Necrosis Factor Is a Potent Activator of the Oxidative Metabolism in Human Polymorphonuclear Neutrophilic Granulocytes: Comparison with Human Lymphotoxin. Journal of Investigative Dermatology, 1989, 92, 348-354. | 0.3 | 41 |
| 222 | Activation of Human Polymorphonuclear Neutrophilic Granulocytes by Immuno-Modulating Cytokines: An Ultrastructural Study. Immunobiology, 1989, 179, 44-55. | 0.8 | 13 |
| 223 | Decreased Production of Interferon in Whole Blood Cultures Derived from Patients With Psoriasis. Journal of Investigative Dermatology, 1988, 90, 511-514. | 0.3 | 17 |
| 224 | Human Granulocyte-Macrophage Colony Stimulating Factor: An Effective Direct Activator of Human Polymorphonuclear Neutrophilic Granulocytes. Journal of Investigative Dermatology, 1988, 91, 49-55. | 0.3 | 48 |
| 225 | Chemiluminescence Response of Human B-Cell Lines. Free Radical Research Communications, 1987, 2, 337-341. | 1.8 | 1 |
| 226 | Granulocyte-Activating Mediators (GRAM): I. Generation by Lipopolysaccharide-Stimulated Mononuclear Cells. Journal of Investigative Dermatology, 1986, 86, 523-528. | 0.3 | 29 |