

# Rachel Churchill

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3233885/publications.pdf>

Version: 2024-02-01

140  
papers

18,440  
citations

66250

44  
h-index

25230

113  
g-index

158  
all docs

158  
docs citations

158  
times ranked

25716  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of a <scp>WHO</scp> self-help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial. <i>World Psychiatry</i> , 2022, 21, 88-95.	4.8	52
2	Digital interventions in mental health: evidence syntheses and economic modelling. <i>Health Technology Assessment</i> , 2022, 26, 1-182.	1.3	12
3	Early pharmacological interventions for universal prevention of post-traumatic stress disorder (PTSD). <i>The Cochrane Library</i> , 2022, 2022, CD013443.	1.5	8
4	Cost Effectiveness of Digital Interventions for Generalised Anxiety Disorder: A Model-Based Analysis. <i>Pharmacoeconomics - Open</i> , 2022, 6, 377-388.	0.9	4
5	Multiple versus single risk behaviour interventions for people with severe mental illness: a network meta-analysis and qualitative synthesis. , 2022, 10, 1-186.		1
6	Systematic Review and Critique of Methods for Economic Evaluation of Digital Mental Health Interventions. <i>Applied Health Economics and Health Policy</i> , 2021, 19, 17-27.	1.0	15
7	Self-help plus for refugees and asylum seekers; study protocol for a series of individual participant data meta-analyses. <i>HÅrre Utbildning</i> , 2021, 12, 1930690.	1.4	5
8	Interventions for preventing type 2 diabetes in adults with mental disorders in low- and middle-income countries. <i>The Cochrane Library</i> , 2021, 2021, CD013281.	1.5	2
9	Remote data collection during COVID-19 restrictions: an example from a refugee and asylum-seeker participant group in the UK. <i>Trials</i> , 2021, 22, 117.	0.7	3
10	Prognostic models for predicting relapse or recurrence of major depressive disorder in adults. <i>The Cochrane Library</i> , 2021, 2021, CD013491.	1.5	13
11	Improving child and youth mental health: Stakeholder perspectives from a cross-sectional survey to inform research priorities. <i>Mental Health and Prevention</i> , 2021, 22, 200201.	0.7	5
12	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 403-414.	4.0	57
13	School-based interventions to prevent anxiety, depression and conduct disorder in children and young people: a systematic review and network meta-analysis. <i>Public Health Research</i> , 2021, 9, 1-284.	0.5	11
14	Omega-3 fatty acids for depression in adults. <i>The Cochrane Library</i> , 2021, 2021, CD004692.	1.5	26
15	Digital Interventions for Generalized Anxiety Disorder (GAD): Systematic Review and Network Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 726222.	1.3	10
16	An overview of systematic reviews on mental health promotion, prevention, and treatment of common mental disorders for refugees, asylum seekers, and internally displaced persons. <i>The Cochrane Library</i> , 2020, 2020, CD013458.	1.5	40
17	Behavioural activation therapy for depression in adults with non-communicable diseases. <i>The Cochrane Library</i> , 2020, 2020, CD013461.	1.5	11
18	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis. <i>PLoS Medicine</i> , 2020, 17, e1003262.	3.9	154

#	ARTICLE	IF	CITATIONS
19	Factors that influence participation in physical activity for anxiety or depression: a synthesis of qualitative evidence. The Cochrane Library, 2020, , .	1.5	3
20	Behavioural activation therapy for depression in adults. The Cochrane Library, 2020, 7, CD013305.	1.5	26
21	A systematic review of mental health measurement scales for evaluating the effects of mental health prevention interventions. European Journal of Public Health, 2020, 30, 510-516.	0.1	21
22	Interventions for adults with a history of complex traumatic events: the INCiTE mixed-methods systematic review. Health Technology Assessment, 2020, 24, 1-312.	1.3	19
23	Title is missing!. , 2020, 17, e1003262.		0
24	Title is missing!. , 2020, 17, e1003262.		0
25	Title is missing!. , 2020, 17, e1003262.		0
26	Title is missing!. , 2020, 17, e1003262.		0
27	Title is missing!. , 2020, 17, e1003262.		0
28	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. BMJ Open, 2019, 9, e030259.	0.8	27
29	Interventions for preventing type 2 diabetes in adults with mental disorders in low and middle income countries. The Cochrane Library, 2019, , .	1.5	0
30	The clinical effectiveness of sertraline in primary care and the role of depression severity and duration (PANDA): a pragmatic, double-blind, placebo-controlled randomised trial. Lancet Psychiatry, the, 2019, 6, 903-914.	3.7	78
31	The process and delivery of CBT for depression in adults: a systematic review and network meta-analysis. Psychological Medicine, 2019, 49, 1937-1947.	2.7	70
32	Early pharmacological interventions for preventing post-traumatic stress disorder (PTSD): a network meta-analysis. The Cochrane Library, 2019, , .	1.5	1
33	Behavioural activation therapies for depression in adults with non-communicable diseases. The Cochrane Library, 2019, , .	1.5	2
34	Antidepressants for major depression disorder in older people: a network meta-analysis. The Cochrane Library, 2019, , .	1.5	5
35	A systematic review and meta-analysis of the prevalence of common mental disorders in people with non-communicable diseases in Bangladesh, India, and Pakistan. Journal of Global Health, 2019, 9, 020417.	1.2	28
36	Pharmacy-based management for depression in adults. The Cochrane Library, 2019, 12, CD013299.	1.5	22

#	ARTICLE	IF	CITATIONS
37	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. Programme Grants for Applied Research, 2019, 7, 1-108.	0.4	6
38	Multimedia-delivered cognitive behavioural therapy versus face-to-face cognitive behavioural therapy for depression in adults. The Cochrane Library, 2018, , .	1.5	1
39	Identifying research priorities for digital technology in mental health care: results of the James Lind Alliance Priority Setting Partnership. Lancet Psychiatry,the, 2018, 5, 845-854.	3.7	123
40	Revisiting the need for a literature search narrative: A brief methodological note. Research Synthesis Methods, 2018, 9, 361-365.	4.2	24
41	An overview of systematic reviews of complementary and alternative therapies for fibromyalgia using both AMSTAR and ROBIS as quality assessment tools. Systematic Reviews, 2017, 6, 97.	2.5	44
42	Cochrane for global mental health. Lancet Psychiatry,the, 2017, 4, e6.	3.7	14
43	Living systematic reviews: 4. Living guideline recommendations. Journal of Clinical Epidemiology, 2017, 91, 47-53.	2.4	184
44	Living systematic review: 1. Introductionâ€”the why, what, when, and how. Journal of Clinical Epidemiology, 2017, 91, 23-30.	2.4	406
45	Living systematic reviews: 2. Combining human and machine effort. Journal of Clinical Epidemiology, 2017, 91, 31-37.	2.4	246
46	Setting priorities for knowledge translation of Cochrane reviews for health equity: Evidence for Equity. International Journal for Equity in Health, 2017, 16, 208.	1.5	5
47	A randomised controlled trial assessing the severity and duration of depressive symptoms associated with a clinically significant response to sertraline versus placebo, in people presenting to primary care with depression (PANDA trial): study protocol for a randomised controlled trial. Trials, 2017, 18, 496.	0.7	15
48	Evidence-based interventions for global mental health: role and mission of a new Cochrane initiative. , 2017, 4, ED000120.		3
49	Ï‰-3 Fatty acids for major depressive disorder in adults: an abridged Cochrane review. BMJ Open, 2016, 6, e010172.	0.8	59
50	Network meta-analyses and treatment recommendations for obsessive-compulsive disorder â€” Authors' reply. Lancet Psychiatry,the, 2016, 3, 921-922.	3.7	5
51	Routine use of patient reported outcome measures (PROMs) for improving treatment of common mental health disorders in adults. The Cochrane Library, 2016, 2016, CD011119.	1.5	133
52	When and how to update systematic reviews: consensus and checklist. BMJ, The, 2016, 354, i3507.	3.0	277
53	ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. BMJ, The, 2016, 355, i4919.	3.0	8,654
54	Pharmacological and psychotherapeutic interventions for management of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. Lancet Psychiatry,the, 2016, 3, 730-739.	3.7	251

#	ARTICLE	IF	CITATIONS
55	Improving GRADE evidence tables part 1: a randomized trial shows improved understanding of content in summary of findings tables with a new format. <i>Journal of Clinical Epidemiology</i> , 2016, 74, 7-18.	2.4	87
56	ROBIS: A new tool to assess risk of bias in systematic reviews was developed. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 225-234.	2.4	1,204
57	A systematic review of the clinical effectiveness and cost-effectiveness of pharmacological and psychological interventions for the management of obsessive-compulsive disorder in children/adolescents and adults. <i>Health Technology Assessment</i> , 2016, 20, 1-392.	1.3	84
58	The effectiveness, acceptability and cost-effectiveness of psychosocial interventions for maltreated children and adolescents: an evidence synthesis. <i>Health Technology Assessment</i> , 2016, 20, 1-508.	1.3	32
59	Omega-3 fatty acids for depression in adults. <i>The Cochrane Library</i> , 2015, , CD004692.	1.5	110
60	Comparison between the standard and a new alternative format of the Summary-of-Findings tables in Cochrane review users: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 164.	0.7	17
61	Recommendations in debate on psychiatric drugs are insufficiently justified. <i>BMJ</i> , The, 2015, 350, h2952-h2952.	3.0	4
62	Milnacipran versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2014, 2014, CD006529.	1.5	36
63	Psychological therapies versus antidepressant medication, alone and in combination for depression in children and adolescents. <i>The Cochrane Library</i> , 2014, 2014, CD008324.	1.5	100
64	Evidence based medicine: looking forward and building on what we have learnt. <i>BMJ</i> , The, 2014, 349, g4508-g4508.	3.0	4
65	Specificity of CBT for Depression: A Contribution from Multiple Treatments Meta-analyses. <i>Cognitive Therapy and Research</i> , 2014, 38, 249-260.	1.2	21
66	Quantity and quality of psychotherapy trials for depression in the past five decades. <i>Journal of Affective Disorders</i> , 2014, 165, 190-195.	2.0	8
67	The clinical effectiveness, cost-effectiveness and acceptability of community-based interventions aimed at improving or maintaining quality of life in children of parents with serious mental illness: a systematic review. <i>Health Technology Assessment</i> , 2014, 18, 1-250.	1.3	99
68	Behavioural therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2013, 2013, CD008696.	1.5	67
69	Introducing a series of methodological articles on considering complexity in systematic reviews of interventions. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1205-1208.	2.4	57
70	'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2013, , CD008704.	1.5	77
71	'Third wave' cognitive and behavioural therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2013, , CD008705.	1.5	43
72	Citalopram versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2012, , CD006534.	1.5	53

#	ARTICLE	IF	CITATIONS
73	Psychological therapies versus antidepressant medication, alone and in combination for depression in children and adolescents. , 2012, 11, CD008324.		56
74	Mirtazapine versus other antidepressive agents for depression. The Cochrane Library, 2011, , CD006528.	1.5	101
75	Fluid restriction for symptomatic patent ductus arteriosus in preterm infants. The Cochrane Library, 2010, 2010, .	1.5	3
76	Mindfulness-based 'third wave' cognitive and behavioural therapies versus other psychological therapies for depression. , 2010, , .		18
77	Psychodynamic therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	2
78	Interpersonal, cognitive analytic and other integrative therapies versus other psychological therapies for depression. The Cochrane Library, 2010, , .	1.5	3
79	Humanistic therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	4
80	Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	7
81	Behavioural therapies versus other psychological therapies for depression. , 2010, , .		9
82	Mindfulness-based 'third wave' cognitive and behavioural therapies versus treatment as usual for depression. , 2010, , .		10
83	Cognitive behavioural therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	9
84	No health without mental health: A role for the cochrane collaboration. , 2010, 2011, ED000012.		7
85	Fluvoxamine versus other anti-depressive agents for depression. The Cochrane Library, 2010, , CD006114.	1.5	34
86	Behavioural therapies versus treatment as usual for depression. The Cochrane Library, 2010, , .	1.5	3
87	Psychodynamic therapies versus other psychological therapies for depression. The Cochrane Library, 2010, , .	1.5	3
88	Cognitive behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 2010, , .	1.5	9
89	Sertraline versus other antidepressive agents for depression. The Cochrane Library, 2010, , CD006117.	1.5	139
90	Safety Reporting and Adverse-Event Profile of Mirtazapine Described in Randomized Controlled Trials in Comparison with Other Classes of Antidepressants in the Acute-Phase Treatment of Adults with Depression. CNS Drugs, 2010, 24, 35-53.	2.7	74

#	ARTICLE	IF	CITATIONS
91	Making the best use of available evidence: the case of new generation antidepressants: A response to: Are all antidepressants equal?. Evidence-Based Mental Health, 2009, 12, 101-104.	2.2	5
92	Using research evidence in mental health: userâ€rating and focus group study of cliniciansâ€™ preferences for a new clinical questionâ€answering service. Health Information and Libraries Journal, 2009, 26, 298-306.	1.3	6
93	Escitalopram versus other antidepressive agents for depression. The Cochrane Library, 2009, , CD006532.	1.5	102
94	Comparative efficacy and acceptability of 12 new-generation antidepressants: a multiple-treatments meta-analysis. Lancet, The, 2009, 373, 746-758.	6.3	1,459
95	Combined psychotherapy plus benzodiazepines for panic disorder. The Cochrane Library, 2009, , CD005335.	1.5	46
96	Reboxetine versus other antidepressive agents for depression. The Cochrane Library, 2009, , .	1.5	5
97	Sertraline versus other antidepressive agents for depression. , 2009, , CD006117.		70
98	Efficacy and Tolerability of Milnacipran in the Treatment of Major Depression in Comparison with??Other Antidepressants. CNS Drugs, 2008, 22, 587-602.	2.7	24
99	Capacity, consent and electroconvulsive therapy: A qualitative and cross-sectional study. Journal of Mental Health, 2008, 17, 315-325.	1.0	3
100	Mirtazapine Versus Other Antidepressants in the Acute-Phase Treatment of Adults With Major Depression. Journal of Clinical Psychiatry, 2008, 69, 1404-1415.	1.1	65
101	Does Randomized Evidence Support Sertraline as First-Line Antidepressant for Adults With Acute Major Depression?. Journal of Clinical Psychiatry, 2008, 69, 1732-1742.	1.1	25
102	Mental capacity in psychiatric patients. British Journal of Psychiatry, 2007, 191, 291-297.	1.7	224
103	Paroxetine versus other anti-depressive agents for depression. , 2007, , .		7
104	Venlafaxine versus other anti-depressive agents for depression. The Cochrane Library, 2007, , .	1.5	7
105	Ethnicity and the Mental Health Act 1983. British Journal of Psychiatry, 2007, 191, 99-105.	1.7	98
106	Family therapy for depression. The Cochrane Library, 2007, , CD006728.	1.5	57
107	Validity of indirect comparisons in meta-analysis. Lancet, The, 2007, 369, 270-271.	6.3	15
108	Youth-friendly primary-care services: how are we doing and what more needs to be done?. Lancet, The, 2007, 369, 1565-1573.	6.3	490

#	ARTICLE	IF	CITATIONS
109	Psychological therapies for generalised anxiety disorder. The Cochrane Library, 2007, , CD001848.	1.5	197
110	Psychological treatments versus treatment as usual for obsessive compulsive disorder (OCD). The Cochrane Library, 2007, , CD005333.	1.5	85
111	Combined psychotherapy plus antidepressants for panic disorder with or without agoraphobia. The Cochrane Library, 2007, , CD004364.	1.5	124
112	Combination of psychotherapy and benzodiazepines versus either therapy alone for panic disorder: a systematic review. BMC Psychiatry, 2007, 7, 18.	1.1	32
113	Can pill placebo augment cognitive-behavior therapy for panic disorder?. BMC Psychiatry, 2007, 7, 73.	1.1	15
114	Treatment discontinuation with selective serotonin reuptake inhibitors (SSRIs) versus tricyclic antidepressants (TCAs). The Cochrane Library, 2006, , CD002791.	1.5	18
115	Psychotherapy plus antidepressant for panic disorder with or without agoraphobia. British Journal of Psychiatry, 2006, 188, 305-312.	1.7	162
116	Comparison of Large Versus Smaller Randomized Trials for Mental Health-Related Interventions. American Journal of Psychiatry, 2005, 162, 578-584.	4.0	32
117	Safety Reporting in Randomized Trials of Mental Health Interventions. American Journal of Psychiatry, 2004, 161, 1692-1697.	4.0	74
118	Psychotherapy for depression in children and adolescents. The Cochrane Library, 2004, , .	1.5	20
119	Effect sizes in cumulative meta-analyses of mental health randomized trials evolved over time. Journal of Clinical Epidemiology, 2004, 57, 1124-1130.	2.4	166
120	Dysfunctional attitudes and the common mental disorders in primary care. Journal of Affective Disorders, 2003, 75, 269-278.	2.0	26
121	Systematic reviews and the Cochrane Collaboration: improving the evidence-base for all psychiatric treatments. Epidemiologia E Psichiatria Sociale, 2003, 12, 137-145.	1.0	2
122	Psychological debriefing for preventing post traumatic stress disorder (PTSD). The Cochrane Library, 2002, , .	1.5	510
123	Development of a quality assessment instrument for trials of treatments for depression and neurosis. International Journal of Methods in Psychiatric Research, 2001, 10, 126-133.	1.1	158
124	Changing patterns in the use of the Mental Health Act 1983 in England, 1984-1996. British Journal of Psychiatry, 2000, 176, 479-484.	1.7	50
125	Pragmatic randomised controlled trials in psychiatry. British Journal of Psychiatry, 1999, 175, 217-223.	1.7	150
126	Critical appraisal and evidence-based psychiatry. International Review of Psychiatry, 1998, 10, 344-352.	1.4	2



#	ARTICLE	IF	CITATIONS
127	A programme of methadone maintenance plus moderate counselling services was cost effective. Evidence-Based Mental Health, 1998, 1, 63-63.	2.2	1
128	Data pertaining to the Mental Health Act, 1983. Psychiatric Bulletin, 1998, 22, 520-520.	0.3	0
129	Humanistic therapies versus other psychological therapies for depression. The Cochrane Library, 0, , .	1.5	2
130	Cognitive behavioural therapies versus other psychological therapies for depression. The Cochrane Library, 0, , .	1.5	0
131	Mental Health First Aid as a tool for improving mental health and well-being. The Cochrane Library, 0, , .	1.5	6
132	The process and delivery of cognitive behavioural therapy (CBT) for depression in adults: a network meta-analysis. The Cochrane Library, 0, , .	1.5	4
133	Prognostic models for predicting relapse or recurrence of depression. The Cochrane Library, 0, , .	1.5	1
134	An overview of systematic reviews on mental health promotion, prevention, and treatment of common mental disorders for refugees, asylum seekers, and internally displaced persons. The Cochrane Library, 0, , .	1.5	3
135	Factors that influence participation in physical activity for people with bipolar disorder: a synthesis of qualitative evidence. The Cochrane Library, 0, , .	1.5	1
136	Early pharmacological interventions for acute traumatic stress symptoms: a network meta-analysis. The Cochrane Library, 0, , .	1.5	1
137	Primary-level and community worker interventions for the prevention of mental disorders and the promotion of well-being in low- and middle-income countries. The Cochrane Library, 0, , .	1.5	4
138	Pharmacy-based management for depression in adults. The Cochrane Library, 0, , .	1.5	3
139	Behavioural activation therapies for depression in adults. The Cochrane Library, 0, , .	1.5	5
140	Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression. The Cochrane Library, 0, , .	1.5	1