

# Xue-Zhong Yu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3234006/publications.pdf>

Version: 2024-02-01

113  
papers

3,314  
citations

126858

33  
h-index

168321

53  
g-index

113  
all docs

113  
docs citations

113  
times ranked

5553  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | CD38-NAD <sup>+</sup> Axis Regulates Immunotherapeutic Anti-Tumor T Cell Response. <i>Cell Metabolism</i> , 2018, 27, 85-100.e8.   | 7.2 | 197       |
| 2  | NF- $\kappa$ B-induced microRNA-31 promotes epidermal hyperplasia by repressing protein phosphatase 6 in psoriasis. <i>Nature Communications</i> , 2015, 6, 7652.  | 5.8 | 191       |
| 3  | Prevention of GVHD while sparing GVL effect by targeting Th1 and Th17 transcription factor T-bet and ROR $\gamma$ t in mice. <i>Blood</i> , 2011, 118, 5011-5020.  | 0.6 | 136       |
| 4  | Ex vivo expansion of human Tregs specific for alloantigens presented directly or indirectly. <i>Blood</i> , 2011, 118, 5671-5680.  | 0.6 | 134       |
| 5  | CD28 Controls Differentiation of Regulatory T Cells from Naive CD4 T Cells. <i>Journal of Immunology</i> , 2008, 181, 2285-2291.   | 0.4 | 107       |
| 6  | Metabolic reprogramming of alloantigen-activated T cells after hematopoietic cell transplantation. <i>Journal of Clinical Investigation</i> , 2016, 126, 1337-1352.  | 3.9 | 107       |
| 7  | T helper17 Cells Are Sufficient But Not Necessary to Induce Acute Graft-Versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 170-178.   | 2.0 | 100       |
| 8  | Inhibition of BTK and ITK with Ibrutinib Is Effective in the Prevention of Chronic Graft-versus-Host Disease in Mice. <i>PLoS ONE</i> , 2015, 10, e0137641.  | 1.1 | 84        |
| 9  | Antigen-dependent suppression of alloresponses by Foxp3-induced regulatory T cells in transplantation. <i>European Journal of Immunology</i> , 2005, 35, 2598-2607.  | 1.6 | 77        |
| 10 | MicroRNA-31 negatively regulates peripherally derived regulatory T-cell generation by repressing retinoic acid-inducible protein 3. <i>Nature Communications</i> , 2015, 6, 7639.                                | 5.8 | 76        |
| 11 | Pro-Survival Lipid Sphingosine-1-Phosphate Metabolically Programs T Cells to Limit Anti-tumor Activity. <i>Cell Reports</i> , 2019, 28, 1879-1893.e7.  | 2.9 | 71        |
| 12 | PKC $\delta$ is required for alloreactivity and GVHD but not for immune responses toward leukemia and infection in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 3774-3786.                        | 3.9 | 70        |
| 13 | Role of CD28 in Acute Graft-Versus-Host Disease. <i>Blood</i> , 1998, 92, 2963-2970.   | 0.6 | 62        |
| 14 | Dynamic Change and Impact of Myeloid-Derived Suppressor Cells in Allogeneic Bone Marrow Transplantation in Mice. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 692-702.                         | 2.0 | 61        |
| 15 | Targeting JAK2 reduces GVHD and xenograft rejection through regulation of T cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1582-1587. | 3.3 | 59        |
| 16 | MicroRNA-17-92 controls T-cell responses in graft-versus-host disease and leukemia relapse in mice. <i>Blood</i> , 2015, 126, 1314-1323.   | 0.6 | 58        |
| 17 | Adoptive Transfer of Tc1 or Tc17 Cells Elicits Antitumor Immunity against Established Melanoma through Distinct Mechanisms. <i>Journal of Immunology</i> , 2013, 190, 1873-1881.                                 | 0.4 | 55        |
| 18 | Targeting Sirt-1 controls GVHD by inhibiting T-cell allo-response and promoting Treg stability in mice. <i>Blood</i> , 2019, 133, 266-279.   | 0.6 | 55        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | T cells lacking HDAC11 have increased effector functions and mediate enhanced alloreactivity in a murine model. <i>Blood</i> , 2017, 130, 146-155.  | 0.6 | 54        |
| 20 | MicroRNA-17-92 is required for T-cell and B-cell pathogenicity in chronic graft-versus-host disease in mice. <i>Blood</i> , 2018, 131, 1974-1986.   | 0.6 | 51        |
| 21 | Efficient and Selective Prevention of GVHD by Antigen-Specific Induced Tregs via Linked-Suppression in Mice. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 309-318.  | 2.0 | 49        |
| 22 | Reducing CD73 Expression by IL1 $\beta$ -Programmed Th17 Cells Improves Immunotherapeutic Control of Tumors. <i>Cancer Research</i> , 2014, 74, 6048-6059.  | 0.4 | 49        |
| 23 | Ceramide synthesis regulates T cell activity and GVHD development. <i>JCI Insight</i> , 2017, 2, .  | 2.3 | 49        |
| 24 | CD8 <sup>+</sup> Tregs promote GVHD prevention and overcome the impaired GVL effect mediated by CD4 <sup>+</sup> Tregs in mice. <i>Oncolimmunology</i> , 2016, 5, e1146842.   | 2.1 | 48        |
| 25 | $\beta$ 2 integrins separate graft-versus-host disease and graft-versus-leukemia effects. <i>Blood</i> , 2008, 111, 954-962.  | 0.6 | 47        |
| 26 | The IL-12 Cytokine and Receptor Family in Graft-vs.-Host Disease. <i>Frontiers in Immunology</i> , 2019, 10, 988.   | 2.2 | 46        |
| 27 | Soluble NKG2D ligand promotes MDSC expansion and skews macrophage to the alternatively activated phenotype. <i>Journal of Hematology and Oncology</i> , 2015, 8, 13.  | 6.9 | 44        |
| 28 | Opposing Effects of ICOS on Graft-versus-Host Disease Mediated by CD4 and CD8 T Cells. <i>Journal of Immunology</i> , 2006, 176, 7394-7401.   | 0.4 | 43        |
| 29 | A single strain of <i>Bacteroides fragilis</i> protects gut integrity and reduces GVHD. <i>JCI Insight</i> , 2021, 6, .   | 2.3 | 43        |
| 30 | Human regulatory T cells against minor histocompatibility antigens: ex vivo expansion for prevention of graft-versus-host disease. <i>Blood</i> , 2013, 122, 2251-2261.   | 0.6 | 42        |
| 31 | Roles of CD28, CTLA4, and Inducible Costimulator in Acute Graft-versus-Host Disease in Mice. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 962-969.  | 2.0 | 41        |
| 32 | Targeting PIM Kinase with PD1 Inhibition Improves Immunotherapeutic Antitumor T-cell Response. <i>Clinical Cancer Research</i> , 2019, 25, 1036-1049.   | 3.2 | 41        |
| 33 | Pharmacologic inhibition of PKC $\delta$ and PKC $\zeta$ prevents GVHD while preserving GVL activity in mice. <i>Blood</i> , 2013, 122, 2500-2511.  | 0.6 | 37        |
| 34 | T-bet Is Critical for the Development of Acute Graft-versus-Host Disease through Controlling T Cell Differentiation and Function. <i>Journal of Immunology</i> , 2015, 194, 388-397.  | 0.4 | 37        |
| 35 | Abundant c-Fos-associated death domain-like interleukin-1 $\alpha$ -converting enzyme inhibitory protein expression determines resistance of T helper 17 cells to activation-induced cell death. <i>Blood</i> , 2009, 114, 1026-1028. | 0.6 | 36        |
| 36 | Exploiting IL-17-producing CD4 <sup>+</sup> and CD8 <sup>+</sup> T cells to improve cancer immunotherapy in the clinic. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 247-259.  | 2.0 | 35        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Ageing-dependent mitochondrial dysfunction mediated by ceramide signaling inhibits antitumor T cell response. <i>Cell Reports</i> , 2021, 35, 109076.  | 2.9 | 35        |
| 38 | A novel prognostic biomarker SPC24 up-regulated in hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 41383-41397.   | 0.8 | 33        |
| 39 | RNA binding protein PCBP1 is an intracellular immune checkpoint for shaping T cell responses in cancer immunity. <i>Science Advances</i> , 2020, 6, eaaz3865.  | 4.7 | 32        |
| 40 | Targeting the PIM protein kinases for the treatment of a T-cell acute lymphoblastic leukemia subset. <i>Oncotarget</i> , 2017, 8, 30199-30216.   | 0.8 | 32        |
| 41 | Alloantigen Affinity and CD4 Help Determine Severity of Graft-versus-Host Disease Mediated by CD8 Donor T Cells. <i>Journal of Immunology</i> , 2006, 176, 3383-3390.                                | 0.4 | 31        |
| 42 | T-Cell Metabolism in Hematopoietic Cell Transplantation. <i>Frontiers in Immunology</i> , 2018, 9, 176.  | 2.2 | 29        |
| 43 | STAT5 polarization promotes iTregs and suppresses human T-cell alloresponses while preserving CTL capacity. <i>Journal of Leukocyte Biology</i> , 2013, 95, 205-213.                                 | 1.5 | 28        |
| 44 | Regulatory B cells promote graft-versus-host disease prevention and maintain graft-versus-leukemia activity following allogeneic bone marrow transplantation. <i>Oncotarget</i> , 2017, 6, e1284721. | 2.1 | 28        |
| 45 | Thioredoxin-1 improves the immunometabolic phenotype of antitumor T cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 9198-9212.  | 1.6 | 28        |
| 46 | Thioredoxin-1 confines T cell alloresponse and pathogenicity in graft-versus-host disease. <i>Journal of Clinical Investigation</i> , 2019, 129, 2760-2774.  | 3.9 | 28        |
| 47 | PIM-2 protein kinase negatively regulates T cell responses in transplantation and tumor immunity. <i>Journal of Clinical Investigation</i> , 2018, 128, 2787-2801.                                   | 3.9 | 28        |
| 48 | Regulatory T-Cell Therapy for Graft-versus-host Disease. <i>Journal of Immunology Research and Therapy</i> , 2016, 1, 1-14.  | 1.0 | 27        |
| 49 | Essential Role of Interleukin-12/23p40 in the Development of Graft-versus-Host Disease in Mice. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1195-1204.                            | 2.0 | 26        |
| 50 | Stabilization of Foxp3 by Targeting JAK2 Enhances Efficacy of CD8 Induced Regulatory T Cells in the Prevention of Graft-versus-Host Disease. <i>Journal of Immunology</i> , 2018, 201, 2812-2823.    | 0.4 | 26        |
| 51 | Prevention of lethal acute GVHD with an agonistic CD28 antibody and rapamycin. <i>Blood</i> , 2005, 105, 1355-1361.  | 0.6 | 25        |
| 52 | HY-Specific Induced Regulatory T Cells Display High Specificity and Efficacy in the Prevention of Acute Graft-versus-Host Disease. <i>Journal of Immunology</i> , 2015, 195, 717-725.                | 0.4 | 25        |
| 53 | Systemic therapy with oncolytic myxoma virus cures established residual multiple myeloma in mice. <i>Molecular Therapy - Oncolytics</i> , 2016, 3, 16032.  | 2.0 | 25        |
| 54 | LBH589 Enhances T Cell Activation In Vivo and Accelerates Graft-versus-Host Disease in Mice. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1182-1190.e1.                            | 2.0 | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Nuclear PFKP promotes CXCR4-dependent infiltration by T cell acute lymphoblastic leukemia. <i>Journal of Clinical Investigation</i> , 2021, 131, .  | 3.9 | 23        |
| 56 | Helper T-Cell Differentiation in Graft-Versus-Host Disease After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2014, 62, 277-301.  | 1.0 | 22        |
| 57 | Complement C3a and C5a receptors promote GVHD by suppressing mitophagy in recipient dendritic cells. <i>JCI Insight</i> , 2018, 3, .  | 2.3 | 22        |
| 58 | Phosphatidylinositol 3-Kinase-Independent Signaling Pathways Contribute to ICOS-Mediated T Cell Costimulation in Acute Graft-Versus-Host Disease in Mice. <i>Journal of Immunology</i> , 2013, 191, 200-207.  | 0.4 | 19        |
| 59 | Inducible T-Cell Co-Stimulator Impacts Chronic Graft-Versus-Host Disease by Regulating Both Pathogenic and Regulatory T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1461.  | 2.2 | 19        |
| 60 | Inhibition of the IRE-1 $\pm$ /XBP-1 pathway prevents chronic GVHD and preserves the GVL effect in mice. <i>Blood Advances</i> , 2018, 2, 414-427.  | 2.5 | 18        |
| 61 | Cereblon harnesses Myc-dependent bioenergetics and activity of CD8+ T lymphocytes. <i>Blood</i> , 2020, 136, 857-870.   | 0.6 | 18        |
| 62 | <i>Rel</i> is an essential transcription factor for the development of acute graft-versus-host disease in mice. <i>European Journal of Immunology</i> , 2013, 43, 2327-2337.  | 1.6 | 17        |
| 63 | Vitamin C stabilizes CD8+ iTregs and enhances their therapeutic potential in controlling murine GVHD and leukemia relapse. <i>Blood Advances</i> , 2019, 3, 4187-4201.  | 2.5 | 16        |
| 64 | Expression of GM-CSF Is Regulated by Fli-1 Transcription Factor, a Potential Drug Target. <i>Journal of Immunology</i> , 2021, 206, 59-66.  | 0.4 | 14        |
| 65 | Modelling CAR-T therapy in humanized mice. <i>EBioMedicine</i> , 2019, 40, 25-26.   | 2.7 | 13        |
| 66 | Lower incidence of acute GVHD is associated with the rapid recovery of CD4+CD25+CD45RA+ regulatory T cells in patients who received haploidentical allografts from NIMA-mismatched donors: A retrospective (development) and prospective (validation) cohort-based study. <i>OncolImmunology</i> , 2016, 5, e1242546. | 2.1 | 11        |
| 67 | T-bet Promotes Acute Graft-versus-Host Disease by Regulating Recipient Hematopoietic Cells in Mice. <i>Journal of Immunology</i> , 2016, 196, 3168-3179.  | 0.4 | 9         |
| 68 | Interleukin-23 receptor signaling by interleukin-39 potentiates T cell pathogenicity in acute graft-versus-host disease. <i>American Journal of Transplantation</i> , 2021, 21, 3538-3549.  | 2.6 | 9         |
| 69 | NF $\kappa$ B is crucial in proximal T $\alpha$ cell signaling for calcium influx and NFAT activation. <i>European Journal of Immunology</i> , 2014, 44, 3741-3746.   | 1.6 | 8         |
| 70 | Targeting the Complement Alternative Pathway Permits Graft Versus Leukemia Activity while Preventing Graft Versus Host Disease. <i>Clinical Cancer Research</i> , 2020, 26, 3481-3490.  | 3.2 | 7         |
| 71 | MicroRNA-31 regulates T-cell metabolism via HIF1 $\pm$ and promotes chronic GVHD pathogenesis in mice. <i>Blood Advances</i> , 2022, 6, 3036-3052.  | 2.5 | 7         |
| 72 | Ceramide synthase 6 impacts T-cell allogeneic response and graft-versus-host disease through regulating N-RAS/ERK pathway. <i>Leukemia</i> , 2022, 36, 1907-1915.   | 3.3 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Editorial: Pathogenesis and Therapy of Graft-versus-Host Disease. <i>Frontiers in Immunology</i> , 2019, 10, 1797.   | 2.2 | 6         |
| 74 | Role of corticotrophin releasing hormone in cerebral infarction-related gastrointestinal barrier dysfunction. <i>World Journal of Emergency Medicine</i> , 2011, 2, 59-65.   | 0.5 | 6         |
| 75 | Targeting PKC $\delta$ in alloreactivity and graft-versus-host-disease: unanswered questions and therapeutic potential. <i>Frontiers in Immunology</i> , 2012, 3, 259.   | 2.2 | 5         |
| 76 | Lysosomal Acid Lipase Is Required for Donor T Cells to Induce Graft-versus-Host Disease. <i>Cell Reports</i> , 2020, 33, 108316.   | 2.9 | 5         |
| 77 | STING negatively regulates allogeneic T-cell responses by constraining antigen-presenting cell function. <i>Cellular and Molecular Immunology</i> , 2021, 18, 632-643.   | 4.8 | 5         |
| 78 | Targeting JAK2 By Gene Knockout or Pacritinib Treatment Reduces Gvhd and Xenograft Rejection By Promoting Induced Treg Differentiation. <i>Blood</i> , 2015, 126, 1874-1874.   | 0.6 | 5         |
| 79 | IL-17A $\delta$ Th17 in GvHD. <i>Cellular and Molecular Immunology</i> , 2018, 15, 282-283.  | 4.8 | 3         |
| 80 | Donor T-Cell Repertoire Profiling in Recipient Lymphoid and Parenchyma Organs Reveals GVHD Pathogenesis at Clonal Levels After Bone Marrow Transplantation in Mice. <i>Frontiers in Immunology</i> , 2021, 12, 778996.   | 2.2 | 3         |
| 81 | Tolerance induction between two different strains of parental mice prevents graft-versus-host disease in haploidentical hematopoietic stem cell transplantation to F1 mice. <i>Biochemical and Biophysical Research Communications</i> , 2014, 446, 1035-1041. | 1.0 | 2         |
| 82 | T-Cell Costimulation and Coinhibition in Graft-Versus-Host Disease and Graft-Versus-Leukemia Effect. , 2019, , 167-194.  |     | 2         |
| 83 | Clarifying the translational potential of B-109. <i>Nature Chemical Biology</i> , 2020, 16, 1152-1152.   | 3.9 | 2         |
| 84 | Allogeneic T Cells Utilize Glycolysis As the Predominant Metabolic Pathway to Induce Acute Graft-Versus-Host Disease. <i>Blood</i> , 2014, 124, 2419-2419.   | 0.6 | 2         |
| 85 | IL-27 Receptor Signaling on T cells Augments GVHD Severity through Enhancing Th1 Responses. <i>Journal of Immunology Research and Therapy</i> , 2018, 3, 151-157.  | 1.0 | 2         |
| 86 | XBP-1s Promotes B Cell Pathogenicity in Chronic GVHD by Restraining the Activity of Regulated IRE-1 $\alpha$ -Dependent Decay. <i>Frontiers in Immunology</i> , 2021, 12, 705484.  | 2.2 | 1         |
| 87 | Targeting Host Complement C3a/C5a Receptors to Control of Acute Graft-Versus-Host Disease in Mice. <i>Blood</i> , 2015, 126, 3076-3076.  | 0.6 | 1         |
| 88 | Enhance T Cell Immunotherapy By Targeting PIM-2 Kinase. <i>Blood</i> , 2016, 128, 815-815.   | 0.6 | 1         |
| 89 | Microrna-17-92 Cluster: Novel Target for Controlling Gvhd While Preserving GVL Effect. <i>Blood</i> , 2014, 124, 845-845.  | 0.6 | 1         |
| 90 | Fli-1 Regulates Multiple T-Cell Subsets during Inflammatory Responses and Experimental Graft-Versus-Host Disease. <i>Blood</i> , 2019, 134, 3201-3201.   | 0.6 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | 2050 Identifying the role and immunobiological mechanisms of Fli-1 mediated pathogenicity in graft Versus host disease. Journal of Clinical and Translational Science, 2018, 2, 14-15. | 0.3 | 0         |
| 92  | Genetic and Pharmacologic Inhibition of PKC $\zeta$ , and PKC $\delta$ Prevents Acute Gvhd While Sparing GVL Activity in Mice.. Blood, 2012, 120, 3000-3000.                           | 0.6 | 0         |
| 93  | T-Bet Is Critical for the Development of Acute Graft-Versus-Host Disease Through Controlling T Cell Differentiation and Function. Blood, 2012, 120, 452-452.                           | 0.6 | 0         |
| 94  | Dynamic Changes and Impact of Myeloid Derived Suppressor Cells in Allogeneic Bone Marrow Transplantation in Mice.. Blood, 2012, 120, 2999-2999.  | 0.6 | 0         |
| 95  | High Efficacy of Alloantigen-Specific Induced Regulatory T Cells in the Prevention of Acute Graft-Versus-Host Disease in Mice. Blood, 2012, 120, 4112-4112.                            | 0.6 | 0         |
| 96  | Perfecting Adoptive Cellular Therapy for Graft-Versus-Host Disease: Alloreactive Induced T Regulatory Cells. Blood, 2014, 124, 3813-3813.  | 0.6 | 0         |
| 97  | T-Bet Is Critical for the Development of Acute Graft-Versus-Host Disease By Regulating Hematopoietic Antigen Presenting Cells. Blood, 2014, 124, 846-846.                              | 0.6 | 0         |
| 98  | PIM2 Kinase Regulates T-Cell Alloresponses and Graft-Versus-Host Disease in Mice. Blood, 2015, 126, 3074-3074.   | 0.6 | 0         |
| 99  | CD8 Tregs Promote Gvhd Prevention and Restore Impaired GVL Effect Mediated By CD4 Tregs in Mice. Blood, 2015, 126, 1873-1873.  | 0.6 | 0         |
| 100 | Inhibition of Alternative Complement Pathway in Target Organs Represents a Novel and Effective Approach to Control Gvhd While Sparing GVL Effect. Blood, 2016, 128, 807-807.           | 0.6 | 0         |
| 101 | Therapeutic Targeting of PIM Protein Kinases in a Subset of T-Cell Acute Lymphoblastic Leukemia. Blood, 2016, 128, 2742-2742.  | 0.6 | 0         |
| 102 | Prevention of Chronic Gvhd By Targeting Xbp-1 Genetically or Pharmacologically in Mice. Blood, 2016, 128, 4541-4541.   | 0.6 | 0         |
| 103 | MiR-17-92 Is Required for the Pathogenicity of T and B Cells in Chronic Gvhd. Blood, 2016, 128, 4535-4535.   | 0.6 | 0         |
| 104 | Abstract 5820: Targeting the PIM protein kinases for the treatment of a T-cell acute lymphoblastic leukemia subset. , 2017, , .  |     | 0         |
| 105 | Association of Donor T Cell Repertoire in Host Lymphoid and Target Organs and Gvhd Development. Blood, 2018, 132, 4525-4525.   | 0.6 | 0         |
| 106 | Vitamin C Stabilizes CD8 $\alpha$ Tregs and Enhances Their Therapeutic Potential in Controlling GvHD and Leukemia Relapse. Blood, 2018, 132, 4532-4532.                                | 0.6 | 0         |
| 107 | RNA-Binding Protein PCBP1/hnRNP E1 is an Intracellular Checkpoint for Shaping Effector Versus Regulatory T Cells in Immunity and Cancer. SSRN Electronic Journal, 0, , .               | 0.4 | 0         |
| 108 | Microrna-31 Regulates T-Cell Metabolism Via HIF1 $\alpha$ and Promotes Effector Function. Blood, 2019, 134, 623-623.   | 0.6 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Potential Role of IL-39 in the Development of Gvhd. Blood, 2019, 134, 3206-3206.  | 0.6 | 0         |
| 110 | S1P/S1PR1 Signaling Required for Optimal T-Cell Pathogenicity to Induce Gvhd By Regulating Drp1/mTOR Axis. Blood, 2021, 138, 643-643. | 0.6 | 0         |
| 111 | Ridd Is Required for the Prevention of Chronic Gvhd By Targeting IRE-1a/Xbp-1s Signaling. Blood, 2021, 138, 1681-1681.                | 0.6 | 0         |
| 112 | Targeting Pim2 for Improving T-Cell Effector Function and Promoting Cancer Immunotherapy. Blood, 2021, 138, 1720-1720.                | 0.6 | 0         |
| 113 | Sting Negatively Regulates Allogeneic T-Cell Responses By Constraining Antigen-Presenting Cell Function. Blood, 2020, 136, 37-38.     | 0.6 | 0         |