

# Brigitte Bauvois

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3234207/brigitte-bauvois-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64  
papers

2,139  
citations

26  
h-index

45  
g-index

68  
ext. papers

2,306  
ext. citations

6.3  
avg, IF

5.14  
L-index

#	Paper	IF	Citations
64	Activation of Interferon Signaling in Chronic Lymphocytic Leukemia Cells Contributes to Apoptosis Resistance via a JAK-Src/STAT3/Mcl-1 Signaling Pathway. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	2
63	Relation of Neutrophil Gelatinase-Associated Lipocalin Overexpression to the Resistance to Apoptosis of Tumor B Cells in Chronic Lymphocytic Leukemia. <i>Cancers</i> , <b>2020</b> , 12,	6.6	2
62	Revisiting Neutrophil Gelatinase-Associated Lipocalin (NGAL) in Cancer: Saint or Sinner?. <i>Cancers</i> , <b>2018</b> , 10,	6.6	28
61	Aldosterone and Vascular Mineralocorticoid Receptors in Murine Endotoxic and Human Septic Shock. <i>Critical Care Medicine</i> , <b>2017</b> , 45, e954-e962	1.4	24
60	Concomitant elevations of MMP-9, NGAL, proMMP-9/NGAL and neutrophil elastase in serum of smokers with chronic obstructive pulmonary disease. <i>Journal of Cellular and Molecular Medicine</i> , <b>2017</b> , 21, 1280-1291	5.6	17
59	The CNGRC-GG-D(KLAKLAK)2 peptide induces a caspase-independent, Ca <sup>2+</sup> -dependent death in human leukemic myeloid cells by targeting surface aminopeptidase N/CD13. <i>Oncotarget</i> , <b>2016</b> , 7, 19445-19457	3.3	12
58	In vitro activity of some flavonoid derivatives on human leukemic myeloid cells: evidence for aminopeptidase-N (CD13) inhibition, antiproliferative and cell death properties. <i>AIMS Molecular Science</i> , <b>2016</b> , 3, 368-385	0.9	3
57	Accumulation and Changes in Composition of Collagens in Subcutaneous Adipose Tissue After Bariatric Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 293-304	5.6	60
56	Matrix Metalloproteinase-9 (279R/Q) Polymorphism is Associated with Clinical Severity and Airflow Limitation in Tunisian Patients with Chronic Obstructive Pulmonary Disease. <i>Molecular Diagnosis and Therapy</i> , <b>2015</b> , 19, 375-87	4.5	4
55	Neutrophil Gelatinase-Associated Lipocalin (NGAL), Pro-Matrix Metalloproteinase-9 (pro-MMP-9) and Their Complex Pro-MMP-9/NGAL in Leukaemias. <i>Cancers</i> , <b>2014</b> , 6, 796-812	6.6	38
54	Targeting CD13 (aminopeptidase-N) in turn downregulates ADAM17 by internalization in acute myeloid leukaemia cells. <i>Oncotarget</i> , <b>2014</b> , 5, 8211-22	3.3	10
53	p70S6 kinase is a target of the novel proteasome inhibitor 3,3Rdiamino-4Rmethoxyflavone during apoptosis in human myeloid tumor cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2013</b> , 1833, 1316-28	4.9	14
52	New facets of matrix metalloproteinases MMP-2 and MMP-9 as cell surface transducers: outside-in signaling and relationship to tumor progression. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , <b>2012</b> , 1825, 29-36	11.2	257
51	Hyperforin induces apoptosis of chronic lymphocytic leukemia cells through upregulation of the BH3-only protein Noxa. <i>International Journal of Oncology</i> , <b>2012</b> , 40, 269-76	4.4	7
50	Hyperforin inhibits Akt1 kinase activity and promotes caspase-mediated apoptosis involving Bad and Noxa activation in human myeloid tumor cells. <i>PLoS ONE</i> , <b>2011</b> , 6, e25963	3.7	33
49	Aminopeptidase-N/CD13 is a potential proapoptotic target in human myeloid tumor cells. <i>FASEB Journal</i> , <b>2011</b> , 25, 2831-42	0.9	40
48	Types I and II interferons upregulate the costimulatory CD80 molecule in monocytes via interferon regulatory factor-1. <i>Biochemical Pharmacology</i> , <b>2009</b> , 78, 514-22	6	18

47	Allium compounds, dipropyl and dimethyl thiosulfinates as antiproliferative and differentiating agents of human acute myeloid leukemia cell lines. <i>Biologics: Targets and Therapy</i> , <b>2008</b> , 2, 885-95	4.4	9
46	Differential regulation of tumor necrosis factor-alpha-converting enzyme and angiotensin-converting enzyme by type I and II interferons in human normal and leukemic myeloid cells. <i>Oncogene</i> , <b>2007</b> , 26, 102-10	9.2	11
45	Specific changes in plasma concentrations of matrix metalloproteinase-2 and -9, TIMP-1 and TGF-beta1 in patients with distinct types of primary glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 1115-22	4.3	32
44	Aminopeptidase-N/CD13 (EC 3.4.11.2) inhibitors: chemistry, biological evaluations, and therapeutic prospects. <i>Medicinal Research Reviews</i> , <b>2006</b> , 26, 88-130	14.4	196
43	Protein tyrosine kinase and p38 MAP kinase pathways are involved in stimulation of matrix metalloproteinase-9 by TNF-alpha in human monocytes. <i>Immunology Letters</i> , <b>2006</b> , 106, 34-41	4.1	39
42	Inhibition of matrix metalloproteinase-9 by interferons and TGF-beta1 through distinct signalings accounts for reduced monocyte invasiveness. <i>FEBS Letters</i> , <b>2005</b> , 579, 5487-93	3.8	20
41	Transmembrane proteases in cell growth and invasion: new contributors to angiogenesis?. <i>Oncogene</i> , <b>2004</b> , 23, 317-29	9.2	134
40	Synthesis and biological evaluation of novel flavone-8-acetic acid derivatives as reversible inhibitors of aminopeptidase N/CD13. <i>Journal of Medicinal Chemistry</i> , <b>2003</b> , 46, 3900-13	8.3	75
39	Similar increased serum dipeptidyl peptidase IV activity in chronic hepatitis C and other viral infections. <i>Journal of Clinical Virology</i> , <b>2003</b> , 27, 59-68	14.5	35
38	Matrix metalloproteinase-9 silencing by RNA interference triggers the migratory-adhesive switch in Ewing's sarcoma cells. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 36537-46	5.4	93
37	Development of potent and selective dipeptidyl peptidase II inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2002</b> , 12, 2825-8	2.9	35
36	Interferons inhibit tumor necrosis factor-alpha-mediated matrix metalloproteinase-9 activation via interferon regulatory factor-1 binding competition with NF-kappa B. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 35766-75	5.4	89
35	Interactions between human monocytes and fibronectin are suppressed by interferons $\alpha$ and $\beta$ but not $\gamma$ Correlation with Rho-paxillin signaling. <i>International Journal of Molecular Medicine</i> , <b>2002</b> , 10, 25	4.4	1
34	Production of matrix metalloproteinase-9 in early stage B-CLL: suppression by interferons. <i>Leukemia</i> , <b>2002</b> , 16, 791-8	10.7	85
33	gamma-Glutamyl transpeptidase expression in Ewing's sarcoma cells: up-regulation by interferons. <i>Biochemical Journal</i> , <b>2002</b> , 364, 719-24	3.8	21
32	A new acivicin prodrug designed for tumor-targeted delivery. <i>Bioorganic and Medicinal Chemistry</i> , <b>2001</b> , 9, 2843-8	3.4	39
31	Ectopeptidases in pathophysiology. <i>BioEssays</i> , <b>2001</b> , 23, 251-60	4.1	54
30	Targeting of acivicin prodrugs as antibody conjugates. <i>Journal of Controlled Release</i> , <b>2001</b> , 74, 255-7	11.7	2

29	Reanalysis of the involvement of gamma-glutamyl transpeptidase in the cell activation process. <i>FEBS Letters</i> , <b>2001</b> , 508, 226-30	3.8	5
28	Regulation of CD26/DPPIV gene expression by interferons and retinoic acid in tumor B cells. <i>Oncogene</i> , <b>2000</b> , 19, 265-72	9.2	61
27	Loss of alpha5beta1-mediated adhesion of monocytic cells to fibronectin by interferons beta and gamma is associated with changes in actin and paxillin cytoskeleton. <i>The Hematology Journal</i> , <b>2000</b> , 1, 172-80		2
26	Upregulation of CD38 gene expression in leukemic B cells by interferon types I and II. <i>Journal of Interferon and Cytokine Research</i> , <b>1999</b> , 19, 1059-66	3.5	35
25	Constitutive expression of CD26/dipeptidylpeptidase IV on peripheral blood B lymphocytes of patients with B chronic lymphocytic leukaemia. <i>British Journal of Cancer</i> , <b>1999</b> , 79, 1042-8	8.7	39
24	Production of nitric oxide (NO) in human hydatidosis: relationship between nitrite production and interferon-gamma levels. <i>Biochimie</i> , <b>1998</b> , 80, 739-44	4.6	68
23	TGF-beta 1-stimulated adhesion of human mononuclear phagocytes to fibronectin and laminin is abolished by IFN-gamma: dependence on alpha 5 beta 1 and beta 2 integrins. <i>Experimental Cell Research</i> , <b>1996</b> , 222, 209-17	4.2	45
22	Synergistic effect of prolactin on IFN-gamma-mediated growth arrest in human monoblastic cells: correlation with the up-regulation of IFN-gamma receptor gene expression. <i>Immunology Letters</i> , <b>1996</b> , 53, 125-30	4.1	6
21	Protease-catalyzed conversion of insulin-like growth factor-1 and interleukin-6 into high-molecular-mass species through the sequential action of hematopoietic surface-associated cathepsin G and gamma-glutamyl transpeptidase-related activities. <i>FEBS Journal</i> , <b>1994</b> , 223, 617-24		5
20	Distinct cellular functions mediated by haemopoietic cell-surface proteases. <i>Advances in Neuroimmunology</i> , <b>1993</b> , 3, 171-181		1
19	Divergent regulation of cell surface protease expression in HL-60 cells differentiated into macrophages with granulocyte macrophage colony stimulating factor or neutrophils with retinoic acid. <i>International Immunology</i> , <b>1993</b> , 5, 965-73	4.9	24
18	Inactivation of interleukin-6 in vitro by monoblastic U937 cell plasma membranes involves both protease and peptidyl-transferase activities. <i>FEBS Journal</i> , <b>1993</b> , 215, 825-31		26
17	Characterization and modulation of cell surface proteases on human myeloblastic (HL-60) cells and comparison to normal myeloid cells. <i>Immunology Letters</i> , <b>1992</b> , 34, 257-65	4.1	10
16	Characterization of specific proteases associated with the surface of human skin fibroblasts, and their modulation in pathology. <i>Journal of Cellular Physiology</i> , <b>1992</b> , 151, 378-85	7	34
15	Human U937 cell surface peptidase activities: characterization and degradative effect on tumor necrosis factor-alpha. <i>European Journal of Immunology</i> , <b>1992</b> , 22, 923-30	6.1	66
14	21.1.1, a novel activation marker of T and B cells. <i>Molecular Immunology</i> , <b>1991</b> , 28, 417-26	4.3	4
13	Murine thymocytes possess specific cell surface-associated exoaminopeptidase activities: preferential expression by immature CD4-CD8- subpopulation. <i>European Journal of Immunology</i> , <b>1990</b> , 20, 459-68	6.1	25
12	Characterization of rat T cell precursors sorted by chemotactic migration toward thymotaxin. <i>Cell</i> , <b>1989</b> , 56, 1073-83	56.2	26

11	Aspects of haemopoietic cell dynamics: ontogeny and targeted migration. <i>Annales De L'Institut Pasteur Immunologie</i> , <b>1988</b> , 139, 409-31		9
10	Initial adhesion of murine fibroblasts to collagen and fibronectin occurs by two mechanisms. <i>Cell Biochemistry and Function</i> , <b>1987</b> , 5, 281-7	4.2	4
9	A collagen:glucosyltransferase at the surface of malignant fibroblasts. <i>Journal of Cellular Physiology</i> , <b>1985</b> , 124, 213-8	7	5
8	Characterization of a sialyl alpha 2-3 transferase and a sialyl alpha 2-6 transferase from human platelets occurring in the sialylation of the N-glycosylproteins. <i>BBA - Proteins and Proteomics</i> , <b>1984</b> , 788, 234-40		5
7	Discrimination between activity of (alpha 2-3)-sialyltransferase and (alpha 2-6)-sialyltransferase in human platelets using p-nitrophenyl-beta-D-galactoside as acceptor. <i>FEBS Journal</i> , <b>1982</b> , 121, 567-72		16
6	Membrane glycoprotein IIb is the major endogenous acceptor for human platelet ectosialyltransferase. <i>FEBS Letters</i> , <b>1981</b> , 125, 277-81	3.8	10
5	Glycoprotein-sialyltransferase activity of normal human, thrombasthenic and Bernard-Soulier platelets. <i>Vox Sanguinis</i> , <b>1981</b> , 40, 71-8	3.1	5
4	Interaction of adenosine and adenylnucleotides with the human platelet membrane. Further characterization of the ADP binding sites. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , <b>1980</b> , 9, 92-104		
3	ABH and Lewis glycosyltransferases in human red cells, lymphocytes and platelets. <i>Revue Française De Transfusion Et Immuno-hématologie</i> , <b>1980</b> , 23, 271-82		19
2	Comparative degradation of adenylnucleotides by cultured endothelial cells and fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , <b>1978</b> , 85, 183-9	3.4	35
1	Heterogeneity of antibodies to adenosine 5Rmonophosphate. <i>Nucleic Acids and Protein Synthesis</i> , <b>1976</b> , 454, 1-8		6