

Patricia Correa-Ghisays

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3234743/publications.pdf>

Version: 2024-02-01

24
papers

864
citations

759233

12
h-index

713466

21
g-index

25
all docs

25
docs citations

25
times ranked

864
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	7.2	269
2	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	4.5	103
3	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.	2.8	95
4	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54.	4.1	71
5	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.	4.5	60
6	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.7	52
7	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.	4.5	43
8	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.7	26
9	Manual motor speed dysfunction as a neurocognitive endophenotype in euthymic bipolar disorder patients and their healthy relatives. Evidence from a 5-year follow-up study. <i>Journal of Affective Disorders</i> , 2017, 215, 156-162.	4.1	26
10	Staging, Neurocognition and Social Functioning in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 709.	2.6	21
11	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010, 10, 47.	2.6	13
12	Motor and Cognitive Performance in Patients with Liver Cirrhosis with Minimal Hepatic Encephalopathy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2154.	2.4	13
13	Cannabis use in male and female first episode of non-affective psychosis patients: Long-term clinical, neuropsychological and functional differences. <i>PLoS ONE</i> , 2017, 12, e0183613.	2.5	12
14	Visual memory dysfunction as a neurocognitive endophenotype in bipolar disorder patients and their unaffected relatives. Evidence from a 5-year follow-up Valencia study.. <i>Journal of Affective Disorders</i> , 2019, 257, 31-37.	4.1	12
15	Is processing speed a valid neurocognitive endophenotype in bipolar disorder? Evidence from a longitudinal, family study. <i>Journal of Psychiatric Research</i> , 2021, 141, 241-247.	3.1	10
16	Grip Strength, Neurocognition, and Social Functioning in People With Type-2 Diabetes Mellitus, Major Depressive Disorder, Bipolar Disorder, and Schizophrenia. <i>Frontiers in Psychology</i> , 2020, 11, 525231.	2.1	9
17	Education and long-term outcomes in first episode psychosis: 10-year follow-up study of the PAFIP cohort. <i>Psychological Medicine</i> , 2023, 53, 66-77.	4.5	8
18	Specific metabolic syndrome components predict cognition and social functioning in people with type 2 diabetes mellitus and severe mental disorders. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 215-226.	4.5	7

#	ARTICLE	IF	CITATIONS
19	Age of onset of Cannabis use and cognitive function in first-episode non-affective psychosis patients: Outcome at three-year follow-up. Schizophrenia Research, 2018, 201, 159-166.	2.0	6
20	Immune-Inflammatory Biomarkers Predict Cognition and Social Functioning in Patients With Type 2 Diabetes Mellitus, Major Depressive Disorder, Bipolar Disorder, and Schizophrenia: A 1-Year Follow-Up Study. Frontiers in Neurology, 2022, 13, .	2.4	4
21	Transdiagnostic neurocognitive deficits in patients with type 2 diabetes mellitus, major depressive disorder, bipolar disorder, and schizophrenia: A 1-year follow-up study. Journal of Affective Disorders, 2022, 300, 99-108.	4.1	3
22	Relevance of Sociodemographics and Clinical Tests in Single- and Dual-Task Conditions as Gait Speed Predictors of Parkinson's Disease. Journal of Clinical Medicine, 2022, 11, 757.	2.4	1
23	Suitable cognitive endophenotypes from a family and prospective study of schizophrenia and bipolar disorder. International Clinical Psychopharmacology, 2011, 26, e62-e63.	1.7	0
24	Neuroplasticidad y deterioro cognitivo en trastornos mentales graves desde un enfoque neuropsicológico. , 0, , .		0