
Lorenzo Tarsitani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3234846/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Post-Traumatic Stress Symptoms in Healthcare Workers Dealing with the COVID-19 Pandemic: A Systematic Review. International Journal of Environmental Research and Public Health, 2021, 18, 601. | 2.6 | 187 |
| 2 | Post-traumatic Stress Disorder Among COVID-19 Survivors at 3-Month Follow-up After Hospital Discharge. Journal of General Internal Medicine, 2021, 36, 1702-1707. | 2.6 | 98 |
| 3 | Heterogeneity and symptom structure of schizophrenia. Psychiatry Research, 2012, 198, 386-394. | 3.3 | 64 |
| 4 | Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2021, 90, 403-414. | 8.8 | 57 |
| 5 | Randomized double-blind comparison of serotonergic (Citalopram) versus noradrenergic (Reboxetine) reuptake inhibitors in outpatients with somatoform, DSM-IV-TR pain disorder. European Journal of Pain, 2005, 9, 33-38. | 2.8 | 53 |
| 6 | Alexithymia in multiple sclerosis: relationship with fatigue and depression. Acta Neurologica Scandinavica, 2008, 118, 18-23. | 2.1 | 48 |
| 7 | Triggers for Atrial Fibrillation: The Role of Anxiety. Cardiology Research and Practice, 2019, 2019, 1-5. | 1.1 | 45 |
| 8 | Abnormal resting state functional connectivity of the periaqueductal grey in patients with fibromyalgia. Clinical and Experimental Rheumatology, 2016, 34, S129-33. | 0.8 | 45 |
| 9 | Combined Pharmacological and Short-Term Psychodynamic Psychotherapy for Probable Medication Overuse Headache: A Pilot Study. Cephalalgia, 2009, 29, 293-299. | 3.9 | 40 |
| 10 | Somatization in Primary Care: A Comparative Survey of Immigrants from Various Ethnic Groups in Rome, Italy. International Journal of Psychiatry in Medicine, 2005, 35, 241-248. | 1.8 | 39 |
| 11 | A randomised controlled trial of the effectiveness of a program for early detection and treatment of depression in primary care. Journal of Affective Disorders, 2016, 198, 96-101. | 4.1 | 35 |
| 12 | Attachment Security and Immunity in Healthy Women. Psychosomatic Medicine, 2007, 69, 40-46. | 2.0 | 34 |
| 13 | Binge eating and purging in firstâ€year college students: Prevalence, psychiatric comorbidity, and academic performance. International Journal of Eating Disorders, 2020, 53, 339-348. | 4.0 | 33 |
| 14 | The Relationship Between Executive Functions and Capacity to Consent to Treatment in Acute Psychiatric Hospitalization. Journal of Empirical Research on Human Research Ethics, 2012, 7, 63-70. | 1.3 | 32 |
| 15 | Development and validation of the Italian version of the 15-item dispositional resilience scale. Rivista Di Psichiatria, 2012, 47, 231-7. | 0.6 | 32 |
| 16 | Acute psychiatric treatment and the use of physical restraint in first-generation immigrants in Italy: A prospective concurrent study. International Journal of Social Psychiatry, 2013, 59, 613-618. | 3.1 | 30 |
| 17 | Mental Capacity in Patients Involuntarily or Voluntarily Receiving Psychiatric Treatment for an Acute Mental Disorder. Journal of Forensic Sciences, 2014, 59, 1002-1007. | 1.6 | 30 |
| 18 | What every psychiatrist should know about PANDAS: a review. Clinical Practice and Epidemiology in Mental Health, 2008, 4, 13. | 1.2 | 29 |

LORENZO TARSITANI

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. BMJ Open, 2019, 9, e030259. | 1.9 | 27 |
| 20 | Covidâ€19 sequelae in working age patients: A systematic review. Journal of Medical Virology, 2022, 94, 858-868. | 5.0 | 26 |
| 21 | Attachment style and immunity: A 1-year longitudinal study. Biological Psychology, 2013, 92, 353-358. | 2.2 | 21 |
| 22 | Combining an SSRI with an anticonvulsant in depressed patients with dysphoric mood: an open study. Clinical Practice and Epidemiology in Mental Health, 2007, 3, 3. | 1.2 | 19 |
| 23 | Treatment with β-Blockers and Incidence of Post-Traumatic Stress Disorder After Cardiac Surgery: A Prospective Observational Study. Journal of Cardiothoracic and Vascular Anesthesia, 2012, 26, 265-269. | 1.3 | 19 |
| 24 | Perceived insecurity, mental health and urbanization: Results from a multicentric study. International Journal of Social Psychiatry, 2016, 62, 252-261. | 3.1 | 18 |
| 25 | The effect of trauma and dissociation on the outcome of cognitive behavioural therapy for binge eating disorder: A 6â€month prospective study. European Eating Disorders Review, 2020, 28, 309-317. | 4.1 | 18 |
| 26 | The Association of Anger with Symptom Subtypes in Severe Obsessive-Compulsive Disorder Outpatients. Psychopathology, 2016, 49, 40-46. | 1.5 | 14 |
| 27 | The association between social media addiction and eating disturbances is mediated by muscle dysmorphia-related symptoms: a cross-sectional study in a sample of young adults. Eating and Weight Disorders, 2022, 27, 1131-1140. | 2.5 | 14 |
| 28 | Assessment of Subjective Stress in Video Display Terminal Workers. Industrial Health, 2006, 44, 291-295. | 1.0 | 13 |
| 29 | Cinematic clinical psychiatric cases in graduate medical education. Medical Education, 2004, 38, 1187-1187. | 2.1 | 12 |
| 30 | Assessment of subjective stress in the municipal police force at the start and at the end of the shift. Stress and Health, 2006, 22, 239-247. | 2.6 | 11 |
| 31 | Association of traumatic events with levels of psychological distress and depressive symptoms in male asylum seekers and refugees resettled in Italy. BMC Psychiatry, 2020, 20, 576. | 2.6 | 11 |
| 32 | Free will, neuroscience, and choice: towards a decisional capacity model for insanity defense evaluations. Rivista Di Psichiatria, 2017, 52, 9-15. | 0.6 | 11 |
| 33 | The Relationship between Alexithymia and Circulating Cytokine Levels in Subjects Undergoing Upper Endoscopy. NeuroImmunoModulation, 2011, 18, 37-44. | 1.8 | 10 |
| 34 | The association of problematic use of social media and online videogames with aggression is mediated by insomnia severity: A crossâ€sectional study in a sample of 18―to 24â€yearâ€old individuals. Aggressive Behavior, 2022, 48, 348-355. | 2.4 | 10 |
| 35 | Post-Traumatic Stress Disorder Trajectories the Year after COVID-19 Hospitalization. International Journal of Environmental Research and Public Health, 2022, 19, 8452. | 2.6 | 10 |
| 36 | Psychopathological Assessment of Risk of Restraint in Acute Psychiatric Patients. Journal of Nervous and Mental Disease, 2017, 205, 458-465. | 1.0 | 9 |

| # | Article | IF | CITATIONS |
|----|---|-------------|---------------|
| 37 | Depressive Symptoms among Individuals Hospitalized with COVID-19: Three-Month Follow-Up. Brain Sciences, 2021, 11, 1175. | 2.3 | 9 |
| 38 | Development and validation of a Stress-related Vulnerability Scale. Epidemiologia E Psichiatria Sociale, 2010, 19, 178-182. | 0.9 | 8 |
| 39 | Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. Trials, 2020, 21, 695. | 1.6 | 8 |
| 40 | Involuntary psychiatric hospitalization among migrants in Italy: A matched sample study. International Journal of Social Psychiatry, 2022, 68, 429-434. | 3.1 | 8 |
| 41 | Brief Psychiatric Rating Scale-Expanded (BPRS-E) factor analysis in involuntarily hospitalized psychiatric patients. Psychiatry Research, 2019, 279, 380-381. | 3.3 | 7 |
| 42 | Mental uneasiness, perceived stress and help-seeking in a non-resident university student sample (in) Tj ETQq0 | 0 0 rgBT /0 | Dverlock 10 T |
| 43 | Development and preliminary validation of the PCâ€SAD5, a screenerâ€derived short depression severity measure. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 165-171. | 2.4 | 6 |
| 44 | CBT Group Intervention for Depression, Anxiety, and Motor Symptoms in Parkinson's Disease: Preliminary Findings. International Journal of Cognitive Therapy, 2015, 8, 11-20. | 2.2 | 6 |
| 45 | Oral Bacteriotherapy Reduces the Occurrence of Chronic Fatigue in COVID-19 Patients. Frontiers in Nutrition, 2021, 8, 756177. | 3.7 | 6 |
| 46 | Problematic Use of the Internet Mediates the Association between Reduced Mentalization and Suicidal Ideation: A Cross-Sectional Study in Young Adults. Healthcare (Switzerland), 2022, 10, 948. | 2.0 | 6 |
| 47 | DSM-IV-TR "Pain Disorder Associated with Psychological Factors―as a Nonhysterical Form of Somatization. Pain Research and Management, 2008, 13, 13-18. | 1.8 | 5 |
| 48 | Fatigue Experiences Among OCD Outpatients. Psychiatric Quarterly, 2015, 86, 615-624. | 2.1 | 5 |
| 49 | Measuring depression with questions about well-being: a study on psychiatric outpatients. Rivista Di Psichiatria, 2012, 47, 304-8. | 0.6 | 5 |
| 50 | Antiglutamatergic agents for obsessive-compulsive disorder: Where are we now and what are possible future prospects?. World Journal of Psychiatry, 2021, 11, 568-580. | 2.7 | 3 |
| 51 | Perceived Stress and Life Events in Patients Affected by Schizophrenia and Schizoaffective and Bipolar Disorder: Is There a Role for Self-Reported Basic Symptoms?. Psychopathology, 2021, 54, 1-8. | 1.5 | 2 |
| 52 | Relationship between the core features of Tellenbach's Typus Melancholicus and unipolar depressive disorders: a cross-sectional study. Rivista Di Psichiatria, 2020, 55, 191-194. | 0.6 | 2 |
| 53 | Psychic euosmia and obsessive compulsive personality disorder. World Journal of Psychiatry, 2018, 8, 105-107. | 2.7 | 2 |
| 54 | Links between immunity and conditions leading to psychotherapy. Rivista Di Psichiatria, 2009, 44, 149-63. | 0.6 | 2 |

LORENZO TARSITANI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The role of stress and psychiatric comorbidities as targets of non-pharmacological therapeutic approaches for migraine. Rivista Di Psichiatria, 2020, 55, 262-268. | 0.6 | 2 |
| 56 | Patients' Expectations for Antidepressant Treatment Outcome. Psychotherapy and Psychosomatics, 2009, 78, 390-391. | 8.8 | 1 |
| 57 | Evaluation of the capacity to consent to treatment among patients with bipolar disorder: Comparison between the acute psychopathological episode and the stable mood phase. Journal of Affective Disorders Reports, 2020, 2, 100037. | 1.7 | 1 |
| 58 | Psychomotor Agitation and Aggression. , 2021, , 1-23. | | 1 |
| 59 | Suicide risk and suicide risk factors among immigrants in Italy: A bi-center matched sample study. International Journal of Social Psychiatry, 2023, 69, 111-116. | 3.1 | 1 |
| 60 | Gender modulation of psychopathological dimensions associated to suicidality Rivista Di Psichiatria, 2022, 57, 23-32. | 0.6 | 1 |
| 61 | The Reality Distortion and Thought Disorganisation Dimensions. , 2018, , 127-158. | | 0 |
| 62 | Psychic euosmia among obsessive-compulsive personality disorder patients: A case control study. World Journal of Psychiatry, 2021, 11, 50-57. | 2.7 | 0 |
| 63 | Compared with fluoxetine monotherapy, mirtazapine plus venlafaxine or fluoxetine increase remission but not response in patients with major depressive disorder. Evidence-Based Mental Health, 2010, 13, 83-83. | 4.5 | 0 |