

Mehmet Engin Tezcan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3235105/publications.pdf>

Version: 2024-02-01

75
papers

550
citations

687363

13
h-index

713466

21
g-index

76
all docs

76
docs citations

76
times ranked

1015
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic syndrome may be more frequent in treatment-naive sarcoidosis patients. Zeitschrift Fur Rheumatologie, 2024, 83, 154-159.	1.0	2
2	Assessment of proarrhythmic ventricular electrophysiological remodeling in patients with rheumatoid arthritis. Herz, 2022, 47, 465-470.	1.1	2
3	Lung tomography findings in rheumatoid arthritis and their relationship with clinical features. Ulusal Romatoloji Dergisi, 2022, 14, 23-28.	0.0	0
4	Familial mediterranean fever patients may have unmet needs for the treatments of exertional leg pain and enthesitis. ReumatologĀa ClĀnica (English Edition), 2022, 18, 227-230.	0.3	0
5	Disease severity affects myocardial functions in patients with treatment-naive early rheumatoid arthritis. International Journal of Rheumatic Diseases, 2021, 24, 494-501.	1.9	3
6	Enthesitis may be one of the signs of severe disease in familial Mediterranean fever. Clinical Rheumatology, 2021, 40, 1479-1485.	2.2	4
7	Familial Mediterranean Fever Patients may have Unmet Needs for the Treatments of Exertional Leg Pain and Enthesitis. ReumatologĀa ClĀnica, 2021, , .	0.5	0
8	Pulse steroid treatment for hospitalized adults with COVID-19. Turkish Journal of Medical Sciences, 2021, 51, 2248-2255.	0.9	11
9	Anti-Tumor Necrosis Factor Treatment in Ankylosing Spondylitis may not Relate to Poor Prognosis in COVID-19. Archives of Rheumatology, 2021, 36, 142-143.	0.9	3
10	Psoriasis and family history of psoriasis may not affect disease severity of rheumatoid arthritis. Reumatismo, 2021, 73, .	0.9	0
11	Familial Mediterranean fever patients with prominent musculoskeletal symptoms may be classified in a distinct subgroup. Ulusal Romatoloji Dergisi, 2021, 13, 140-141.	0.0	0
12	Colchicine's Effects on Electrocardiographic Parameters in Newly Diagnosed Familial Mediterranean Fever Patients. Zeitschrift Fur Rheumatologie, 2020, 79, 210-215.	1.0	4
13	Baseline electrolyte abnormalities would be related to poor prognosis in hospitalized coronavirus disease 2019 patients. New Microbes and New Infections, 2020, 37, 100753.	1.6	61
14	A Rare Cause of Hypopyon Anterior Uveitis: Relapsing Polychondritis. Archives of Rheumatology, 2020, 35, 142-145.	0.9	1
15	Laboratory abnormalities related to prolonged hospitalization in COVID-19. Infectious Diseases, 2020, 52, 666-668.	2.8	6
16	Pre-diagnostical Knowledge Did Not Provide Early Diagnosis in a Single-Center Turkish Familial Mediterranean Fever Cohort. SN Comprehensive Clinical Medicine, 2020, 2, 439-441.	0.6	0
17	Emotional eating is more frequent in obese rheumatoid arthritis patients. Clinical Nutrition ESPEN, 2020, 35, 81-84.	1.2	1
18	IL-1 blockers together with colchicine may be administered as first line therapy in familial Mediterranean fever with amyloidosis. Medical Hypotheses, 2019, 130, 109269.	1.5	4

#	ARTICLE	IF	CITATIONS
19	Pulmonary multiple cystic lesions in a patient with Behçet's syndrome. <i>Reumatismo</i> , 2019, 71, 103-104.	0.9	0
20	Long term drug related remission may encourage drug withdrawal in patients with rheumatoid arthritis. <i>Medical Hypotheses</i> , 2019, 125, 89.	1.5	0
21	AB0619...FAMILY MEMBERS WITH BS MAY NOT CLUSTER IN SIMILAR CLINICAL CHARACTERISTICS. , 2019, , .		0
22	AB0107...S-ALLYL-L-CYSTEINE ATTENUATES INFLAMMATION RELATED OXIDATIVE STRESS PARAMETERS AND INCREASES ADHESION CAPACITY OF PRIMARY HUMAN OSTEOARTHRITIC ARTICULAR CHONDROCYTES. , 2019, , .		1
23	No Family Clustering in Behçet's Syndrome. <i>Balkan Medical Journal</i> , 2019, 36, 145-146.	0.8	2
24	<i><sc>MEFV</sc></i> gene testing may guide physicians for early diagnosis of familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1452-1457.	1.9	5
25	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018, 70, 1090-1094.	3.4	48
26	Pulmonary cavitory lesions may be one of the presenting features in Ig A nephropathy. <i>Reumatismo</i> , 2018, 70, 111-114.	0.9	0
27	Effect of oral Colchicine on Peripapillary retinal nerve fiber layer thickness in patients with familial Mediterranean fever. <i>BMC Ophthalmology</i> , 2018, 18, 27.	1.4	3
28	Optic Neuropathy and Macular Ischemia Associated with Neurosarcoidosis: A Case Report. <i>Türk Oftalmoloji Dergisi</i> , 2018, 48, 202-205.	0.9	2
29	AB0605...Procalcitonin might be used for discriminating infections from increased disease activity in primary sjögren syndrome. , 2018, , .		0
30	AB1039...Diet may play essential role for the success of the urate lowering therapy in gout. , 2018, , .		0
31	SAT0526...Is relapse rate of giant cell arteritis in real-life experience lower than in the controlled trials? results of a retrospective, multi-centre cohort study. , 2018, , .		0
32	American College of Rheumatology/European League Against Rheumatism Sjögren's Syndrome Classification Criteria May Not Be Adequate for Extraglandular Disease and Necessitate Defining "Seronegative Sjögren's Syndrome" Comment on the Article by Shiboski et al. <i>Arthritis and Rheumatology</i> , 2017, 69, 1341-1342.	5.6	8
33	Criteria sets for primary Sjögren's syndrome are not adequate for those presenting with extraglandular organ involvements as their dominant clinical features. <i>Rheumatology International</i> , 2017, 37, 675-684.	3.0	8
34	Long-term effects of lateral wedge orthotics on hip and ankle joint space widths. <i>Gait and Posture</i> , 2017, 51, 36-40.	1.4	6
35	THU0159...Rheumatoid arthritis may not influence eating behaviours characteristics. , 2017, , .		0
36	AB0520...The role of leptin in sjogren's disease. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
37	High Disease Activity May Increase Fear-Avoidance Beliefs in Rheumatoid Arthritis. Archives of Rheumatology, 2017, 32, 325-332.	0.9	4
38	Familial Mediterranean fever patients may have unmet needs for treatment of erysipelas-like erythema. Clinical and Experimental Rheumatology, 2017, 35 Suppl 104, 9.	0.8	0
39	FRI0618-HPRâ€¦The Short-Time Effects of Kinesiotaping on Hallux Valgus Degree, Pain Intensity and Plantar Pressure Distribution in Rheumatoid Foot: A Pilot Study. Annals of the Rheumatic Diseases, 2016, 75, 1277.2-1277.	0.9	0
40	Cognition, depression, fatigue, and quality of life in primary Sjögren's syndrome: correlations. Brain and Behavior, 2016, 6, e00586.	2.2	51
41	THU0578â€¦Factors Associated with Early Diagnosis of Familial Mediterranean Fever. Annals of the Rheumatic Diseases, 2016, 75, 401.1-401.	0.9	1
42	The management of gout in different clinical specialties in Turkey: a patient-based survey. Clinical Rheumatology, 2016, 35, 3019-3024.	2.2	1
43	Primary Sjögren's syndrome is associated with significant cognitive dysfunction. International Journal of Rheumatic Diseases, 2016, 19, 981-988.	1.9	16
44	Evaluation of acute and chronic MRI features of sacroiliitis in asymptomatic primary hyperparathyroid patients. Clinical Rheumatology, 2016, 35, 2777-2782.	2.2	12
45	Color Doppler analysis of female reproductive vasculature in Behçet's disease. Reumatismo, 2015, 67, 103-108.	0.9	2
46	AB0914â€¦Management of Gout in Different Clinical Specialties in Turkey. Annals of the Rheumatic Diseases, 2015, 74, 1206.1-1206.	0.9	0
47	Differential diagnosis of elevated erythrocyte sedimentation rate and C-reactive protein levels: a rheumatology perspective. European Journal of Rheumatology, 2015, 2, 131-134.	0.6	26
48	Overview of the publications of rheumatologists after the millennium. European Journal of Rheumatology, 2015, 2, 96-98.	0.6	2
49	Minimally Invasive Minor Salivary Gland Biopsy for the Diagnosis of Amyloidosis in a Rheumatology Clinic. ISRN Rheumatology, 2014, 2014, 1-3.	1.9	17
50	Turkish lupusPRO: cross-cultural validation study for lupus. Clinical Rheumatology, 2014, 33, 1079-1084.	2.2	28
51	FRI0398â€¦Disease Specific Quality of Life in Patients with Lupus Nephritis. Annals of the Rheumatic Diseases, 2014, 73, 531.2-531.	0.9	1
52	MEFV Mutations and CYP3A4 Polymorphisms Do Not Predict Colchicine Responsiveness in Familial Mediterranean Fever. International Journal of Human Genetics, 2014, 14, 27-32.	0.1	1
53	Ultrasonographic evaluation of the muscle architecture in patients with systemic lupus erythematosus. Clinical Rheumatology, 2013, 32, 1155-1160.	2.2	19
54	Real-time sonoelastography of Achilles tendon in patients with ankylosing spondylitis. Skeletal Radiology, 2013, 42, 1113-1118.	2.0	50

#	ARTICLE	IF	CITATIONS
55	Enthesopathy in patients with familial Mediterranean fever: increased prevalence in M694 V variant. <i>Rheumatology International</i> , 2013, 33, 1933-1937.	3.0	24
56	Demographic and clinical features of gout patients in Turkey: a multicenter study. <i>Rheumatology International</i> , 2013, 33, 847-852.	3.0	11
57	Ultrasonographic evaluation of the femoral cartilage thickness in patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2013, 33, 899-901.	3.0	17
58	Sterile Osteitis and Suppurative Arthritis Associated with Pannus Responding to Colchicine. <i>Case Reports in Rheumatology</i> , 2013, 2013, 1-3.	0.6	1
59	THU0380â€¦Enthesopathy in patients with familial mediterranean fever and its association with MEFV gene M694V variant. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 284.1-284.	0.9	0
60	THU0381â€¦Clinical determinants of attack prodrome in patients wiht familial mediterranean fever. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 284.2-284.	0.9	0
61	AB0635â€¦Gastrointestinal quality of life index (GIQLI) in patients with primary sjÃ–grenâ€™s syndrome. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 675.3-675.	0.9	3
62	Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.	2.0	35
63	An Unusual Case of Madelung's Disease with Multiple Atypical Fractures. <i>Case Reports in Orthopedics</i> , 2012, 2012, 1-3.	0.3	5
64	Endothelial Dysfunction in Primary SjÃ–gren Syndrome. <i>West Indian Medical Journal</i> , 2012, 61, 870-872.	0.4	19
65	Aortitis in a patient with psoriatic arthritis. <i>Modern Rheumatology</i> , 2012, 22, 774-777.	1.8	4
66	Abdominal pain may dominate the scene of idiopathic aortitis. <i>Rheumatology International</i> , 2011, 31, 941-943.	3.0	1
67	Reactivated Varicella Zoster Virus May Cause Peripheral Arterial Thrombosis. <i>Journal of Rheumatology</i> , 2010, 37, 1785-1786.	2.0	5
68	Intraductal trastuzumab treatment may be effective in the management of ductal carcinoma in situ of the breast with HER-2 overexpression. <i>Medical Hypotheses</i> , 2007, 68, 235.	1.5	1
69	Estrogen or testosterone may be effective agents in the management of both multiple myeloma and Alzheimerâ€™s disease. <i>Medical Hypotheses</i> , 2007, 68, 231-232.	1.5	6
70	Tooth extraction: Is it inciting event or sequela of osteonecrosis of the jaws associated with intravenous bisphosphonates?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2007, 65, 154.	1.2	2
71	Hyperbaric Oxygen Therapy may have a Favourable Effect on Skin Thickness in Systemic Sclerosis: Experience with Four Patients. <i>Southern Clinics of Istanbul Eurasia</i> , 0, , .	0.2	0
72	Polyarteritis Nodosa (PAN). <i>Acta Medica</i> , 0, 52, 43-44.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Anxiety and depression levels in patients with rheumatoid arthritis. Eurasian Journal of Medicine and Oncology, 0, , .	1.0	0
74	No Family Clustering in Behçet's Syndrome. Balkan Medical Journal, 0, , .	0.8	0
75	ROMATOLOJİ° PERSPEKTİFİ°NDEN COVID-19. Namık Kemal Tıp Dergisi, 0, , .	0.0	0