

?? ?

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3236599/-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

1,416
citations

19
h-index

32
g-index

163
ext. papers

1,906
ext. citations

3.3
avg, IF

5.01
L-index

#	Paper	IF	Citations
111	Combination of intravenous and topical application of tranexamic acid in primary total knee arthroplasty: a prospective randomized controlled trial. <i>Journal of Arthroplasty</i> , 2014 , 29, 2342-6	4.4	97
110	Comparison of topical versus intravenous tranexamic acid in primary total knee arthroplasty: a meta-analysis of randomized controlled and prospective cohort trials. <i>Knee</i> , 2014 , 21, 987-93	2.6	87
109	Intravenous and Topical Tranexamic Acid Alone Are Superior to Tourniquet Use for Primary Total Knee Arthroplasty: A Prospective, Randomized Controlled Trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017 , 99, 2053-2061	5.6	84
108	The effectiveness of low-level laser therapy for nonspecific chronic low back pain: a systematic review and meta-analysis. <i>Arthritis Research and Therapy</i> , 2015 , 17, 360	5.7	63
107	The Therapeutic Potential and Role of miRNA, lncRNA, and circRNA in Osteoarthritis. <i>Current Gene Therapy</i> , 2019 , 19, 255-263	4.3	60
106	Effects of multi-site infiltration analgesia on pain management and early rehabilitation compared with femoral nerve or adductor canal block for patients undergoing total knee arthroplasty: a prospective randomized controlled trial. <i>International Orthopaedics</i> , 2017 , 41, 75-83	3.8	54
105	The Efficacy and Safety of Combination of Intravenous and Topical Tranexamic Acid in Revision Hip Arthroplasty: A Randomized, Controlled Trial. <i>Journal of Arthroplasty</i> , 2016 , 31, 2548-2553	4.4	51
104	Does tranexamic acid alter the risk of thromboembolism following primary total knee arthroplasty with sequential earlier anticoagulation? A large, single center, prospective cohort study of consecutive cases. <i>Thrombosis Research</i> , 2015 , 136, 234-8	8.2	39
103	Influence of tourniquet use in primary total knee arthroplasty with drainage: a prospective randomised controlled trial. <i>Journal of Orthopaedic Surgery and Research</i> , 2017 , 12, 172	2.8	37
102	Risk factors for venous thromboembolism of total hip arthroplasty and total knee arthroplasty: a systematic review of evidences in ten years. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 24	2.8	36
101	miR-140 Attenuates the Progression of Early-Stage Osteoarthritis by Retarding Chondrocyte Senescence. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 19, 15-30	10.7	33
100	The efficacy and safety of combined administration of intravenous and topical tranexamic acid in primary total knee arthroplasty: a meta-analysis of randomized controlled trials. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 321	2.8	29
99	Correlations between inflammatory cytokines, muscle damage markers and acute postoperative pain following primary total knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 265	2.8	28
98	General anesthesia: to catheterize or not? A prospective randomized controlled study of patients undergoing total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2015 , 30, 502-6	4.4	27
97	Faecal microbiota transplantation from metabolically compromised human donors accelerates osteoarthritis in mice. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 646-656	2.4	25
96	Analysis of a large data set to identify predictors of blood transfusion in primary total hip and knee arthroplasty. <i>Transfusion</i> , 2018 , 58, 1855-1862	2.9	24
95	Total Hip Arthroplasty Using Non-Modular Cementless Long-Stem Distal Fixation for Salvage of Failed Internal Fixation of Intertrochanteric Fracture. <i>Journal of Arthroplasty</i> , 2015 , 30, 1999-2003	4.4	22

94	Integrated bioinformatics analysis of miRNA expression in osteosarcoma. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2017 , 45, 936-943	6.1	21
93	More pain and slower functional recovery when a tourniquet is used during total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 1842-1860	5.5	21
92	MicroRNA-140 Suppresses Human Chondrocytes Hypertrophy by Targeting SMAD1 and Controlling the Bone Morphogenetic Protein Pathway in Osteoarthritis. <i>American Journal of the Medical Sciences</i> , 2018 , 355, 477-487	2.2	18
91	No clear benefit or drawback to the use of closed drainage after primary total knee arthroplasty: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 183	2.8	17
90	Survivorship comparison of all-polyethylene and metal-backed tibial components in cruciate-substituting total knee arthroplasty--Chinese experience. <i>International Orthopaedics</i> , 2009 , 33, 1243-7	3.8	17
89	Expression of miRNA-140 in Chondrocytes and Synovial Fluid of Knee Joints in Patients with Osteoarthritis. <i>Chinese Medical Sciences Journal</i> , 2016 , 31, 207-212	1.3	17
88	Comparison of Postoperative Alignment Using Fixed vs Individual Valgus Correction Angle in Primary Total Knee Arthroplasty With Lateral Bowing Femur. <i>Journal of Arthroplasty</i> , 2016 , 31, 976-83	4.4	16
87	Effect of different postoperative limb positions on blood loss and range of motion in total knee arthroplasty: An updated meta-analysis of randomized controlled trials. <i>International Journal of Surgery</i> , 2017 , 37, 15-23	7.5	15
86	Comparison of mini-subvastus approach versus medial parapatellar approach in primary total knee arthroplasty. <i>International Journal of Surgery</i> , 2018 , 57, 15-21	7.5	15
85	Reconstructed the bone stock after femoral bone loss in Vancouver B3 periprosthetic femoral fractures using cortical strut allograft and impacted cancellous allograft. <i>International Orthopaedics</i> , 2018 , 42, 2787-2795	3.8	15
84	Performance of Sequencing Assays in Diagnosis of Prosthetic Joint Infection: A Systematic Review and Meta-Analysis. <i>Journal of Arthroplasty</i> , 2019 , 34, 1514-1522.e4	4.4	14
83	Meta-analysis of pain and function placebo responses in pharmacological osteoarthritis trials. <i>Arthritis Research and Therapy</i> , 2019 , 21, 173	5.7	14
82	Perioperative multiple low-dose Dexamethasones improves postoperative clinical outcomes after Total knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 428	2.8	14
81	Control-released basic fibroblast growth factor-loaded poly-lactic-co-glycolic acid microspheres promote sciatic nerve regeneration in rats. <i>Experimental and Therapeutic Medicine</i> , 2017 , 13, 429-436	2.1	13
80	Clinical, functional and radiographic outcomes of primary total hip arthroplasty between direct anterior approach and posterior approach: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 338	2.8	13
79	Differential Expression of Renin-Angiotensin System-related Components in Patients with Rheumatoid Arthritis and Osteoarthritis. <i>American Journal of the Medical Sciences</i> , 2020 , 359, 17-26	2.2	13
78	Multiple Low Doses of Intravenous Corticosteroids to Improve Early Rehabilitation in Total Knee Arthroplasty: A Randomized Clinical Trial. <i>Journal of Knee Surgery</i> , 2019 , 32, 171-179	2.4	13
77	Blood loss and cost-effectiveness of oral vs intravenous tranexamic acid in primary total hip arthroplasty: A randomized clinical trial. <i>Thrombosis Research</i> , 2018 , 171, 143-148	8.2	13

76	Individual valgus correction angle improves accuracy of postoperative limb alignment restoration after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017 , 25, 277-283	5.5	12
75	The effect of primary total knee arthroplasty on the incidence of falls and balance-related functions in patients with osteoarthritis. <i>Scientific Reports</i> , 2017 , 7, 16583	4.9	12
74	Midterm results of hybrid total hip arthroplasty for treatment of osteoarthritis secondary to developmental dysplasia of the hip-Chinese experience. <i>Journal of Arthroplasty</i> , 2009 , 24, 1157-63	4.4	12
73	Intravenous Combined with Topical Administration of Tranexamic Acid in Primary Total Hip Arthroplasty: A Randomized Controlled Trial. <i>Orthopaedic Surgery</i> , 2017 , 9, 174-179	2.5	11
72	Do patients really gain outcome benefits when using the high-flex knee prostheses in total knee arthroplasty? A meta-analysis of randomized controlled trials. <i>Journal of Arthroplasty</i> , 2015 , 30, 580-6	4.4	11
71	Renin-angiotensin system in osteoarthritis: A new potential therapy. <i>International Immunopharmacology</i> , 2019 , 75, 105796	5.8	11
70	Tranexamic acid may benefit patients undergoing total hip/knee arthroplasty because of haemophilia. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 402	2.8	10
69	Postoperative intravenous parecoxib sodium followed by oral celecoxib post total knee arthroplasty in osteoarthritis patients (PIPFORCE): a multicentre, double-blind, randomised, placebo-controlled trial. <i>BMJ Open</i> , 2020 , 10, e030501	3	10
68	Upper partial fibulectomy improves knee biomechanics and function and decreases knee pain of osteoarthritis: A pilot and biomechanical study. <i>Journal of Biomechanics</i> , 2018 , 71, 22-29	2.9	10
67	The efficacy of liposomal bupivacaine compared with traditional peri-articular injection for pain control following total knee arthroplasty: an updated meta-analysis of randomized controlled trials. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 306	2.8	10
66	Preoperative comorbidities as potential risk factors for venous thromboembolism after joint arthroplasty: a systematic review and meta-analysis of cohort and case-control studies. <i>Journal of Arthroplasty</i> , 2014 , 29, 2430-8	4.4	10
65	Extensively coated non-modular stem used in two-stage revision for infected total hip arthroplasty: mid-term to long-term follow-up. <i>Orthopaedic Surgery</i> , 2014 , 6, 103-9	2.5	9
64	Is postoperative cell salvage necessary in total hip or knee replacement? A meta-analysis of randomized controlled trials. <i>International Journal of Surgery</i> , 2015 , 21, 135-44	7.5	8
63	Evidence and mechanism by which upper partial fibulectomy improves knee biomechanics and decreases knee pain of osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 2099	3.8	8
62	Combination of erythropoietin and tranexamic acid in bilateral simultaneous total hip arthroplasty: a randomised, controlled trial. <i>HIP International</i> , 2016 , 26, 331-7	1.7	8
61	Prevalence and risk factors for prolonged opioid use after total joint arthroplasty: a systematic review, meta-analysis, and meta-regression. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 141, 907-915	3.6	8
60	Variations in morphological characteristics of prostheses for total knee arthroplasty leading to kinematic differences. <i>Knee</i> , 2015 , 22, 18-23	2.6	7
59	Effect of individual distal femoral valgus resection in total knee arthroplasty for patients with valgus knee: A retrospective cohort study. <i>International Journal of Surgery</i> , 2018 , 52, 309-313	7.5	7

58	Comparison of the Efficacy and Safety of Aspirin and Rivaroxaban Following Enoxaparin Treatment for Prevention of Venous Thromboembolism after Hip Fracture Surgery. <i>Orthopaedic Surgery</i> , 2019 , 11, 886-894	2.5	7
57	Preparation and in vitro activity of controlled release microspheres incorporating bFGF. <i>Chinese Journal of Traumatology - English Edition</i> , 2008 , 11, 22-7	2.3	7
56	Acetabular Anatomical Parameters in Patients With Idiopathic Osteonecrosis of the Femoral Head. <i>Journal of Arthroplasty</i> , 2020 , 35, 331-334	4.4	7
55	Efficacy and safety of Postoperative Intravenous Parecoxib sodium Followed by ORal CElecoxib (PIPFORCE) post-total knee arthroplasty in patients with osteoarthritis: a study protocol for a multicentre, double-blind, parallel-group trial. <i>BMJ Open</i> , 2016 , 6, e011732	3	6
54	The Relationship between Knee Adduction Moment and Knee Osteoarthritis Symptoms according to Static Alignment and Pelvic Drop. <i>BioMed Research International</i> , 2019 , 2019, 7603249	3	6
53	The incidence of symptomatic in-hospital VTEs in Asian patients undergoing joint arthroplasty was low: a prospective, multicenter, 17,660-patient-enrolled cohort study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 1075-1082	5.5	6
52	The Use of Extended Trochanteric Osteotomy in 2-Stage Reconstruction of the Hip for Infection. <i>Journal of Arthroplasty</i> , 2019 , 34, 1470-1475	4.4	5
51	Implication of acetabular width on the anteroposterior pelvic radiograph of patients with developmental dysplasia of the hip. <i>Journal of Arthroplasty</i> , 2015 , 30, 489-94	4.4	5
50	Effect of knee flexion position and combined application of tranexamic acid on blood loss following primary total knee arthroplasty: a prospective randomized controlled trial. <i>International Orthopaedics</i> , 2018 , 42, 529-535	3.8	5
49	The optimal dosage, route and timing of glucocorticoids administration for improving knee function, pain and inflammation in primary total knee arthroplasty: A systematic review and network meta-analysis of 34 randomized trials. <i>International Journal of Surgery</i> , 2020 , 82, 182-191	7.5	5
48	Identification of and as susceptibility genes for amyotrophic lateral sclerosis. <i>Neurology: Genetics</i> , 2019 , 5, e375	3.8	5
47	Comprehensive Comparison of Liposomal Bupivacaine with Femoral Nerve Block for Pain Control Following Total Knee Arthroplasty: An Updated Systematic Review and Meta-Analysis. <i>Orthopaedic Surgery</i> , 2019 , 11, 943-953	2.5	5
46	Medial femoral epicondyle upsliding osteotomy with posterior stabilized arthroplasty provided good clinical outcomes such as constrained arthroplasty in primary total knee arthroplasty with severe valgus deformity. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 2266-2275	5.5	5
45	In vitro and 48 weeks in vivo performances of 3D printed porous Fe-30Mn biodegradable scaffolds. <i>Acta Biomaterialia</i> , 2021 , 121, 724-740	10.8	5
44	Normal trajectory of Interleukin-6 and C-reactive protein in the perioperative period of total knee arthroplasty under an enhanced recovery after surgery scenario. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 264	2.8	4
43	Percutaneously drilling through femoral head and neck fenestration combining with compacted autograft for early femoral head necrosis: A retrospective study. <i>Journal of Orthopaedic Science</i> , 2017 , 22, 1060-1065	1.6	4
42	Integrating transcriptome-wide association study and mRNA expression profile identified candidate genes related to hand osteoarthritis. <i>Arthritis Research and Therapy</i> , 2021 , 23, 81	5.7	4
41	Mechanistic insights into AMPK-SIRT3 positive feedback loop-mediated chondrocyte mitochondrial quality control in osteoarthritis pathogenesis. <i>Pharmacological Research</i> , 2021 , 166, 105497	10.2	4

40	Tranexamic Acid Plus Low-dose Epinephrine Reduces Blood Loss in Total Knee Arthroplasty: A Systematic Review and Meta-analysis. <i>Orthopaedic Surgery</i> , 2018 , 10, 287-295	2.5	4
39	Efficacy and safety of limb position on blood loss and range of motion after total knee arthroplasty without tourniquet: A randomized clinical trial. <i>International Journal of Surgery</i> , 2018 , 60, 182-187	7.5	4
38	The trajectories of depression symptoms and comorbidity in knee osteoarthritis subjects. <i>Clinical Rheumatology</i> , 2021 , 1	3.9	4
37	Relationship among bone mineral density, collagen composition, and biomechanical properties of callus in the healing of osteoporotic fracture. <i>Chinese Journal of Traumatology - English Edition</i> , 2007 , 10, 360-5	2.3	4
36	X-ray image characteristics and related measurements in the ankles of 118 adult patients with Kashin-Beck disease. <i>Chinese Medical Journal</i> , 2014 , 127, 2479-83	2.9	4
35	Exosomes Derived From Human Urine-Derived Stem Cells Overexpressing miR-140-5p Alleviate Knee Osteoarthritis Through Downregulation of VEGFA in a Rat Model.. <i>American Journal of Sports Medicine</i> , 2022 , 50, 1088-1105	6.8	4
34	Comparison of cortisol and inflammatory response between aged and middle-aged patients undergoing total hip arthroplasty: a prospective observational study. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 541	2.8	3
33	Total hip replacement in adult patients with severe Kashin-Beck disease of the hip. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 289	2.8	3
32	Comparison of Clinical and Biomechanical Outcomes between Partial Fibulectomy and Drug Conservative Treatment for Medial Knee Osteoarthritis. <i>BioMed Research International</i> , 2019 , 2019, 4573-424	3.424	3
31	The effect of post-operative limb positioning on blood loss and early outcomes after primary total knee arthroplasty: a randomized controlled trial. <i>International Orthopaedics</i> , 2019 , 43, 2083-2091	3.8	3
30	Patient-specific instrument for unicompartmental knee arthroplasty does not reduce the outliers in alignment or improve postoperative function: a meta-analysis and systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020 , 140, 1097-1107	3.6	3
29	A comprehensive comparison between cementless and cemented fixation in the total knee arthroplasty: an updated systematic review and meta-analysis. <i>Journal of Orthopaedic Surgery and Research</i> , 2021 , 16, 176	2.8	3
28	Effectiveness and weakness of local infiltration analgesia in total knee arthroplasty: a systematic review. <i>Journal of International Medical Research</i> , 2018 , 46, 4874-4884	1.4	3
27	Intraoperative Femoral Condylar Fracture during Primary Total Knee Arthroplasty: Report of Two Cases. <i>Orthopaedic Surgery</i> , 2015 , 7, 180-4	2.5	2
26	Consensus of Chinese orthopaedic experts on diagnosis and treatment of ankylosing spondylitis. <i>Orthopaedic Surgery</i> , 2013 , 5, 1-5	2.5	2
25	Effect of Neuromuscular Electrical Stimulation After Total Knee Arthroplasty: A Systematic Review and Meta-Analysis of Randomized Controlled Trials.. <i>Frontiers in Medicine</i> , 2021 , 8, 779019	4.9	2
24	Radiologic restoration inaccuracy increases postoperative dislocation in primary total hip arthroplasty: a retrospective study with propensity score matching. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 1	3.6	2
23	Partial implant retention in two-stage exchange for chronic infected total hip arthroplasty. <i>International Orthopaedics</i> , 2020 , 44, 461-469	3.8	2

22	Long-term efficacy of repeated sodium hyaluronate injections in adult patients with Kashin-Beck disease of the knee. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 392-398	2.3	2
21	Varus-valgus knee laxity is related to a higher risk of knee osteoarthritis incidence and structural progression: data from the osteoarthritis initiative.. <i>Clinical Rheumatology</i> , 2022 , 41, 1013	3.9	1
20	The effects of different antihypertensive drugs on pain and joint space width of knee osteoarthritis - A comparative study with data from Osteoarthritis Initiative. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 2009-2015	2.3	1
19	Impact of Tibial Component Coronal Alignment on Knee Joint Biomechanics Following Fixed-bearing Unicompartmental Knee Arthroplasty: A Finite Element Analysis. <i>Orthopaedic Surgery</i> , 2021 , 13, 1423-1429	2.5	1
18	Insulin Dependence Increases the Risk of Complications and Death in Total Joint Arthroplasty: A Systematic Review and Meta-(Regression) Analysis. <i>Orthopaedic Surgery</i> , 2021 , 13, 719-733	2.5	1
17	Analgesic efficacy of adding the iPACK to adductor canal block in the presence or absence of periarticular local anesthetic infiltration in total knee arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2021 ,	3.4	1
16	Zoledronic Acid for Periprosthetic Bone Mineral Density Changes in Patients With Osteoporosis After Hip Arthroplasty-An Updated Meta-Analysis of Six Randomized Controlled Trials.. <i>Frontiers in Medicine</i> , 2021 , 8, 801282	4.9	1
15	Intra-articular injection of stromal vascular fraction for knee degenerative joint disease: a concise review of preclinical and clinical evidence.. <i>Science China Life Sciences</i> , 2022 , 1	8.5	1
14	Importance of maintaining the basic stress pathway above the acetabular dome during acetabular reconstruction. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2016 , 19, 977-84	2.1	0
13	Clinical and radiological results of high offset tri-lock bone preservation stem in unilateral primary total hip arthroplasty at a minimum follow-up of 3 years. <i>Journal of Orthopaedic Surgery and Research</i> , 2021 , 16, 635	2.8	0
12	Incidence and risk factors associated with human albumin administration following total joint arthroplasty: a multicenter retrospective study. <i>Journal of Orthopaedic Surgery and Research</i> , 2021 , 16, 643	2.8	0
11	Same-day discharge arthroplasty has a higher overall complications rate than fast-track arthroplasty: a systematic review and meta-analysis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 1	3.6	0
10	Therapeutic effect and potential mechanisms of intra-articular injections of miR-140-5p on early-stage osteoarthritis in rats. <i>International Immunopharmacology</i> , 2021 , 96, 107786	5.8	0
9	A Mitochondria-Targeted Fluorescence Probe for Visualizing Detection of Hypochlorite in Living Cells. <i>ChemistrySelect</i> , 2021 , 6, 9144-9148	1.8	0
8	Gene Therapy with Tetracycline-Regulated Human Recombinant COLIA1 cDNA Direct Adenoviral Delivery Enhances Fracture Healing in Osteoporotic Rats. <i>Human Gene Therapy</i> , 2018 , 29, 902-915	4.8	
7	Tranexamic acid combined with compression dressing reduces blood loss in gluteal muscle contracture surgery.. <i>BMC Surgery</i> , 2022 , 22, 46	2.3	
6	Does Bisphosphonate Increase the Sclerosis of Tibial Subchondral Bone in the Progression of Knee Osteoarthritis-A Propensity Score Matching Cohort Study Based on Osteoarthritis Initiative. <i>Frontiers in Medicine</i> , 2021 , 8, 781219	4.9	
5	Letter to the Editor on "Regional Anesthesia Reduces Inpatient and Outpatient Perioperative Opioid Demand in Peri-articular Elbow Surgery". <i>Journal of Shoulder and Elbow Surgery</i> , 2021 ,	4.3	

- 4 Letter to the Editor on "Temporal changes in sleep quality and knee function following primary total knee arthroplasty: a prospective study". *International Orthopaedics*, **2021**, 3.8
- 3 Cementless femoral stems with lower canal fill ratio have similar mid-term to long-term outcomes to those with adequate fill ratio in Dorr type C femurs. *Archives of Orthopaedic and Trauma Surgery*, **2021**, 1 3.6
- 2 Preoperative bacteriuria positivity on urinalysis increases wound complications in primary total hip arthroplasty regardless of the urine culture result. *BMC Musculoskeletal Disorders*, **2021**, 22, 834 2.8
- 1 Short-term survival analysis of the all-polyethylene tibial component in total knee arthroplasty. *Chinese Journal of Traumatology - English Edition*, **2005**, 8, 126-8 2.3