Leonora E Long

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3237887/publications.pdf Version: 2024-02-01



LEONORA ELONG

#	Article	IF	CITATIONS
1	Patterns of internet and social media use in colorectal surgery. BMC Surgery, 2019, 19, 52.	0.6	14
2	The Endocannabinoid System across Postnatal Development in Transmembrane Domain Neuregulin 1 Mutant Mice. Frontiers in Psychiatry, 2018, 9, 11.	1.3	5
3	Neuregulin 1 Expression and Electrophysiological Abnormalities in the Neuregulin 1 Transmembrane Domain Heterozygous Mutant Mouse. PLoS ONE, 2015, 10, e0124114.	1.1	21
4	Rethinking schizophrenia in the context of normal neurodevelopment. Frontiers in Cellular Neuroscience, 2013, 7, 60.	1.8	157
5	Transmembrane domain Nrg1 mutant mice show altered susceptibility to the neurobehavioural actions of repeated THC exposure in adolescence. International Journal of Neuropsychopharmacology, 2013, 16, 163-175.	1.0	69
6	S.12.1 - CANNABINOIDS. Behavioural Pharmacology, 2013, 24, e14.	0.8	0
7	Novel molecular changes induced by Nrg1 hypomorphism and Nrg1-cannabinoid interaction in adolescence: a hippocampal proteomic study in mice. Frontiers in Cellular Neuroscience, 2013, 7, 15.	1.8	31
8	Developmental trajectory of the endocannabinoid system in human dorsolateral prefrontal cortex. BMC Neuroscience, 2012, 13, 87.	0.8	78
9	Distinct Neurobehavioural Effects of Cannabidiol in Transmembrane Domain Neuregulin 1 Mutant Mice. PLoS ONE, 2012, 7, e34129.	1.1	80
10	Disruptive effects of the prototypical cannabinoid Δ9-tetrahydrocannabinol and the fatty acid amide inhibitor URB-597 on go/no-go auditory discrimination performance and olfactory reversal learning in rats. Behavioural Pharmacology, 2011, 22, 191-202.	0.8	29
11	Paranoid Schizophrenia is Characterized by Increased CB1 Receptor Binding in the Dorsolateral Prefrontal Cortex. Neuropsychopharmacology, 2011, 36, 1620-1630.	2.8	99
12	Cannabidiol potentiates Δ9-tetrahydrocannabinol (THC) behavioural effects and alters THC pharmacokinetics during acute and chronic treatment in adolescent rats. Psychopharmacology, 2011, 218, 443-457.	1.5	166
13	A follow-up study: acute behavioural effects of Δ9-THC in female heterozygous Neuregulin 1 transmembrane domain mutant mice. Psychopharmacology, 2010, 211, 277-289.	1.5	62
14	Residual social, memory and oxytocin-related changes in rats following repeated exposure to γ-hydroxybutyrate (GHB), 3,4-methylenedioxymethamphetamine (MDMA) or their combination. Psychopharmacology, 2010, 212, 663-674.	1.5	28
15	A behavioural comparison of acute and chronic î"9-tetrahydrocannabinol and cannabidiol in C57BL/6JArc mice. International Journal of Neuropsychopharmacology, 2010, 13, 861-876.	1.0	167
16	Reintoxication: the release of fatâ€stored Δ ⁹ â€ŧetrahydrocannabinol (THC) into blood is enhanced by food deprivation or ACTH exposure. British Journal of Pharmacology, 2009, 158, 1330-1337.	2.7	72
17	Adolescent Rats Find Repeated Δ9-THC Less Aversive Than Adult Rats but Display Greater Residual Cognitive Deficits and Changes in Hippocampal Protein Expression Following Exposure. Neuropsychopharmacology, 2008, 33, 1113-1126.	2.8	271
18	Cannabidiol Reverses MK-801-Induced Disruption of Prepulse Inhibition in Mice. Neuropsychopharmacology, 2006, 31, 795-803.	2.8	156

#	Article	IF	CITATIONS
19	The pharmacological actions of cannabidiol. Drugs of the Future, 2005, 30, 747.	0.0	15
20	The effect of SR 141716 and apomorphine on sensorimotor gating in Swiss mice. Pharmacology Biochemistry and Behavior, 2004, 77, 839-845.	1.3	23