

Manfred Gossen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3238839/manfred-gossen-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

11,166
citations

31
h-index

71
g-index

71
ext. papers

11,917
ext. citations

8.5
avg, IF

5.97
L-index

#	Paper	IF	Citations
67	Chemical modification of uridine modulates mRNA-mediated proinflammatory and antiviral response in primary human macrophages.. <i>Molecular Therapy - Nucleic Acids</i> , 2022 , 27, 854-869	10.7	0
66	Co-delivery of genes can be confounded by bicistronic vector design.. <i>MRS Communications</i> , 2022 , 12, 1-9	2.7	
65	Efficient generation of osteoclasts from human induced pluripotent stem cells and functional investigations of lethal CLCN7-related osteopetrosis. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 1621-1635	6.3	3
64	Bio-instructive hydrogel expands the paracrine potency of mesenchymal stem cells. <i>Biofabrication</i> , 2021 , 13,	10.5	8
63	mRNA Transfection-Induced Activation of Primary Human Monocytes and Macrophages: Dependence on Carrier System and Nucleotide Modification. <i>Scientific Reports</i> , 2020 , 10, 4181	4.9	12
62	A novel selection strategy for antibody producing hybridoma cells based on a new transgenic fusion cell line. <i>Scientific Reports</i> , 2020 , 10, 1664	4.9	8
61	Strategies for simultaneous and successive delivery of RNA. <i>Journal of Molecular Medicine</i> , 2020 , 98, 1767-1779	5.5	5
60	Generation of a human induced pluripotent stem cell line (BIHi002-A) from a patient with CLCN7-related infantile malignant autosomal recessive osteopetrosis. <i>Stem Cell Research</i> , 2019 , 35, 101367	16	5
59	Turning fibroblasts into cardiomyocytes: technological review of cardiac transdifferentiation strategies. <i>FASEB Journal</i> , 2019 , 33, 49-70	0.9	9
58	Regenerative Medicine/Cardiac Cell Therapy: Pluripotent Stem Cells. <i>Thoracic and Cardiovascular Surgeon</i> , 2018 , 66, 53-62	1.6	8
57	Epigenetic immune cell counting in human blood samples for immunodiagnostics. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	35
56	Polydepsipeptide Block-Stabilized Polyplexes for Efficient Transfection of Primary Human Cells. <i>Biomacromolecules</i> , 2017 , 18, 3819-3833	6.9	13
55	Integrin $\beta 1$ activation by micro-scale curvature promotes pro-angiogenic secretion of human mesenchymal stem cells. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 7415-7425	7.3	8
54	The Fibrodysplasia Ossificans Progressiva (FOP) mutation p.R206H in ACVR1 confers an altered ligand response. <i>Cellular Signalling</i> , 2017 , 29, 23-30	4.9	25
53	Modulation of the mesenchymal stem cell migration capacity via preconditioning with topographic microstructure. <i>Clinical Hemorheology and Microcirculation</i> , 2017 , 67, 267-278	2.5	2
52	Site-specific chromosomal gene insertion: Flp recombinase versus Cas9 nuclease. <i>Scientific Reports</i> , 2017 , 7, 17771	4.9	12
51	Influence of surface roughness on neural differentiation of human induced pluripotent stem cells. <i>Clinical Hemorheology and Microcirculation</i> , 2016 , 64, 355-366	2.5	12

50	Generation of integration free induced pluripotent stem cells from fibrodysplasia ossificans progressiva (FOP) patients from urine samples. <i>Stem Cell Research</i> , 2016 , 16, 54-8	1.6	17
49	Engineering biodegradable micelles of polyethylenimine-based amphiphilic block copolymers for efficient DNA and siRNA delivery. <i>Journal of Controlled Release</i> , 2016 , 242, 71-79	11.7	41
48	Adipose-derived human mesenchymal stem cells induce long-term neurogenic and anti-inflammatory effects and improve cognitive but not motor performance in a rat model of Parkinson's disease. <i>Regenerative Medicine</i> , 2015 , 10, 431-46	2.5	45
47	Selective cell targeting and lineage tracing of human induced pluripotent stem cells using recombinant avian retroviruses. <i>Cellular and Molecular Life Sciences</i> , 2015 , 72, 4671-80	10.3	1
46	Human adipose-derived mesenchymal stromal cells increase endogenous neurogenesis in the rat subventricular zone acutely after 6-hydroxydopamine lesioning. <i>Cytotherapy</i> , 2015 , 17, 199-214	4.8	29
45	A High Content Screening Assay for Evaluation of Biomaterial-Mediated Cell Fusion Processes. <i>Macromolecular Symposia</i> , 2014 , 346, 91-99	0.8	2
44	Modes of TAL effector-mediated repression. <i>Nucleic Acids Research</i> , 2014 , 42, 13061-73	20.1	9
43	Tet-Transgenic Rodents: a comprehensive, up-to date database. <i>Transgenic Research</i> , 2013 , 22, 251-4	3.3	13
42	Loss of methylation at the IFNG promoter and CNS-1 is associated with the development of functional IFN- γ memory in human CD4(+) T lymphocytes. <i>European Journal of Immunology</i> , 2013 , 43, 793-804	6.1	34
41	Establishing Mammalian Production Cell Lines for Structural Biology by Site-Specific Recombination 2012 , 265-268		
40	Development of a BAC vector for integration-independent and tight regulation of transgenes in rodents via the Tet system. <i>Transgenic Research</i> , 2011 , 20, 709-20	3.3	7
39	Different roles of the human Orc6 protein in the replication initiation process. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 3741-56	10.3	16
38	Streamlining homogeneous glycoprotein production for biophysical and structural applications by targeted cell line development. <i>PLoS ONE</i> , 2011 , 6, e27829	3.7	19
37	The power of reversibility regulating gene activities via tetracycline-controlled transcription. <i>Methods in Enzymology</i> , 2010 , 477, 429-53	1.7	33
36	Improved Tet-responsive promoters with minimized background expression. <i>BMC Biotechnology</i> , 2010 , 10, 81	3.5	131
35	Glycoprotein production for structure analysis with stable, glycosylation mutant CHO cell lines established by fluorescence-activated cell sorting. <i>Protein Science</i> , 2010 , 19, 1264-71	6.3	15
34	Inducible expression of coding and inhibitory RNAs from retargetable genomic loci. <i>Nucleic Acids Research</i> , 2009 , 37, e50	20.1	51
33	Binding of Drosophila ORC proteins to anaphase chromosomes requires cessation of mitotic cyclin-dependent kinase activity. <i>Molecular and Cellular Biology</i> , 2009 , 29, 140-9	4.8	28

32	Global analysis of cellular protein translation by pulsed SILAC. <i>Proteomics</i> , 2009 , 9, 205-9	4.8	265
31	Homogeneity and persistence of transgene expression by omitting antibiotic selection in cell line isolation. <i>Nucleic Acids Research</i> , 2008 , 36, e111	20.1	50
30	Promoter crosstalk effects on gene expression. <i>Journal of Molecular Biology</i> , 2007 , 365, 911-20	6.5	25
29	Stability and homogeneity of transgene expression in isogenic cells. <i>Journal of Molecular Medicine</i> , 2006 , 84, 57-64	5.5	21
28	A structural role for ATP in the formation and stability of the human origin recognition complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 4864-9	11.5	43
27	A protocol for combined Photinus and Renilla luciferase quantification compatible with protein assays. <i>Analytical Biochemistry</i> , 2006 , 356, 94-9	3.1	78
26	Characterization of apoptosis-induced Mcm3 and Cdc6 cleavage reveals a proapoptotic effect for one Mcm3 fragment. <i>Cell Death and Differentiation</i> , 2004 , 11, 940-2	12.7	15
25	Functional haplotypes of the RET proto-oncogene promoter are associated with Hirschsprung disease (HSCR). <i>Human Molecular Genetics</i> , 2003 , 12, 3207-14	5.6	60
24	Studying gene function in eukaryotes by conditional gene inactivation. <i>Annual Review of Genetics</i> , 2002 , 36, 153-73	14.5	183
23	Tetracyclines in the control of gene expression in eukaryotes 2001 , 139-157		19
22	The bovine papillomavirus E2 transactivator is stimulated by the E1 initiator through the E2 activation domain. <i>Virology</i> , 2000 , 270, 430-43	3.6	9
21	Generation of conditional mutants in higher eukaryotes by switching between the expression of two genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 1013-8	11.5	104
20	Assembly of functionally active Drosophila origin recognition complex from recombinant proteins. <i>Genes and Development</i> , 1999 , 13, 1289-96	12.6	82
19	Stimulation of cyclin-dependent kinase activity and G1- to S-phase transition in human lymphocytes by the human T-cell leukemia/lymphotropic virus type 1 Tax protein. <i>Journal of Virology</i> , 1998 , 72, 633-40	6.6	113
18	Competition for DNA binding sites between the short and long forms of E2 dimers underlies repression in bovine papillomavirus type 1 DNA replication control. <i>Journal of Virology</i> , 1998 , 72, 1931-40	6.6	27
17	Use of tetracycline-controlled gene expression systems to study mammalian cell cycle. <i>Methods in Enzymology</i> , 1997 , 283, 159-73	1.7	48
16	Tetracycline-controlled transcription in eukaryotes: novel transactivators with graded transactivation potential. <i>Nucleic Acids Research</i> , 1997 , 25, 2723-9	20.1	265
15	Doxycycline-mediated quantitative and tissue-specific control of gene expression in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 10933-8	11.5	670

14	Co-regulation of two gene activities by tetracycline via a bidirectional promoter. <i>Nucleic Acids Research</i> , 1995 , 23, 3605-6	20.1	303
13	A Drosophila homolog of the yeast origin recognition complex. <i>Science</i> , 1995 , 270, 1674-7	33.3	135
12	Separation of origin recognition complex functions by cross-species complementation. <i>Science</i> , 1995 , 270, 1671-4	33.3	53
11	Transcriptional activation by tetracyclines in mammalian cells. <i>Science</i> , 1995 , 268, 1766-9	33.3	2143
10	Tightly regulated and inducible expression of dominant interfering dynamin mutant in stably transformed HeLa cells. <i>Methods in Enzymology</i> , 1995 , 257, 209-20	1.7	96
9	Identification of mammalian cell clones exhibiting highly regulated expression from inducible promoters. <i>Trends in Genetics</i> , 1995 , 11, 219-20	8.5	31
8	Inducible gene expression systems for higher eukaryotic cells. <i>Current Opinion in Biotechnology</i> , 1994 , 5, 516-20	11.4	156
7	Control of gene activity in higher eukaryotic cells by prokaryotic regulatory elements. <i>Trends in Biotechnology</i> , 1994 , 12, 58-62	15.1	13
6	Photinus pyralis luciferase: vectors that contain a modified luc coding sequence allowing convenient transfer into other systems. <i>Gene</i> , 1994 , 141, 75-7	3.8	27
5	Temporal control of gene expression in transgenic mice by a tetracycline-responsive promoter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 9302-6	11.5	687
4	A chimeric transactivator allows tetracycline-responsive gene expression in whole plants. <i>Plant Journal</i> , 1994 , 5, 559-69	6.9	148
3	Control of gene activity in higher eukaryotic cells by prokaryotic regulatory elements. <i>Trends in Biochemical Sciences</i> , 1993 , 18, 471-5	10.3	215
2	Anhydrotetracycline, a novel effector for tetracycline controlled gene expression systems in eukaryotic cells. <i>Nucleic Acids Research</i> , 1993 , 21, 4411-2	20.1	92
1	Tight control of gene expression in mammalian cells by tetracycline-responsive promoters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 5547-51	11.5	4330