

Keith L March

List of Publications by Citations

Source: <https://exaly.com/author-pdf/323887/keith-l-march-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

14,598
citations

47
h-index

120
g-index

164
ext. papers

15,936
ext. citations

6.4
avg, IF

5.81
L-index

#	Paper	IF	Citations
150	From vulnerable plaque to vulnerable patient: a call for new definitions and risk assessment strategies: Part I. <i>Circulation</i> , 2003 , 108, 1664-72	16.7	1985
149	Secretion of angiogenic and antiapoptotic factors by human adipose stromal cells. <i>Circulation</i> , 2004 , 109, 1292-8	16.7	1777
148	Peripheral blood "endothelial progenitor cells" are derived from monocyte/macrophages and secrete angiogenic growth factors. <i>Circulation</i> , 2003 , 107, 1164-9	16.7	1474
147	Stromal cells from the adipose tissue-derived stromal vascular fraction and culture expanded adipose tissue-derived stromal/stem cells: a joint statement of the International Federation for Adipose Therapeutics and Science (IFATS) and the International Society for Cellular Therapy (ISCT). <i>Cytotherapy</i> , 2013 , 15, 641-8	4.8	1149
146	From vulnerable plaque to vulnerable patient: a call for new definitions and risk assessment strategies: Part II. <i>Circulation</i> , 2003 , 108, 1772-8	16.7	886
145	A population of multipotent CD34-positive adipose stromal cells share pericyte and mesenchymal surface markers, reside in a periendothelial location, and stabilize endothelial networks. <i>Circulation Research</i> , 2008 , 102, 77-85	15.7	680
144	Evaluation of the concentration and bioactivity of adenovirus vectors for gene therapy. <i>Journal of Virology</i> , 1996 , 70, 7498-509	6.6	665
143	Radiolabeled cell distribution after intramyocardial, intracoronary, and interstitial retrograde coronary venous delivery: implications for current clinical trials. <i>Circulation</i> , 2005 , 112, 1150-6	16.7	438
142	Robust functional vascular network formation in vivo by cooperation of adipose progenitor and endothelial cells. <i>Circulation Research</i> , 2009 , 104, 1410-20	15.7	262
141	Exercise acutely increases circulating endothelial progenitor cells and monocyte-/macrophage-derived angiogenic cells. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 2314-8	15.1	256
140	White adipose tissue cells are recruited by experimental tumors and promote cancer progression in mouse models. <i>Cancer Research</i> , 2009 , 69, 5259-66	10.1	242
139	IFATS collection: Human adipose tissue-derived stem cells induce angiogenesis and nerve sprouting following myocardial infarction, in conjunction with potent preservation of cardiac function. <i>Stem Cells</i> , 2009 , 27, 230-7	5.8	218
138	IFATS collection: The conditioned media of adipose stromal cells protect against hypoxia-ischemia-induced brain damage in neonatal rats. <i>Stem Cells</i> , 2009 , 27, 478-88	5.8	204
137	Suppression of hepatocyte growth factor production impairs the ability of adipose-derived stem cells to promote ischemic tissue revascularization. <i>Stem Cells</i> , 2007 , 25, 3234-43	5.8	185
136	pH-dependent processes in proteins. <i>Critical Reviews in Biochemistry</i> , 1985 , 18, 91-197		150
135	Adipose stem cell treatment in mice attenuates lung and systemic injury induced by cigarette smoking. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 183, 215-25	10.2	139
134	Adipose tissue progenitor cells directly interact with endothelial cells to induce vascular network formation. <i>Tissue Engineering - Part A</i> , 2010 , 16, 2953-66	3.9	135

133	Therapeutic potential of adipose-derived stem cells in vascular growth and tissue repair. <i>Current Opinion in Organ Transplantation</i> , 2010 , 15, 86-91	2.5	124
132	Obesity is associated with increased levels of circulating hepatocyte growth factor. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1408-13	15.1	123
131	Adipose stromal cells and platelet-rich plasma therapies synergistically increase revascularization during wound healing. <i>Plastic and Reconstructive Surgery</i> , 2009 , 123, 56S-64S	2.7	115
130	The human lipodystrophy gene product Berardinelli-Seip congenital lipodystrophy 2/seipin plays a key role in adipocyte differentiation. <i>Endocrinology</i> , 2009 , 150, 4552-61	4.8	108
129	Vascular injury, repair, and restenosis after percutaneous transluminal angioplasty in the atherosclerotic rabbit. <i>Circulation</i> , 1995 , 92, 2995-3005	16.7	96
128	Electroanatomic remodeling of the left stellate ganglion after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 954-61	15.1	92
127	IFATS collection: Adipose stromal cell differentiation is reduced by endothelial cell contact and paracrine communication: role of canonical Wnt signaling. <i>Stem Cells</i> , 2008 , 26, 2674-81	5.8	84
126	Adipose tissue production of hepatocyte growth factor contributes to elevated serum HGF in obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E843-8	6	79
125	Pharmacokinetics of adenoviral vector-mediated gene delivery to vascular smooth muscle cells: modulation by poloxamer 407 and implications for cardiovascular gene therapy. <i>Human Gene Therapy</i> , 1995 , 6, 41-53	4.8	79
124	Autologous bone marrow mononuclear cell therapy is safe and promotes amputation-free survival in patients with critical limb ischemia. <i>Journal of Vascular Surgery</i> , 2011 , 53, 1565-74.e1	3.5	74
123	Rationale and Design of the CONCERT-HF Trial (Combination of Mesenchymal and c-kit Cardiac Stem Cells As Regenerative Therapy for Heart Failure). <i>Circulation Research</i> , 2018 , 122, 1703-1715	15.7	72
122	p75(NTR) mediates neurotrophin-induced apoptosis of vascular smooth muscle cells. <i>American Journal of Pathology</i> , 2000 , 157, 1247-58	5.8	69
121	Regenerative therapeutic potential of adipose stromal cells in early stage diabetic retinopathy. <i>PLoS ONE</i> , 2014 , 9, e84671	3.7	68
120	Gene therapy for restenosis: getting nearer the heart of the matter. <i>Circulation Research</i> , 1998 , 82, 295-305	15.7	68
119	Local delivery of biodegradable microparticles containing colchicine or a colchicine analogue: effects on restenosis and implications for catheter-based drug delivery. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1549-57	15.1	64
118	Direct intraarterial wall injection of microparticles via a catheter: a potential drug delivery strategy following angioplasty. <i>American Heart Journal</i> , 1991 , 122, 1136-40	4.9	64
117	IFATS collection: Combinatorial peptides identify alpha5beta1 integrin as a receptor for the matricellular protein SPARC on adipose stromal cells. <i>Stem Cells</i> , 2008 , 26, 2735-45	5.8	63
116	Efficient in vivo catheter-based pericardial gene transfer mediated by adenoviral vectors. <i>Clinical Cardiology</i> , 1999 , 22, 123-9	3.3	62

115	Engineered zinc finger-activating vascular endothelial growth factor transcription factor plasmid DNA induces therapeutic angiogenesis in rabbits with hindlimb ischemia. <i>Circulation</i> , 2004 , 110, 2467-75	16.7	61
114	Regional and arterial localization of radioactive microparticles after local delivery by unsupported or supported porous balloon catheters. <i>American Heart Journal</i> , 1995 , 129, 852-9	4.9	59
113	Reduced pericardial levels of endostatin correlate with collateral development in patients with ischemic heart disease. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1383-7	15.1	57
112	NGF activates similar intracellular signaling pathways in vascular smooth muscle cells as PDGF-BB but elicits different biological responses. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 1041-50	9.4	56
111	A central role for hepatocyte growth factor in adipose tissue angiogenesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 294, E336-44	6	55
110	Augmentation of intrapericardial nitric oxide level by a prolonged-release nitric oxide donor reduces luminal narrowing after porcine coronary angioplasty. <i>Circulation</i> , 2002 , 105, 2779-84	16.7	55
109	Human adipose-derived stromal/stem cells protect against STZ-induced hyperglycemia: analysis of hASC-derived paracrine effectors. <i>Stem Cells</i> , 2014 , 32, 1831-42	5.8	53
108	P38 MAPK mediates myocardial proinflammatory cytokine production and endotoxin-induced contractile suppression. <i>Shock</i> , 2004 , 21, 170-4	3.4	53
107	Studies of renal injury III: lipid-induced nephropathy in type II diabetes. <i>Kidney International</i> , 2000 , 57, 92-104	9.9	53
106	Adipose stromal/stem cells: basic and translational advances: the IFATS collection. <i>Stem Cells</i> , 2008 , 26, 2664-5	5.8	51
105	Interphase FISH demonstrates that human adipose stromal cells maintain a high level of genomic stability in long-term culture. <i>Stem Cells and Development</i> , 2009 , 18, 717-24	4.4	48
104	Preconditioning: evolution of basic mechanisms to potential therapeutic strategies. <i>Shock</i> , 2004 , 21, 195-209	3.4	48
103	Intrapericardial paclitaxel delivery inhibits neointimal proliferation and promotes arterial enlargement after porcine coronary overstretch. <i>Circulation</i> , 2000 , 102, 1575-81	16.7	47
102	Transcriptional Networks in Single Perivascular Cells Sorted from Human Adipose Tissue Reveal a Hierarchy of Mesenchymal Stem Cells. <i>Stem Cells</i> , 2017 , 35, 1273-1289	5.8	45
101	Effect of atherosclerosis on transmural convection an arterial ultrastructure. Implications for local intravascular drug delivery. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 3365-75	9.4	45
100	Urokinase gene transfer augments angiogenesis in ischemic skeletal and myocardial muscle. <i>Molecular Therapy</i> , 2007 , 15, 1939-46	11.7	45
99	Differences in the effects of HMG-CoA reductase inhibitors on proliferation and viability of smooth muscle cells in culture. <i>Atherosclerosis</i> , 2000 , 150, 331-41	3.1	44
98	Acute myocardial infarction in swine rapidly and selectively releases highly proliferative endothelial colony forming cells (ECFCs) into circulation. <i>Cell Transplantation</i> , 2007 , 16, 887-97	4	43

97	Clonal multilineage differentiation of murine common pluripotent stem cells isolated from skeletal muscle and adipose stromal cells. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1044, 183-200	6.5	43
96	Adipose stromal cells differentiate along a smooth muscle lineage pathway upon endothelial cell contact via induction of activin A. <i>Circulation Research</i> , 2014 , 115, 800-9	15.7	42
95	Analysis of electrostatic interactions and their relationship to conformation and stability of bovine pancreatic trypsin inhibitor. <i>Biochemistry</i> , 1982 , 21, 5241-51	3.2	41
94	Phase II clinical research design in cardiology: learning the right lessons too well: observations and recommendations from the Cardiovascular Cell Therapy Research Network (CCTRN). <i>Circulation</i> , 2013 , 127, 1630-5	16.7	38
93	Angiostatin is negatively associated with coronary collateral growth in patients with coronary artery disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H2042-6	5.2	37
92	Endothelial-monocyte-activating polypeptide II induces migration of endothelial progenitor cells via the chemokine receptor CXCR3. <i>Experimental Hematology</i> , 2006 , 34, 1125-32	3.1	36
91	Development of a porcine delayed wound-healing model and its use in testing a novel cell-based therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 888-96	4	35
90	Intracoronary and retrograde coronary venous myocardial delivery of adipose-derived stem cells in swine infarction lead to transient myocardial trapping with predominant pulmonary redistribution. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, E17-25	2.7	34
89	Selective inhibition of pancreatic ductal adenocarcinoma cell growth by the mitotic MPS1 kinase inhibitor NMS-P715. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 307-315	6.1	34
88	Widespread regional myocardial transfection by plasmid encoding Del-1 following retrograde coronary venous delivery. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 58, 207-11	2.7	33
87	Stent-based approach for ventricle-to-coronary artery bypass. <i>Circulation</i> , 2002 , 106, 1000-6	16.7	32
86	Methods and devices for local drug delivery in coronary and peripheral arteries. <i>Trends in Cardiovascular Medicine</i> , 1993 , 3, 163-70	6.9	32
85	The creation of an in vitro adipose tissue that contains a vascular-adipocyte complex. <i>Biomaterials</i> , 2011 , 32, 9667-76	15.6	30
84	Evaluation of Cell Therapy on Exercise Performance and Limb Perfusion in Peripheral Artery Disease: The CCTRN PACE Trial (Patients With Intermittent Claudication Injected With ALDH Bright Cells). <i>Circulation</i> , 2017 , 135, 1417-1428	16.7	29
83	Pharmacokinetics and consistency of pericardial delivery directed to coronary arteries: direct comparison with endoluminal delivery. <i>Clinical Cardiology</i> , 1999 , 22, 110-6	3.3	29
82	Microparticle deposition in periarterial microvasculature and intramural dissections after porous balloon delivery into atherosclerotic vessels: quantitation and localization by confocal scanning laser microscopy. <i>American Heart Journal</i> , 1996 , 131, 892-8	4.9	29
81	GDNF secreted from adipose-derived stem cells stimulates VEGF-independent angiogenesis. <i>Oncotarget</i> , 2016 , 7, 36829-36841	3.3	29
80	Hypertension in pregnancy: Taking cues from pathophysiology for clinical practice. <i>Clinical Cardiology</i> , 2018 , 41, 220-227	3.3	27

79	A Phase II study of autologous mesenchymal stromal cells and c-kit positive cardiac cells, alone or in combination, in patients with ischaemic heart failure: the CCTRN CONCERT-HF trial. <i>European Journal of Heart Failure</i> , 2021 , 23, 661-674	12.3	26
78	Resident Endothelial Progenitor Cells From Human Placenta Have Greater Vasculogenic Potential Than Circulating Endothelial Progenitor Cells From Umbilical Cord Blood. <i>Cell Medicine</i> , 2012 , 2, 85-96	4.9	24
77	Molecular cardiology: new avenues for the diagnosis and treatment of cardiovascular disease. <i>Journal of the American College of Cardiology</i> , 1989 , 13, 265-82	15.1	24
76	Human Adipose-Derived Stem Cells Suppress Elastase-Induced Murine Abdominal Aortic Inflammation and Aneurysm Expansion Through Paracrine Factors. <i>Cell Transplantation</i> , 2017 , 26, 173-189	4.9	23
75	Human adipose-derived stem cells ameliorate cigarette smoke-induced murine myelosuppression via secretion of TSG-6. <i>Stem Cells</i> , 2015 , 33, 468-78	5.8	23
74	Autologous stromal vascular fraction therapy for rheumatoid arthritis: rationale and clinical safety. <i>International Archive of Medicine</i> , 2012 , 5, 5		23
73	Adipose-derived Stem Cell Conditioned Media Extends Survival time of a mouse model of Amyotrophic Lateral Sclerosis. <i>Scientific Reports</i> , 2015 , 5, 16953	4.9	23
72	Coronary venous retroperfusion: an old concept, a new approach. <i>Journal of Applied Physiology</i> , 2008 , 104, 1266-72	3.7	22
71	Electroacupuncture Promotes Central Nervous System-Dependent Release of Mesenchymal Stem Cells. <i>Stem Cells</i> , 2017 , 35, 1303-1315	5.8	21
70	Conditioned media from adipose stromal cells limit lipopolysaccharide-induced lung injury, endothelial hyperpermeability and apoptosis. <i>Journal of Translational Medicine</i> , 2015 , 13, 67	8.5	21
69	Muscle-derived Gr1(dim)CD11b(+) cells enhance neovascularization in an ischemic hind limb mouse model. <i>Blood</i> , 2010 , 116, 1623-6	2.2	21
68	Charge-site communication in proteins: electrostatic heme linkage of azide binding by sperm whale myoglobin. <i>Biochemistry</i> , 1980 , 19, 3039-47	3.2	21
67	Human Adipose Stromal Cells Increase Survival and Mesenteric Perfusion Following Intestinal Ischemia and Reperfusion Injury. <i>Shock</i> , 2016 , 46, 75-82	3.4	18
66	Expression of RAC2 in endothelial cells is required for the postnatal neovascular response. <i>Experimental Cell Research</i> , 2009 , 315, 248-63	4.2	18
65	Adipose Stromal Cell Contact with Endothelial Cells Results in Loss of Complementary Vasculogenic Activity Mediated by Induction of Activin A. <i>Stem Cells</i> , 2015 , 33, 3039-51	5.8	17
64	Intramyocardial transplantation of human adipose-derived stromal cell and endothelial progenitor cell mixture was not superior to individual cell type transplantation in improving left ventricular function in rats with myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 164, 205-11	3.2	17
63	In vitro clonal analysis of murine pluripotent stem cells isolated from skeletal muscle and adipose stromal cells. <i>Experimental Hematology</i> , 2008 , 36, 224-34	3.1	17
62	Direct evidence for the importance of p130 in injury response and arterial remodeling following carotid artery ligation. <i>Cardiovascular Research</i> , 2002 , 54, 676-83	9.9	17

61	Adipose Stem Cell Function Maintained with Age: An Intra-Subject Study of Long-Term Cryopreserved Cells. <i>Aesthetic Surgery Journal</i> , 2017 , 37, 454-463	2.4	17
60	Human adipose stromal cell therapy improves survival and reduces renal inflammation and capillary rarefaction in acute kidney injury. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 1420-1430	5.6	16
59	Establishment of a clinically correlated human pericardial fluid bank: evaluation of intrapericardial diagnostic potential. <i>Clinical Cardiology</i> , 1999 , 22, 140-2	3.3	16
58	Rationale and Design of the SENECA (StEm cell INJEction in cAncer survivors) Trial. <i>American Heart Journal</i> , 2018 , 201, 54-62	4.9	15
57	Pulmonary Retention of Adipose Stromal Cells Following Intravenous Delivery Is Markedly Altered in the Presence of ARDS. <i>Cell Transplantation</i> , 2016 , 25, 1635-1643	4	15
56	Therapeutic Potential of Adipose-Derived Therapeutic Factor Concentrate for Treating Critical Limb Ischemia. <i>Cell Transplantation</i> , 2016 , 25, 1623-1633	4	14
55	Gene-based therapies for restenosis. <i>Advanced Drug Delivery Reviews</i> , 1997 , 24, 109-120	18.5	12
54	Mesenchymal stem cell secretions improve donor heart function following ex vivo cold storage. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 ,	1.5	12
53	Allogeneic Mesenchymal Cell Therapy in Anthracycline-Induced Cardiomyopathy Heart Failure Patients: The CCTRN SENECA Trial. <i>JACC: CardioOncology</i> , 2020 , 2, 581-595	3.8	12
52	Cigarette Smoking Impairs Adipose Stromal Cell Vasculogenic Activity and Abrogates Potency to Ameliorate Ischemia. <i>Stem Cells</i> , 2018 , 36, 856-867	5.8	11
51	Rapid clearance of heavy chain-modified hyaluronan during resolving acute lung injury. <i>Respiratory Research</i> , 2018 , 19, 107	7.3	11
50	Intravenous xenogeneic transplantation of human adipose-derived stem cells improves left ventricular function and microvascular integrity in swine myocardial infarction model. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, E38-48	2.7	10
49	Cellular approaches to tissue repair in cardiovascular disease: the more we know, the more there is to learn. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H458-63	5.2	10
48	Heparin responsiveness in vitro as a prognostic tool for vascular graft stenosis: a tale of two cell types?. <i>Circulation</i> , 1998 , 97, 2486-90	16.7	10
47	AMD3100 ameliorates cigarette smoke-induced emphysema-like manifestations in mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018 , 315, L382-L386	5.8	9
46	Morphologic changes in photodamaged organotypic human skin culture after treatment of autologous adipose-derived stromal cells. <i>Journal of Craniofacial Surgery</i> , 2012 , 23, 805-11	1.2	9
45	Smooth muscle-specific expression of SV40 large TAg induces SMC proliferation causing adaptive arterial remodeling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H2714-24	5.2	9
44	Increased Intramural Retention After Local Delivery of Molecules with Increased Binding Properties: Implications for Regional Delivery of Pharmacologic Agents. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 1999 , 4, 103-112	2.6	9

43	Vascular repair mechanisms after directional atherectomy or percutaneous transluminal coronary angioplasty in atherosclerotic rabbit iliac arteries. <i>American Heart Journal</i> , 1996 , 132, 13-22	4.9	9
42	Therapeutic Use of Adipose-Derived Stromal Cells in a Murine Model of Acute Pancreatitis. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 67-75	3.3	8
41	Distinct Effects of Adipose-Derived Stem Cells and Adipocytes on Normal and Cancer Cell Hierarchy. <i>Molecular Cancer Research</i> , 2016 , 14, 660-71	6.6	8
40	EMAPII Monoclonal Antibody Ameliorates Influenza A Virus-Induced Lung Injury. <i>Molecular Therapy</i> , 2018 , 26, 2060-2069	11.7	7
39	Immune Dysregulation in HFpEF: A Target for Mesenchymal Stem/Stromal Cell Therapy. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
38	Adipose stromal cells differentiation toward smooth muscle cell phenotype diminishes their vasculogenic activity due to induction of activin A secretion. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 3145-3156	4.4	6
37	High efficiency adenovirus-mediated pericardial gene transfer in vivo. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 31	15.1	6
36	Adipose-derived stem cell conditioned medium impacts asymptomatic peripheral neuromuscular denervation in the mutant superoxide dismutase (G93A) transgenic mouse model of amyotrophic lateral sclerosis. <i>Restorative Neurology and Neuroscience</i> , 2018 , 36, 621-627	2.8	5
35	Oncostatin M and TNF- α Induce Alpha-1 Antitrypsin Production in Undifferentiated Adipose Stromal Cells. <i>Stem Cells and Development</i> , 2017 , 26, 1468-1476	4.4	5
34	Vascular ligation response is independent of p107: stressing the role of the related p130. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 285, H915-8	5.2	5
33	Enhancing myocardial plasmid expression by retrograde coronary venous delivery. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 65, 528-34	2.7	5
32	Arguments for a Different Regulatory Categorization and Framework for Stromal Vascular Fraction. <i>Stem Cells and Development</i> , 2020 , 29, 257-262	4.4	5
31	Whole-Body Vibration Training Increases Stem/Progenitor Cell Circulation Levels and May Attenuate Inflammation. <i>Military Medicine</i> , 2020 , 185, 404-412	1.3	4
30	Vascular injury response in mice is dependent on genetic background. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 290, H1307-10	5.2	4
29	Liquid-filled balloon brachytherapy using (68)Ga is effective and safe because of the short 68-minute half-life: results of a feasibility study in the porcine coronary overstretch model. <i>Circulation</i> , 2001 , 103, 1793-8	16.7	4
28	Pharmacokinetics of Local Vector Delivery to Vascular Tissues: Implications for Efficiency and Localization of Transduction. <i>Developments in Cardiovascular Medicine</i> , 1997 , 477-498		4
27	Hypoxia-induced activin A diminishes endothelial cell vasculogenic activity. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 173-184	5.6	3
26	Newly diagnosed cardiovascular disease in patients treated with immune checkpoint inhibitors: a retrospective analysis of patients at an academic tertiary care center. <i>Cardio-Oncology</i> , 2021 , 7, 10	2.8	3

25	Mucosal Perfusion Preservation by a Novel Shapeable Tissue Expander for Oral Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017 , 5, e1449	1.2	2
24	Transgenic model of smooth muscle cell cycle reentry: expression pattern of the collagenous matrix. <i>Cardiovascular Pathology</i> , 2008 , 17, 72-80	3.8	2
23	Adipose stem cell secretome markedly improves rodent heart and human induced pluripotent stem cell-derived cardiomyocyte recovery from cardioplegic transport solution exposure. <i>Stem Cells</i> , 2021 , 39, 170-182	5.8	2
22	A multiplexed ion-exchange membrane-based miRNA (MIXmiR) detection platform for rapid diagnosis of myocardial infarction. <i>Lab on A Chip</i> , 2021 , 21, 3876-3887	7.2	2
21	Recommendations for Nomenclature and Definition Of Cell Products Intended for Human Cardiovascular Use. <i>Cardiovascular Research</i> , 2021 ,	9.9	2
20	Dr. Sonia Skarlatos-leader, colleague, and friend: from vascular biology to gene therapy and the Cardiovascular Cell Therapy research network. <i>Human Gene Therapy</i> , 2013 , 24, 896-8	4.8	1
19	Potential of gallium-based leads for cardiac rhythm management devices. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 341-4	0.9	1
18	Catheter-based local drug delivery. <i>ACC Current Journal Review</i> , 1995 , 4, 11-13		1
17	Combination of 8-methoxypsoralen and ultraviolet A inhibits smooth muscle proliferation in vitro and in vivo after angioplasty 1994 ,		1
16	Identifying Cancer Patients at Risk for Heart Failure Using Machine Learning Methods 2019 , 2019, 933-947	4.7	1
15	Adipose stem cell secretome markedly improves rodent heart and human induced pluripotent stem cell-derived cardiomyocyte recovery from cardioplegic transport solution exposure. <i>Stem Cells</i> , 2021 , 39, 170-182	5.8	1
14	Bone marrow- or adipose-mesenchymal stromal cell secretome preserves myocardial transcriptome profile and ameliorates cardiac damage following ex vivo cold storage. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 164, 1-12	5.8	0
13	Cardiac stem cell therapy among Clinics of Uncertain Regulatory Status (COURS): under-regulated, under-observed, incompletely understood. <i>Journal of Translational Medicine</i> , 2020 , 18, 285	8.5	0
12	Distinct Factors Secreted by Adipose Stromal Cells Protect the Endothelium From Barrier Dysfunction and Apoptosis. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 584653	5.7	0
11	Lactate Dehydrogenase B and Pyruvate Oxidation Pathway Associated With Carfilzomib-Related Cardiotoxicity in Multiple Myeloma Patients: Result of a Multi-Omics Integrative Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 645122	5.4	0
10	A Stem-Cell-Derived Cell-Free Therapy for Stroke: Moving Conditioned Medium into Clinical Trial 2015 , 247-265		
9	Balancing luminal size and smooth muscle proliferation--a key control point in atherosclerosis and arteriogenesis. <i>Exs</i> , 2005 , 193-205		
8	Comparison of light-activated surgical adhesive and suture techniques for vascular repair: an in-vivo study 2002 , 4609, 229		

- 7 Stem Cells and Progenitor Cells in Cardiovascular Disease **2005**, 71-80
- 6 Intrapericardial drug delivery for prevention of restenosis **2005**, 549-558
- 5 Molecular and Cellular Physiology of Differentiated Vascular Smooth Muscle **2007**, 1511-1523
- 4 Adipogenesis of Adipose Stromal Cells is Reduced by Endothelial Cell Co-cultivation: Role for Wnt-signaling. *FASEB Journal*, **2008**, 22, 49.11 0.9
- 3 Purified Gr1+CD11b+ Cells Induce Neovascularization in An Ischemic Hind Limb Mouse Model.. *Blood*, **2008**, 112, 1894-1894 2.2
- 2 Complementary Embryonic and Adult Cell Populations Enhance Myocardial Repair in Rat Myocardial Injury Model. *Stem Cells International*, **2019**, 2019, 3945850 5
- 1 Regenerative Medicine in the State of Florida: Letter Outlining the Florida Organization for Regenerative Medicine. *Stem Cells Translational Medicine*, **2018**, 7, 511-512 6.9