# Antonio Palumbo

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/3239926/publications.pdf

Version: 2024-02-01

| | | | |
|---|---|---|---|
| 269<br>papers | 34,087<br>citations | 13098<br>68<br>h-index | 3650<br>180<br>g-index |
| 270<br>all docs | 270<br>docs citations | 270<br>times ranked | 16941<br>citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Carfilzomib, cyclophosphamide and dexamethasone for newly diagnosed, high-risk myeloma patients not eligible for transplant: a pooled analysis of two studies. Haematologica, 2021, 106, 1079-1085. | 3.5 | 12 |
| 2 | Management of patients with multiple myeloma beyond the clinical-trial setting: understanding the balance between efficacy, safety and tolerability, and quality of life. Blood Cancer Journal, 2021, 11, 40. | 6.2 | 46 |
| 3 | Real-world comparative effectiveness of triplets containing bortezomib (B), carfilzomib (C), daratumumab (D), or ixazomib (I) in relapsed/refractory multiple myeloma (RRMM) in the US. Annals of Hematology, 2021, 100, 2325-2337. | 1.8 | 21 |
| 4 | Carfilzomib, bendamustine, and dexamethasone in patients with advanced multiple myeloma: The EMN09 phase 1/2 study of the European Myeloma Network. Cancer, 2021, 127, 3413-3421. | 4.1 | 4 |
| 5 | Histological growth patterns and molecular analysis of resected colorectal lung metastases. Pathology Research and Practice, 2021, 222, 153414. | 2.3 | 5 |
| 6 | Pseudopyloric Metaplasia Is Not Associated With the Development of Gastric Cancer. American Journal of Gastroenterology, 2021, 116, 1859-1867. | 0.4 | 10 |
| 7 | Randomized Clinical Trial Representativeness and Outcomes in Real-World Patients: Comparison of 6 Hallmark Randomized Clinical Trials of Relapsed/Refractory Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, 8-17.e16. | 0.4 | 74 |
| 8 | First-line therapy with either bortezomib-melphalan-prednisone or lenalidomide-dexamethasone followed by lenalidomide for transplant-ineligible multiple myeloma patients: a pooled analysis of two randomized trials. Haematologica, 2020, 105, 1074-1080. | 3.5 | 16 |
| 9 | Lenalidomide-based induction and maintenance in elderly newly diagnosed multiple myeloma patients: updated results of the EMN01 randomized trial. Haematologica, 2020, 105, 1937-1947. | 3.5 | 29 |
| 10 | Ixazomib as Postinduction Maintenance for Patients With Newly Diagnosed Multiple Myeloma Not Undergoing Autologous Stem Cell Transplantation: The Phase III TOURMALINE-MM4 Trial. Journal of Clinical Oncology, 2020, 38, 4030-4041. | 1.6 | 56 |
| 11 | Carfilzomib Combined With Thalidomide and Lowâ€dose Dexamethasone for Remission Induction and Consolidation in Newly Diagnosed Transplant Eligible Patients With Multiple Myeloma: 8 vs 4 Induction Cycles; the Carthadex Trial. HemaSphere, 2020, 4, e370. | 2.7 | 2 |
| 12 | Real-world outcomes and factors impacting treatment choice in relapsed and/or refractory multiple myeloma (RRMM): a comparison of VRd, KRd, and IRd. Expert Review of Hematology, 2020, 13, 421-433. | 2.2 | 34 |
| 13 | Developments in continuous therapy and maintenance treatment approaches for patients with newly diagnosed multiple myeloma. Blood Cancer Journal, 2020, 10, 17. | 6.2 | 75 |
| 14 | Lenalidomide Maintenance with or without Prednisone in Newly Diagnosed Myeloma Patients: A Pooled Analysis. Cancers, 2019, 11, 1735. | 3.7 | 7 |
| 15 | IH2 INHIBITION ENHANCES PROTEASOME INHIBITOR RESPONSIVENESS IN HEMATOLOGICAL MALIGNANCIES. Hematological Oncology, 2019, 37, 515-515. | 1.7 | 0 |
| 16 | Prognostic or predictive value of circulating cytokines and angiogenic factors for initial treatment of multiple myeloma in the GIMEMA MM0305 randomized controlled trial. Journal of Hematology and Oncology, 2019, 12, 4. | 17.0 | 27 |
| 17 | Curative and Prophylactic Surgery of Young-onset Colorectal Cancer in Inherited Syndromes: A 15-Year Monocentric Retrospective Experience. Anticancer Research, 2019, 39, 3131-3136. | 1.1 | 3 |
| 18 | Phase II study of carfilzomib, thalidomide, and low-dose dexamethasone as induction and consolidation in newly diagnosed, transplant eligible patients with multiple myeloma; the Carthadex trial. Haematologica, 2019, 104, 2265-2273. | 3.5 | 23 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Once-weekly versus twice-weekly carfilzomib in patients with newly diagnosed multiple myeloma: a pooled analysis of two phase I/II studies. Haematologica, 2019, 104, 1640-1647. | 3.5 | 22 |
| 20 | Minimal residual disease by flow cytometry and allelicâ€specific oligonucleotide realâ€time quantitative polymerase chain reaction in patients with myeloma receiving lenalidomide maintenance: A pooled analysis. Cancer, 2019, 125, 750-760. | 4.1 | 31 |
| 21 | Oral ixazomib maintenance following autologous stem cell transplantation (TOURMALINE-MM3): a double-blind, randomised, placebo-controlled phase 3 trial. Lancet, The, 2019, 393, 253-264. | 13.7 | 187 |
| 22 | Preliminary Results from a Phase 1b Study of TAK-079, an Investigational Anti-CD38 Monoclonal Antibody (mAb) in Patients with Relapsed/ Refractory Multiple Myeloma (RRMM). Blood, 2019, 134, 140-140. | 1.4 | 22 |
| 23 | Efficacy of carfilzomib lenalidomide dexamethasone (KRd) with or without transplantation in newly diagnosed myeloma according to risk status: Results from the FORTE trial.. Journal of Clinical Oncology, 2019, 37, 8002-8002. | 1.6 | 67 |
| 24 | The Binding of CD38 Therapeutics to Red Blood Cells and Platelets Subverts Depletion of Target Cells. Blood, 2019, 134, 3136-3136. | 1.4 | 2 |
| 25 | Maintenance in myeloma patients achieving complete response after upfront therapy: a pooled analysis. Journal of Cancer Research and Clinical Oncology, 2018, 144, 1357-1366. | 2.5 | 8 |
| 26 | Once-weekly carfilzomib, pomalidomide, and low-dose dexamethasone for relapsed/refractory myeloma: a phase I/II study. Leukemia, 2018, 32, 1803-1807. | 7.2 | 39 |
| 27 | Prolonged Duration of Therapy Is Associated With Improved Survival in Patients Treated for Relapsed/Refractory Multiple Myeloma in Routine Clinical Care in the United States. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, 152-160. | 0.4 | 34 |
| 28 | Phase 1/2 study of weekly carfilzomib, cyclophosphamide, dexamethasone in newly diagnosed transplant-ineligible myeloma. Leukemia, 2018, 32, 979-985. | 7.2 | 25 |
| 29 | Case report: skin injury after contact with a red spine starfish, Protoreaster lincki. Contact Dermatitis, 2018, 78, 95-96. | 1.4 | 2 |
| 30 | Frail Patients with Newly Diagnosed Multiple Myeloma. , 2018, , 539-549. | | 1 |
| 31 | Interpreting clinical trial data in multiple myeloma: translating findings to the real-world setting. Blood Cancer Journal, 2018, 8, 109. | 6.2 | 170 |
| 32 | A prospective observational study to assess clinical decision-making, prognosis, quality of life and satisfaction with care in patients with relapsed/refractory multiple myeloma: the CLARITY study protocol. Health and Quality of Life Outcomes, 2018, 16, 127. | 2.4 | 6 |
| 33 | Continuous therapy in standard- and high-risk newly-diagnosed multiple myeloma: A pooled analysis of 2 phase III trials. Critical Reviews in Oncology/Hematology, 2018, 132, 9-16. | 4.4 | 13 |
| 34 | Early mortality in myeloma patients treated with first-generation novel agents thalidomide, lenalidomide, bortezomib at diagnosis: A pooled analysis. Critical Reviews in Oncology/Hematology, 2018, 130, 27-35. | 4.4 | 25 |
| 35 | Treatment Intensification With Autologous Stem Cell Transplantation and Lenalidomide Maintenance Improves Survival Outcomes of Patients With Newly Diagnosed Multiple Myeloma in Complete Response. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, 533-540. | 0.4 | 9 |
| 36 | Updated efficacy data and MRD analysis according to risk status in newly diagnosed myeloma patients treated with carfilzomib + lenalidomide or cyclophosphamide (FORTE trial).. Journal of Clinical Oncology, 2018, 36, 8009-8009. | 1.6 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Risk Stratification in Newly Diagnosed Transplant Ineligible Multiple Myeloma. , 2018, , 37-58. | | 0 |
| 38 | Carfilzomibâ€"lenalidomideâ€"dexamethasone vs lenalidomideâ€"dexamethasone in relapsed multiple myeloma by previous treatment. Blood Cancer Journal, 2017, 7, e554-e554. | 6.2 | 54 |
| 39 | Novel investigational drugs active as single agents in multiple myeloma. Expert Opinion on Investigational Drugs, 2017, 26, 699-711. | 4.1 | 13 |
| 40 | Proteomic characterization of human multiple myeloma bone marrow extracellular matrix. Leukemia, 2017, 31, 2426-2434. | 7.2 | 72 |
| 41 | Lenalidomide and lowâ€dose dexamethasone (Rd) versus bortezomib, melphalan, prednisone (VMP) in elderly newly diagnosed multiple myeloma patients: A comparison of two prospective trials. American Journal of Hematology, 2017, 92, 244-250. | 4.1 | 19 |
| 42 | Carfilzomibâ€"dexamethasone vs bortezomibâ€"dexamethasone in relapsed or refractory multiple myeloma by cytogenetic risk in the phase 3 study ENDEAVOR. Leukemia, 2017, 31, 1368-1374. | 7.2 | 50 |
| 43 | Ixazomib significantly prolongs progression-free survival in high-risk relapsed/refractory myeloma patients. Blood, 2017, 130, 2610-2618. | 1.4 | 90 |
| 44 | Elotuzumab plus lenalidomide/dexamethasone for relapsed or refractory multiple myeloma: <scp>ELOQUENT</scp>â€2 followâ€up and postâ€hoc analyses on progressionâ€free survival and tumour growth. British Journal of Haematology, 2017, 178, 896-905. | 2.5 | 120 |
| 45 | Tumor-Stroma Ratio is an independent predictor for overall survival and disease free survival in gastric cancer patients. Journal of the Royal College of Surgeons of Edinburgh, 2017, 15, 329-335. | 1.8 | 33 |
| 46 | Second primary malignancies in multiple myeloma: an overview and IMWG consensus. Annals of Oncology, 2017, 28, 228-245. | 1.2 | 102 |
| 47 | A randomized phase III study of carfilzomib vs low-dose corticosteroids with optional cyclophosphamide in relapsed and refractory multiple myeloma (FOCUS). Leukemia, 2017, 31, 107-114. | 7.2 | 98 |
| 48 | Bendamustine, Low-dose dexamethasone, and lenalidomide (BdL) for the treatment of patients with relapsed/refractory multiple myeloma confirms very promising results in a phase I/II study. Leukemia and Lymphoma, 2017, 58, 552-559. | 1.3 | 9 |
| 49 | Lenalidomide Maintenance After Autologous Stem-Cell Transplantation in Newly Diagnosed Multiple Myeloma: A Meta-Analysis. Journal of Clinical Oncology, 2017, 35, 3279-3289. | 1.6 | 535 |
| 50 | Carfilzomib-lenalidomide-dexamethasone (KRd) vs carfilzomib-cyclophosphamide-dexamethasone (KCd) induction: Planned interim analysis of the randomized FORTE trial in newly diagnosed multiple myeloma (NDMM).. Journal of Clinical Oncology, 2017, 35, 8003-8003. | 1.6 | 13 |
| 51 | Minimal residual disease (MRD) monitoring by multiparameter flow cytometry (MFC) in newly diagnosed transplant eligible multiple myeloma (MM) patients: Results from the EMN02/HO95 phase 3 trial.. Journal of Clinical Oncology, 2017, 35, 8011-8011. | 1.6 | 15 |
| 52 | Minimal residual disease after transplantation or lenalidomide-based consolidation in myeloma patients: a prospective analysis. Oncotarget, 2017, 8, 5924-5935. | 1.8 | 33 |
| 53 | Stem Cell Transplantation in Multiple Myeloma. Current Cancer Drug Targets, 2017, 17, 769-781. | 1.6 | 2 |
| 54 | The genetic and genomic background of multiple myeloma patients achieving complete response after induction therapy with bortezomib, thalidomide and dexamethasone (VTD). Oncotarget, 2016, 7, 9666-9679. | 1.8 | 33 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | Phase 1/2 study of daratumumab, lenalidomide, and dexamethasone for relapsed multiple myeloma. Blood, 2016, 128, 1821-1828. | 1.4 | 98 |
| 56 | Oral Ixazomib, Lenalidomide, and Dexamethasone for Multiple Myeloma. New England Journal of Medicine, 2016, 374, 1621-1634. | 27.0 | 861 |
| 57 | Triplet vs doublet lenalidomide-containing regimens for the treatment of elderly patients with newly diagnosed multiple myeloma. Blood, 2016, 127, 1102-1108. | 1.4 | 78 |
| 58 | Clinical efficacy and management of monoclonal antibodies targeting CD38 and SLAMF7 in multiple myeloma. Blood, 2016, 127, 681-695. | 1.4 | 179 |
| 59 | Treatment of multiple myeloma with high-risk cytogenetics: a consensus of the International Myeloma Working Group. Blood, 2016, 127, 2955-2962. | 1.4 | 686 |
| 60 | Randomized phase 2 study: elotuzumab plus bortezomib/dexamethasone vs bortezomib/dexamethasone for relapsed/refractory MM. Blood, 2016, 127, 2833-2840. | 1.4 | 207 |
| 61 | Carfilzomib significantly improves the progression-free survival of high-risk patients in multiple myeloma. Blood, 2016, 128, 1174-1180. | 1.4 | 110 |
| 62 | Optimizing Treatment for Elderly Patients With Newly Diagnosed Multiple Myeloma: A Personalized Approach. Journal of Clinical Oncology, 2016, 34, 3600-3604. | 1.6 | 18 |
| 63 | Health-Related Quality-of-Life Results From the Open-Label, Randomized, Phase III ASPIRE Trial Evaluating Carfilzomib, Lenalidomide, and Dexamethasone Versus Lenalidomide and Dexamethasone in Patients With Relapsed Multiple Myeloma. Journal of Clinical Oncology, 2016, 34, 3921-3930. | 1.6 | 70 |
| 64 | Treatment of Newly Diagnosed Elderly Multiple Myeloma. Cancer Treatment and Research, 2016, 169, 123-143. | 0.5 | 9 |
| 65 | Daratumumab, Bortezomib, and Dexamethasone for Multiple Myeloma. New England Journal of Medicine, 2016, 375, 754-766. | 27.0 | 1,246 |
| 66 | International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. Lancet Oncology, The, 2016, 17, e328-e346. | 10.7 | 1,866 |
| 67 | Pomalidomide plus low-dose dexamethasone in patients with relapsed/refractory multiple myeloma and moderate renal impairment: a pooled analysis of three clinical trials. Leukemia and Lymphoma, 2016, 57, 2833-2838. | 1.3 | 27 |
| 68 | Proteomic characterization of circulating extracellular vesicles identifies novel serum myeloma associated markers. Journal of Proteomics, 2016, 136, 89-98. | 2.4 | 68 |
| 69 | Carfilzomib and dexamethasone versus bortezomib and dexamethasone for patients with relapsed or refractory multiple myeloma (ENDEAVOR): a randomised, phase 3, open-label, multicentre study. Lancet Oncology, The, 2016, 17, 27-38. | 10.7 | 723 |
| 70 | Bromodomain inhibitor OTX015 in patients with lymphoma or multiple myeloma: a dose-escalation, open-label, pharmacokinetic, phase 1 study. Lancet Haematology,the, 2016, 3, e196-e204. | 4.6 | 344 |
| 71 | A phase 2 study of three low-dose intensity subcutaneous bortezomib regimens in elderly frail patients with untreated multiple myeloma. Leukemia, 2016, 30, 1320-1326. | 7.2 | 38 |
| 72 | International Myeloma Working Group Recommendations for the Diagnosis and Management of Myeloma-Related Renal Impairment. Journal of Clinical Oncology, 2016, 34, 1544-1557. | 1.6 | 294 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Management of relapsed multiple myeloma: recommendations of the International Myeloma Working Group. Leukemia, 2016, 30, 1005-1017. | 7.2 | 204 |
| 74 | Stem cell transplantation in multiple myeloma and other plasma cell disorders (report from an EBMT) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.3 | 7 |
| 75 | Monoclonal antibodies in the treatment of multiple myeloma: current status and future perspectives. Leukemia, 2016, 30, 526-535. | 7.2 | 76 |
| 76 | 18F-FDG PET/CT focal, but not osteolytic, lesions predict the progression of smoldering myeloma to active disease. Leukemia, 2016, 30, 417-422. | 7.2 | 120 |
| 77 | Prospective molecular monitoring of minimal residual disease after non-myeloablative allografting in newly diagnosed multiple myeloma. Leukemia, 2016, 30, 1211-1214. | 7.2 | 33 |
| 78 | Strategy for the treatment of multiple myeloma utilizing monoclonal antibodies: A new era begins. Leukemia and Lymphoma, 2016, 57, 537-556. | 1.3 | 17 |
| 79 | Monoclonal antibodies for treating multiple myeloma - a new era, new safety considerations?. Expert Opinion on Drug Safety, 2016, 15, 1295-1300. | 2.4 | 3 |
| 80 | Phase 2 Study of Carfilzomib, Thalidomide, and Low-Dose Dexamethasone As Induction/Consolidation in Newly Diagnosed, Transplant Eligible Patients with Multiple Myeloma, the Carthadex Trial. Blood, 2016, 128, 1141-1141. | 1.4 | 7 |
| 81 | A Multicenter, Open Label Phase I/II Study of Carfilzomib, Pomalidomide and Dexamethasone in Relapsed and/or Refractory Multiple Myeloma (MM) Patients. Blood, 2016, 128, 1145-1145. | 1.4 | 6 |
| 82 | Carfilzomib in Combination with Bendamustine and Dexamethasone (CBd) in Relapsed and/or Refractory Patients with Multiple Myeloma: The Phase I/II EMN09 Study. Blood, 2016, 128, 3334-3334. | 1.4 | 5 |
| 83 | Prognostic Impact of Minimal Residual Disease By ASO-RQ-PCR in Multiple Myeloma: A Pooled Analysis of 2 Phase III Studies in Patients Treated with Lenalidomide after Front-Line Therapy. Blood, 2016, 128, 4409-4409. | 1.4 | 5 |
| 84 | Lenalidomide (LEN) maintenance (MNTC) after high-dose melphalan and autologous stem cell transplant (ASCT) in multiple myeloma (MM): A meta-analysis (MA) of overall survival (OS).. Journal of Clinical Oncology, 2016, 34, 8001-8001. | 1.6 | 40 |
| 85 | Efficacy and safety of ixazomib plus lenalidomide-dexamethasone (IRd) vs placebo-rd in patients (pts) with relapsed/refractory multiple myeloma (RRMM) by cytogenetic risk status in the global phase III Tourmaline-MM1 study.. Journal of Clinical Oncology, 2016, 34, 8018-8018. | 1.6 | 8 |
| 86 | Two phase 3 studies of the oral proteasome inhibitor (PI) ixazomib for multiple myeloma (MM) in the maintenance setting: TOURMALINE-MM3, and -MM4.. Journal of Clinical Oncology, 2016, 34, TPS8068-TPS8068. | 1.6 | 4 |
| 87 | Adverse event (AE) management in patients (pts) with relapsed and refractory multiple myeloma (RRMM) taking pomalidomide (POM) plus low dose-dexamethasone (LoDEX): A pooled analysis from 3 clinical trials.. Journal of Clinical Oncology, 2016, 34, 8031-8031. | 1.6 | 0 |
| 88 | Flowcytometric Minimal Residual Disease Assessment in the EMN-02/HOVON-95 MM Trial: Used Methods and a Comparison of Their Sensitivity. Blood, 2016, 128, 2072-2072. | 1.4 | 1 |
| 89 | Prolonged Follow-up Confirmed a Role for Upfront Tandem Auto-Allo Transplant in Multiple Myeloma Also in the Era of New Drugs. Blood, 2016, 128, 3469-3469. | 1.4 | 0 |
| 90 | An Integrated Analysis of Cardio-Vascular Adverse Events of Carfilzomib, Cyclophosphamide and Dexamethasone in Elderly Newly Diagnosed Myeloma Patients Enrolled in 3 Phase I/II Trials. Blood, 2016, 128, 3336-3336. | 1.4 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | Impact of Treatment Intensification According to Patient Prognosis: A Pooled Analysis of 3 Randomized Phase III Trials. Blood, 2016, 128, 995-995. | 1.4 | 0 |
| 92 | Hevylite and Freelite Tests in Newly Diagnosed Multiple Myeloma: Clinical Utility and Correlations with Clinical Features. Blood, 2016, 128, 5625-5625. | 1.4 | 0 |
| 93 | Prognostic Implication of Somatic Mutations By Next Generation Sequencing: An Analysis from the Mmrf Commpass Study in Newly Diagnosed Multiple Myeloma Patients. Blood, 2016, 128, 2079-2079. | 1.4 | 0 |
| 94 | Phase 2 study of carfilzomib, thalidomide, and dexamethasone as induction/consolidation therapy for newly diagnosed multiple myeloma. Blood, 2015, 125, 449-456. | 1.4 | 60 |
| 95 | Geriatric assessment predicts survival and toxicities in elderly myeloma patients: an International Myeloma Working Group report. Blood, 2015, 125, 2068-2074. | 1.4 | 586 |
| 96 | Whole-exome sequencing of primary plasma cell leukemia discloses heterogeneous mutational patterns. Oncotarget, 2015, 6, 17543-17558. | 1.8 | 55 |
| 97 | Elotuzumab Therapy for Relapsed or Refractory Multiple Myeloma. New England Journal of Medicine, 2015, 373, 621-631. | 27.0 | 1,139 |
| 98 | Pomalidomide and Low-Dose Dexamethasone Improves Health-Related Quality of Life and Prolongs Time to Worsening in Relapsed/Refractory Patients With Multiple Myeloma Enrolled in the MM-003 Randomized Phase III Trial. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 519-530. | 0.4 | 40 |
| 99 | Immunotherapy: the next step in the treatment of myeloma. Lancet Haematology,the, 2015, 2, e504-e505. | 4.6 | 2 |
| 100 | Multiple myeloma: is a shift toward continuous therapy needed to move forward?. Expert Review of Hematology, 2015, 8, 253-256. | 2.2 | 9 |
| 101 | Role of Magnetic Resonance Imaging in the Management of Patients With Multiple Myeloma: A Consensus Statement. Journal of Clinical Oncology, 2015, 33, 657-664. | 1.6 | 330 |
| 102 | Successful mobilization of PBSCs predicts favorable outcomes in multiple myeloma patients treated with novel agents and autologous transplantation. Bone Marrow Transplantation, 2015, 50, 673-678. | 2.4 | 21 |
| 103 | Bendamustine for the treatment of multiple myeloma in first-line and relapsedâ€"refractory settings: a review of clinical trial data. Leukemia and Lymphoma, 2015, 56, 559-567. | 1.3 | 12 |
| 104 | Revised International Staging System for Multiple Myeloma: A Report From International Myeloma Working Group. Journal of Clinical Oncology, 2015, 33, 2863-2869. | 1.6 | 1,525 |
| 105 | Long-term results of the GIMEMA VEL-03-096 trial in MM patients receiving VTD consolidation after ASCT: MRD kinetics' impact on survival. Leukemia, 2015, 29, 689-695. | 7.2 | 75 |
| 106 | European Myeloma Network Guidelines for the Management of Multiple Myeloma-related Complications. Haematologica, 2015, 100, 1254-1266. | 3.5 | 289 |
| 107 | Clinical characteristics of patients with relapsed multiple myeloma. Cancer Treatment Reviews, 2015, 41, 827-835. | 7.7 | 30 |
| 108 | Carfilzomib and pomalidomide in patients with relapsed and/or refractory multiple myeloma with baseline risk factors. Annals of Oncology, 2015, 26, 2247-2256. | 1.2 | 15 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | Continuous Therapy Versus Fixed Duration of Therapy in Patients With Newly Diagnosed Multiple Myeloma. Journal of Clinical Oncology, 2015, 33, 3459-3466. | 1.6 | 138 |
| 110 | Minimal Residual Disease Detection by Droplet Digital PCR in Multiple Myeloma, Mantle Cell Lymphoma, and Follicular Lymphoma. Journal of Molecular Diagnostics, 2015, 17, 652-660. | 2.8 | 115 |
| 111 | Chemotherapy plus lenalidomide versus autologous transplantation, followed by lenalidomide plus prednisone versus lenalidomide maintenance, in patients with multiple myeloma: a randomised, multicentre, phase 3 trial. Lancet Oncology, The, 2015, 16, 1617-1629. | 10.7 | 289 |
| 112 | Autologous Transplantation in Elderly Multiple Myeloma Patients: Is the Procedure Cost Effective?. Biology of Blood and Marrow Transplantation, 2015, 21, 1705-1706. | 2.0 | 1 |
| 113 | Carfilzomib, Lenalidomide, and Dexamethasone for Relapsed Multiple Myeloma. New England Journal of Medicine, 2015, 372, 142-152. | 27.0 | 1,144 |
| 114 | Weekly Carfilzomib, Cyclophosphamide and Dexamethasone (wCCyd) in Elderly Newly Diagnosed Multiple Myeloma Patients: Results of a Phase 2 Study. Blood, 2015, 126, 1828-1828. | 1.4 | 4 |
| 115 | Efficacy of Melflufen, a Peptidase Targeted Therapy, and Dexamethasone in an Ongoing Open-Label Phase 2a Study in Patients with Relapsed and Relapsed-Refractory Multiple Myeloma (RRMM) Including an Initial Report on Progression Free Survival. Blood, 2015, 126, 3029-3029. | 1.4 | 1 |
| 116 | Autologous Transplantation Versus Cyclophosphamide-Lenalidomide-Prednisone Followed By Lenalidomide-Prednisone Versus Lenalidomide Maintenance in Multiple Myeloma: Long-Term Results of a Phase III Trial. Blood, 2015, 126, 392-392. | 1.4 | 4 |
| 117 | Serial Echocardiographic Assessment of Patients (Pts) with Relapsed Multiple Myeloma (RMM) Receiving Carfilzomib and Dexamethasone (Kd) Vs Bortezomib and Dexamethasone (Vd): A Substudy of the Phase 3 Endeavor Trial (NCT01568866). Blood, 2015, 126, 4250-4250. | 1.4 | 27 |
| 118 | Twin randomized studies of daratumumab (DARA; D) plus standard of care (lenalidomide/dexamethasone or bortezomib/dexamethasone [DRd or DVd]) versus Rd or Vd alone in relapsed or refractory multiple myeloma (MM): 54767414MMY3003 (Pollux) and 54767414MMY3004 (Castor).. Journal of Clinical Oncology, 2015, 33, TPS8609-TPS8609. | 1.6 | 5 |
| 119 | Global Myeloma Research Clusters, Output, and Citations: A Bibliometric Mapping and Clustering Analysis. PLoS ONE, 2015, 10, e0116966. | 2.5 | 10 |
| 120 | Proteomic Characterization of Circulating Extracellular Vesicles Identifies Novel Serum Myeloma Associated Markers. Blood, 2015, 126, 1814-1814. | 1.4 | 0 |
| 121 | Analysis of Final Data from the Multinational, Non-Interventional, Observational Emmos Study (NCT01241396) in Patients (Pts) with Multiple Myeloma (MM) in Real-World Clinical Practice. Blood, 2015, 126, 3034-3034. | 1.4 | 1 |
| 122 | Significant Survival Improvement with Maintenance in Patients Achieving a Complete Response: Pooled Analysis of 4 Italian Phase III Trials in Newly Diagnosed Multiple Myeloma Patients. Blood, 2015, 126, 1974-1974. | 1.4 | 0 |
| 123 | Impact of Complete Response on Survival with Either Autologous Stem Cell Transplantation or Conventional Chemotherapy: Results of a Pooled Analysis of 5 Phase III Trials in Newly Diagnosed Multiple Myeloma Patients. Blood, 2015, 126, 927-927. | 1.4 | 2 |
| 124 | Minimal Residual Disease Detection By Multiparametric Flow Cytometry in Newly Diagnosed Multiple Myeloma Patients: A Preliminary Analysis of the EMN02/HO95 MM Study. Blood, 2015, 126, 1760-1760. | 1.4 | 1 |
| 125 | IMWG consensus on risk stratification in multiple myeloma. Leukemia, 2014, 28, 269-277. | 7.2 | 500 |
| 126 | Lenalidomide and low-dose dexamethasone for newly diagnosed primary plasma cell leukemia. Leukemia, 2014, 28, 222-225. | 7.2 | 77 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Second primary malignancies with lenalidomide therapy for newly diagnosed myeloma: a meta-analysis of individual patient data. Lancet Oncology, The, 2014, 15, 333-342. | 10.7 | 256 |
| 128 | International Myeloma Working Group recommendations for global myeloma care. Leukemia, 2014, 28, 981-992. | 7.2 | 162 |
| 129 | Next-generation sequencing and real-time quantitative PCR for minimal residual disease detection in B-cell disorders. Leukemia, 2014, 28, 1299-1307. | 7.2 | 257 |
| 130 | International Myeloma Working Group Consensus Statement for the Management, Treatment, and Supportive Care of Patients With Myeloma Not Eligible for Standard Autologous Stem-Cell Transplantation. Journal of Clinical Oncology, 2014, 32, 587-600. | 1.6 | 330 |
| 131 | New drugs and novel mechanisms of action in multiple myeloma in 2013: a report from the International Myeloma Working Group (IMWG). Leukemia, 2014, 28, 525-542. | 7.2 | 214 |
| 132 | Cancer-Selective Targeting of the NF-Î¹B Survival Pathway with GADD45Î²/MKK7 Inhibitors. Cancer Cell, 2014, 26, 495-508. | 16.8 | 99 |
| 133 | International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. Lancet Oncology, The, 2014, 15, e538-e548. | 10.7 | 3,343 |
| 134 | European Perspective on Multiple Myeloma Treatment Strategies in 2014. Oncologist, 2014, 19, 829-844. | 3.7 | 90 |
| 135 | Bortezomib-Melphalan-Prednisone-Thalidomide Followed by Maintenance With Bortezomib-Thalidomide Compared With Bortezomib-Melphalan-Prednisone for Initial Treatment of Multiple Myeloma: Updated Follow-Up and Improved Survival. Journal of Clinical Oncology, 2014, 32, 634-640. | 1.6 | 198 |
| 136 | Circulating miRNA markers show promise as new prognosticators for multiple myeloma. Leukemia, 2014, 28, 1922-1926. | 7.2 | 55 |
| 137 | Maintenance Therapy for Multiple Myeloma. Hematology/Oncology Clinics of North America, 2014, 28, 839-859. | 2.2 | 14 |
| 138 | Autologous Transplantation and Maintenance Therapy in Multiple Myeloma. New England Journal of Medicine, 2014, 371, 895-905. | 27.0 | 683 |
| 139 | Carfilzomib, cyclophosphamide, and dexamethasone in patients with newly diagnosed multiple myeloma: a multicenter, phase 2 study. Blood, 2014, 124, 63-69. | 1.4 | 126 |
| 140 | Bortezomib cumulative dose, efficacy, and tolerability with three different bortezomib-melphalan-prednisone regimens in previously untreated myeloma patients ineligible for high-dose therapy. Haematologica, 2014, 99, 1114-1122. | 3.5 | 42 |
| 141 | Age and aging in blood disorders: multiple myeloma. Haematologica, 2014, 99, 1133-1137. | 3.5 | 50 |
| 142 | Weekly Carfilzomib, Cyclophosphamide and Dexamethasone (wCCd) in Newly Diagnosed Multiple Myeloma Patients: A Phase I- II Study. Blood, 2014, 124, 175-175. | 1.4 | 4 |
| 143 | Circulating Mir-130a in Multiple Myeloma and Extramedullary Myeloma Patients. Blood, 2014, 124, 2043-2043. | 1.4 | 3 |
| 144 | Doublet Vs Triplet Lenalidomide-Containing Regimens in Newly Diagnosed Myeloma Patients, Younger or Older Than 75 Years: Subgroup Analysis of a Phase III Study. Blood, 2014, 124, 2110-2110. | 1.4 | 5 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | Dose Escalation Phase 2 Trial of Carfilzomib Combined with Thalidomide and Low-Dose Dexamethason in Newly Diagnosed, Transplant Eligible Patients with Multiple Myeloma. a Trial of the European Myeloma Network. Blood, 2014, 124, 2118-2118. | 1.4 | 1 |
| 146 | The Presence of FDG PET/CT Focal, Not Osteolytic, Lesion(s) Identifies a Sub-Group of Patients with Smoldering Multiple Myeloma with High-Risk of Progression into Symptomatic Disease. Blood, 2014, 124, 3371-3371. | 1.4 | 3 |
| 147 | In Multiple Myeloma, Minimal Residual Disease (MRD) Is an Early Predictor of Progression and Is Modulated By Maintenance Therapy with Lenalidomide. Blood, 2014, 124, 3394-3394. | 1.4 | 2 |
| 148 | Cell-Free DNA for Minimal Residual Disease Monitoring in Multiple Myeloma Patients. Blood, 2014, 124, 3423-3423. | 1.4 | 5 |
| 149 | A Randomized Phase III Trial of Melphalan and Dexamethasone (MDex) Versus Bortezomib, Melphalan and Dexamethasone (BMDex) for Untreated Patients with AL Amyloidosis. Blood, 2014, 124, 35-35. | 1.4 | 11 |
| 150 | Prospective Molecular Monitoring of Minimal Residual Disease after Non-Myeloablative Allografting in Newly Diagnosed Multiple Myeloma. Blood, 2014, 124, 44-44. | 1.4 | 1 |
| 151 | Pomalidomide + Low-Dose Dexamethasone in Patients with Refractory or Relapsed and Refractory Multiple Myeloma and Renal Impairment: Analysis of Patients from the Phase 3b Stratus Trial (MM-010). Blood, 2014, 124, 4755-4755. | 1.4 | 10 |
| 152 | Safety and Efficacy in the Stratus (MM-010) Trial, a Single-Arm Phase 3b Study Evaluating Pomalidomide + Low-Dose Dexamethasone in Patients with Refractory or Relapsed and Refractory Multiple Myeloma. Blood, 2014, 124, 80-80. | 1.4 | 2 |
| 153 | Safety and Efficacy of Daratumumab with Lenalidomide and Dexamethasone in Relapsed or Relapsed, Refractory Multiple Myeloma. Blood, 2014, 124, 84-84. | 1.4 | 30 |
| 154 | Continuous treatment (CT) versus fixed duration of therapy (FDT) in newly diagnosed myeloma patients: PFS1, PFS2, OS endpoints.. Journal of Clinical Oncology, 2014, 32, 8515-8515. | 1.6 | 6 |
| 155 | The Combination of Frailty and ISS Scores Identifies a Simple Prognostic Index for Overall Survival in Elderly Patients Treated with Novel Agents-Based Induction Therapy. Blood, 2014, 124, 4740-4740. | 1.4 | 0 |
| 156 | Outcomes for Older Patients in Stratus (MM-010), a Single-Arm, and Phase 3b Study of Pomalidomide + Low-Dose Dexamethasone in Refractory or Relapsed and Refractory Multiple Myeloma. Blood, 2014, 124, 4770-4770. | 1.4 | 1 |
| 157 | Proteomic Characterization of the Multiple Myeloma Bone Marrow Extracellular Matrix. Blood, 2014, 124, 2051-2051. | 1.4 | 1 |
| 158 | Virtual Karyotype Reconstruction By SNPs Array of Newly Diagnosed Multiple Myeloma (MM) Patients Enrolled in the EMN02 Clinical Trial. Blood, 2014, 124, 2033-2033. | 1.4 | 0 |
| 159 | Multicolor Flowcytometry Analysis of Hematopoietic Stem and Progenitor Cells Subsets Among Basal and Mobilized Peripheral CD34+ Cells. Blood, 2014, 124, 5117-5117. | 1.4 | 0 |
| 160 | Role of Consolidation/Maintenance Therapy in Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2013, 13, S349-S354. | 0.4 | 7 |
| 161 | Vorinostat or placebo in combination with bortezomib in patients with multiple myeloma (VANTAGE) Tj ETQq1 1 0.784314 rgBT /Overlo | 10.7 | 219 |
| 162 | Management of older adults with multiple myeloma. Blood Reviews, 2013, 27, 133-142. | 5.7 | 67 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | Latest advances in the management of elderly patients with multiple myeloma. International Journal of Hematologic Oncology, 2013, 2, 431-434. | 1.6 | 0 |
| 164 | Age and organ damage correlate with poor survival in myeloma patients: meta-analysis of 1435 individual patient data from 4 randomized trials. Haematologica, 2013, 98, 980-987. | 3.5 | 193 |
| 165 | Safety of thalidomide in newly diagnosed elderly myeloma patients: a meta-analysis of data from individual patients in six randomized trials. Haematologica, 2013, 98, 87-94. | 3.5 | 73 |
| 166 | Part II: Role of Maintenance Therapy in Transplant-Ineligible Patients. Journal of the National Comprehensive Cancer Network: JNCCN, 2013, 11, 43-49. | 4.9 | 6 |
| 167 | Diagnosis and therapy of multiple myeloma. Korean Journal of Internal Medicine, 2013, 28, 263. | 1.7 | 17 |
| 168 | Circulating Mir-16 and Mir-25 As New Prognosticators For Multiple Myeloma. Blood, 2013, 122, 1853-1853. | 1.4 | 8 |
| 169 | Maintenance Therapy With Lenalidomide Significantly Improved Survival Of Yong Newly Diagnosed Multiple Myeloma Patients. Blood, 2013, 122, 2089-2089. | 1.4 | 11 |
| 170 | Bendamustine, Low-Dose Dexamethasone, and Lenalidomide (BdL) For The Treatment Of Patients With Relapsed Multiple Myeloma Confirms Very Promising Results In a Phase I/II Study. Blood, 2013, 122, 3212-3212. | 1.4 | 1 |
| 171 | PFS2 In Elderly Patients With Newly Diagnosed Multiple Myeloma (NDMM): Results From The MM-015 Study. Blood, 2013, 122, 405-405. | 1.4 | 11 |
| 172 | Improved Igh-Based MRD Detection By Using Droplet Digital PCR: a Comparison With Real Time Quantitative PCR In MCL and MM. Blood, 2013, 122, 4290-4290. | 1.4 | 2 |
| 173 | A Randomized Phase 3 Trial Of Melphalan-Lenalidomide-Prednisone (MPR) Or Cyclophosphamide-Prednisone-Lenalidomide (CPR) Vs Lenalidomide Plus Dexamethsone (Rd) In Elderly Newly Diagnosed Multiple Myeloma Patients. Blood, 2013, 122, 536-536. | 1.4 | 13 |
| 174 | Reduced Dose-Intensity Subcutaneous Bortezomib Plus Prednisone (VP) Or Plus Cyclophosfamide (VCP) Or Plus Melphalan (VMP) For Newly Diagnosed Multiple Myeloma Patients Older Than 75 Years Of Age. Blood, 2013, 122, 539-539. | 1.4 | 17 |
| 175 | A Phase II Study With Carfilzomib, Cyclophosphamide and Dexamethasone (CCd) For Newly Diagnosed Multiple Myeloma. Blood, 2013, 122, 685-685. | 1.4 | 8 |
| 176 | A Simple Score, Based On Geriatric Assessment, Improves Prediction of Survival, and Risk Of Serious Adverse Events In Elderly Newly Diagnosed Multiple Myeloma Patients. Blood, 2013, 122, 687-687. | 1.4 | 15 |
| 177 | A Phase III Study Of ASCT Vs Cyclophosphamide-Lenalidomide-Dexamethasone and Lenalidomide-Prednisone Maintenance Vs Lenalidomide Alone In Newly Diagnosed Myeloma Patients. Blood, 2013, 122, 763-763. | 1.4 | 20 |
| 178 | Double Vs Single Autologous Stem Cell Transplantation After Bortezomib-Based Induction Regimens For Multiple Myeloma: An Integrated Analysis Of Patient-Level Data From Phase European III Studies. Blood, 2013, 122, 767-767. | 1.4 | 56 |
| 179 | Melphalan/prednisone/lenalidomide (MPR) versus high-dose melphalan and autologous transplantation (MEL200) plus lenalidomide maintenance or no maintenance in newly diagnosed multiple myeloma (MM) patients.. Journal of Clinical Oncology, 2013, 31, 8509-8509. | 1.6 | 15 |
| 180 | Second primary malignancies (SPM) in newly diagnosed myeloma (MM) patients treated with lenalidomide (Len): Meta-analysis of 6,383 individual patient data (IPD).. Journal of Clinical Oncology, 2013, 31, 8517-8517. | 1.6 | 6 |

| # | Article | IF | Citations |
|---|---|---|---|
| 181 | Lenalidomide (LEN)-melphalan-prednisone induction followed by LEN maintenance (MPR-R) in newly diagnosed multiple myeloma (NDMM) elderly patients (Pts) with moderate renal impairment (RI): MM-015 trial post-hoc analysis.. Journal of Clinical Oncology, 2013, 31, 8544-8544. | 1.6 | 0 |
| 182 | Minimal Residual Disease Monitoring During Maintenance In Multiple Myeloma Patients. Blood, 2013, 122, 3126-3126. | 1.4 | 2 |
| 183 | IMWG consensus on maintenance therapy in multiple myeloma. Blood, 2012, 119, 3003-3015. | 1.4 | 178 |
| 184 | Sustained disease control in transplant-ineligible patients: the role of continuous therapy. Leukemia Research, 2012, 36, S19-S26. | 0.8 | 2 |
| 185 | Have drug combinations supplanted stem cell transplantation in myeloma?. Blood, 2012, 120, 4692-4698. | 1.4 | 33 |
| 186 | How to Manage Neutropenia in Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2012, 12, 5-11. | 0.4 | 40 |
| 187 | Optimizing multiple myeloma treatment: conclusions. Leukemia Research, 2012, 36, S44-S45. | 0.8 | 1 |
| 188 | Management of treatment-emergent peripheral neuropathy in multiple myeloma. Leukemia, 2012, 26, 595-608. | 7.2 | 217 |
| 189 | Venous and arterial thrombotic risks with thalidomide: evidence and practical guidance. Therapeutic Advances in Drug Safety, 2012, 3, 255-266. | 2.4 | 51 |
| 190 | Continuous Lenalidomide Treatment for Newly Diagnosed Multiple Myeloma. New England Journal of Medicine, 2012, 366, 1759-1769. | 27.0 | 692 |
| 191 | Have drug combinations supplanted stem cell transplantation in myeloma?. Hematology American Society of Hematology Education Program, 2012, 2012, 335-41. | 2.5 | 2 |
| 192 | Have drug combinations supplanted stem cell transplantation in myeloma?. Hematology American Society of Hematology Education Program, 2012, 2012, 335-341. | 2.5 | 5 |
| 193 | Overall Survival Benefit for Bortezomib-Melphalan-Prednisone-Thalidomide Followed by Maintenance with Bortezomib-Thalidomide (VMPT-VT) Versus Bortezomib-Melphalan-Prednisone (VMP) in Newly Diagnosed Multiple Myeloma Patients. Blood, 2012, 120, 200-200. | 1.4 | 13 |
| 194 | Analysis of Transcriptome, Mirnome and Genomic Profiles in Association with Clinical Outcome in a Prospective Series of Primary Plasma Cell Leukemia. Blood, 2012, 120, 3938-3938. | 1.4 | 1 |
| 195 | Pomalidomide Cyclophosphamide and Prednisone (PCP) Treatment for Relapsed/Refractory Multiple Myeloma. Blood, 2012, 120, 446-446. | 1.4 | 6 |
| 196 | Lenalidomide and Low Dose Dexamethasone As First Line Therapy for Newly Diagnosed Patients with Primary Plasma Cell Leukemia. Blood, 2012, 120, 729-729. | 1.4 | 1 |
| 197 | Carfilzomib, Cyclophosphamide and Dexamethasone (CCd) for Newly Diagnosed Multiple Myeloma (MM) Patients. Blood, 2012, 120, 730-730. | 1.4 | 4 |
| 198 | Impact of Bortezomib Incorporated Into Autotransplantation On Outcomes of Myeloma Patients with High-Risk Cytogenetics: An Integrated Analysis of 1894 Patients Enrolled in Four European Phase 3 Studies. Blood, 2012, 120, 749-749. | 1.4 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 199 | Next-Generation Sequencing and Real-Time Quantitative PCR for Minimal Residual Disease (MRD) Detection Using the Immunoglobulin Heavy Chain Variable Region: A Methodical Comparison in Acute Lymphoblastic Leukemia (ALL), Mantle Cell Lymphoma (MCL) and Multiple Myeloma (MM). Blood, 2012, 120, 788-788. | 1.4 | 1 |
| 200 | Analysis of Second-Line Lenalidomide Following Initial Relapse in the MM-015 Trial. Blood, 2012, 120, 944-944. | 1.4 | 5 |
| 201 | Prioritizing Content in Continuing Hematologic Oncology Education: A Survey of 51 Clinical Investigators. Blood, 2012, 120, 4270-4270. | 1.4 | 0 |
| 202 | miRNA in Serum and Bone Marrow Plasma Cells From Multiple Myeloma Patients.. Blood, 2012, 120, 2921-2921. | 1.4 | 0 |
| 203 | A Phase I/II Study of Bendamustine, Low-Dose Dexamethasone, and Lenalidomide (BdL) for the Treatment of Patients with Relapsed Multiple Myeloma. Blood, 2012, 120, 1851-1851. | 1.4 | 0 |
| 204 | Novel Agents and Autologous Stem Cell Transplantation Improve Survival of Multiple Myeloma Patients with Ages 65â€"70 Years: A Multicenter Retrospective Collaborative Study Between Japanese Society of Myeloma and European Myeloma Network. Blood, 2012, 120, 5030-5030. | 1.4 | 0 |
| 205 | Bendamustine As Salvage Therapy in Multiple Myeloma: A Retrospective, Multicenter Study From the Italian Compassionate Use Program in 78 Heavily Pre-Treated Patients.. Blood, 2012, 120, 2971-2971. | 1.4 | 0 |
| 206 | High Rates of Prolonged Molecular Remissions After Tandem Autologous-Nonmyeloablative Allografting in Newly Diagnosed Myeloma. Blood, 2012, 120, 4204-4204. | 1.4 | 0 |
| 207 | A new combination for advanced multiple myeloma. Lancet Oncology, The, 2011, 12, 207-208. | 10.7 | 0 |
| 208 | Multiple Myeloma. New England Journal of Medicine, 2011, 364, 1046-1060. | 27.0 | 2,109 |
| 209 | Complete response correlates with long-term progression-free and overall survival in elderly myeloma treated with novel agents: analysis of 1175 patients. Blood, 2011, 117, 3025-3031. | 1.4 | 247 |
| 210 | Consensus recommendations for the uniform reporting of clinical trials: report of the International Myeloma Workshop Consensus Panel 1. Blood, 2011, 117, 4691-4695. | 1.4 | 849 |
| 211 | Consensus recommendations for risk stratification in multiple myeloma: report of the International Myeloma Workshop Consensus Panel 2. Blood, 2011, 117, 4696-4700. | 1.4 | 285 |
| 212 | Personalized therapy in multiple myeloma according to patient age and vulnerability: a report of the European Myeloma Network (EMN). Blood, 2011, 118, 4519-4529. | 1.4 | 309 |
| 213 | Shifts in the Therapeutic Paradigm for Patients Newly Diagnosed with Multiple Myeloma: Maintenance Therapy and Overall Survival. Clinical Cancer Research, 2011, 17, 1253-1263. | 7.0 | 72 |
| 214 | Melphalan/Prednisone/Lenalidomide (MPR) Versus High-Dose Melphalan and Autologous Transplantation (MEL200) in Newly Diagnosed Multiple Myeloma (MM) Patients <65 Years: Results of a Randomized Phase III Study. Blood, 2011, 118, 3069-3069. | 1.4 | 11 |
| 215 | Melphalan, Prednisone and Lenalidomide Followed by Lenalidomide Maintenance Improves Health-Related Quality of Life (HRQoL), with Newly Diagnosed Multiple Myeloma (NDMM) Patients â‰¥ 65 Years Benefiting From Delays in Disease Progression. Blood, 2011, 118, 3157-3157. | 1.4 | 3 |
| 216 | Melphalan, Prednisone and Lenalidomide Followed by Lenalidomide Maintenance Displays Treatment Characteristics Favourable to Global Quality of Life in Newly Diagnosed Multiple Myeloma (NDMM) Patients â‰¥ 65 Years,. Blood, 2011, 118, 3988-3988. | 1.4 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 217 | A Phase 3 Study Evaluating the Efficacy and Safety of Lenalidomide (Len) Combined with Melphalan and Prednisone Followed by Continuous Lenalidomide Maintenance (MPR-R) in Patients (Pts) â‰¥ 65 Years (Yrs) with Newly Diagnosed Multiple Myeloma (NDMM): Updated Results for Pts Aged 65â€“75 Yrs Enrolled in MM-015. Blood, 2011, 118, 475-475. | 1.4 | 12 |
| 218 | Continued Overall Survival Benefit After 5 Years' Follow-up with Bortezomib-Melphalan-Prednisone (VMP) Versus Melphalan-Prednisone (MP) in Patients with Previously Untreated Multiple Myeloma, and No Increased Risk of Second Primary Malignancies: Final Results of the Phase 3 VISTA Trial. Blood, 2011, 118, 476-476. | 1.4 | 16 |
| 219 | A Phase I/II Study of Pomalidomide-Cyclophosphamide-Prednisone (PCP) in Patients with Multiple Myeloma Relapsed/Refractory to Lenalidomide. Blood, 2011, 118, 632-632. | 1.4 | 4 |
| 220 | Carfilzomib Combined with Thalidomide and Dexamethasone (CARTHADEX) As Induction Treatment Prior to High-Dose Melphalan (HDM) in Newly Diagnosed Patients with Multiple Myeloma (MM). A Trial of the European Myeloma Network EMN. Blood, 2011, 118, 633-633. | 1.4 | 7 |
| 221 | Vantage 088: Vorinostat in Combination with Bortezomib in Patients with Relapsed/Refractory Multiple Myeloma: Results of a Global, Randomized Phase 3 Trial. Blood, 2011, 118, 811-811. | 1.4 | 16 |
| 222 | Second Primary Malignancies in Newly Diagnosed Multiple Myeloma Patients Treated with Lenalidomide: Analysis of Pooled Data in 2459 Patients. Blood, 2011, 118, 996-996. | 1.4 | 3 |
| 223 | Does Heparin Have An Anti-Myeloma Effect? An Analysis On Individual Data From Three Randomized Studies of GIMEMA, Nordic and Turkish Myeloma Study Groups,. Blood, 2011, 118, 3970-3970. | 1.4 | 0 |
| 224 | Evaluation of Atypical Low Energy Fractures in Patients Affected by Multiple Myeloma Treated with Bispohosphonates. Blood, 2011, 118, 5134-5134. | 1.4 | 0 |
| 225 | Differences in Patterns of Treatment and Outcome Among Patients with Relapsed Refractory Myeloma From United States, Europe and Asia,. Blood, 2011, 118, 3989-3989. | 1.4 | 0 |
| 226 | Novel treatment paradigm for elderly patients with multiple myeloma. American Journal of Blood Research, 2011, 1, 190-204. | 0.6 | 8 |
| 227 | Efficacy and safety of once-weekly bortezomib in multiple myeloma patients. Blood, 2010, 116, 4745-4753. | 1.4 | 361 |
| 228 | Bortezomib Plus Melphalan and Prednisone Compared With Melphalan and Prednisone in Previously Untreated Multiple Myeloma: Updated Follow-Up and Impact of Subsequent Therapy in the Phase III VISTA Trial. Journal of Clinical Oncology, 2010, 28, 2259-2266. | 1.6 | 403 |
| 229 | Survival and Years of Life Lost in Different Age Cohorts of Patients With Multiple Myeloma. Journal of Clinical Oncology, 2010, 28, 1599-1605. | 1.6 | 142 |
| 230 | Bortezomib-Melphalan-Prednisone-Thalidomide Followed by Maintenance With Bortezomib-Thalidomide Compared With Bortezomib-Melphalan-Prednisone for Initial Treatment of Multiple Myeloma: A Randomized Controlled Trial. Journal of Clinical Oncology, 2010, 28, 5101-5109. | 1.6 | 400 |
| 231 | A Phase III Study of Enoxaparin Vs Aspirin as Thromboprophylaxis for Newly Diagnosed Myeloma Patients Treated with Lenalidomide-Based Regimen.. Blood, 2010, 116, 1092-1092. | 1.4 | 17 |
| 232 | A Multicenter, Open Label Study of Oral Lenalidomide and Prednisone (RP) Followed by Oral Lenalidomide Melphalan and Prednisone (MPR) and Oral Lenalidomide Maintenance In Newly Diagnosed Elderly Multiple Myeloma Patients. Blood, 2010, 116, 1940-1940. | 1.4 | 5 |
| 233 | Optimal Treatment Sequencing In Multiple Myeloma: An Exploratory Modeling Approach. Blood, 2010, 116, 3046-3046. | 1.4 | 4 |
| 234 | A Phase III Study to Compare Melphalan, Prednisone, Lenalidomide (MPR) Versus Melphalan 200 Mg/m2 and Autologous Transplantation (MEL200) In Newly Diagnosed Multiple Myeloma Patients. Blood, 2010, 116, 3573-3573. | 1.4 | 3 |

| # | Article | IF | Citations |
|---|---|---|---|
| 235 | Long-Term Follow up of a Comparison of Non-Myeloablative Allografting with Autografting for Newly Diagnosed Myeloma. Blood, 2010, 116, 525-525. | 1.4 | 2 |
| 236 | Bortezomib-Based Induction Treatments Improve Outcomes of Newly Diagnosed Multiple Myeloma Patients with High-Risk Cytogenetic Abnormalities. Blood, 2010, 116, 781-781. | 1.4 | 6 |
| 237 | High Expression of mRNA and Gene Amplification of Met In Myeloma Plasma Cells Characterize a More Aggressive Disease. Blood, 2010, 116, 1898-1898. | 1.4 | 0 |
| 238 | IGH Repertoire Analysis In Multiple Myeloma (MM): Lack of Intra-Disease Homology and Occasional Clustering with Sequences of Other B-Cell Neoplasms Sharing Identical Geographical Origin. Blood, 2010, 116, 2951-2951. | 1.4 | 0 |
| 239 | Bortezomib, Melphalan, Prednisone and Thalidomide (VMPT) Followed by Maintenance with Bortezomib and Thalidomide for Initial Treatment of Elderly Multiple Myeloma Patients.. Blood, 2009, 114, 128-128. | 1.4 | 16 |
| 240 | Clinical Outcomes According to Genomic Abnormalities in 566 Newly Diagnosed Multiple Myeloma Patients Treated with Bortezomib-Based Regimens.. Blood, 2009, 114, 1868-1868. | 1.4 | 2 |
| 241 | Natural History of Multiple Myeloma Relapsing After Therapy with IMiDs and Bortezomib: A Multicenter International Myeloma Working Group Study.. Blood, 2009, 114, 2878-2878. | 1.4 | 18 |
| 242 | Sequential Approach with Bortezomib as Induction Before Autologous Transplantation, Followed by Lenalidomide as Consolidation-Maintenance in Untreated Multiple Myeloma Patients.. Blood, 2009, 114, 3419-3419. | 1.4 | 1 |
| 243 | A Prospective, Randomized Study of Melphalan, Prednisone, Lenalidomide (MPR) versus Melphalan (200) Tj ETQq1 1 0.784314 rgBT /Ov Analysis.. Blood, 2009, 114, 350-350. | 1.4 | 11 |
| 244 | Bortezomib Plus Melphalanâ€"Prednisone Continues to Demonstrate a Survival Benefit Vs Melphalanâ€"Prednisone in the Phase III VISTA Trial in Previously Untreated Multiple Myeloma After 3 Years' Follow-up and Extensive Subsequent Therapy Use.. Blood, 2009, 114, 3859-3859. | 1.4 | 3 |
| 245 | The Weekly Infusion of Bortezomib Reduces Peripheral Neuropathy.. Blood, 2009, 114, 3887-3887. | 1.4 | 5 |
| 246 | A Phase III Study of Enoxaparin vs Aspirin vs Low-Dose Warfarin as Thromboprophylaxis for Newly Diagnosed Myeloma Patients Treated with Thalidomide Based-Regimens.. Blood, 2009, 114, 492-492. | 1.4 | 14 |
| 247 | A Phase III Study to Determine the Efficacy and Safety of Lenalidomide in Combination with Melphalan and Prednisone (MPR) in Elderly Patients with Newly Diagnosed Multiple Myeloma.. Blood, 2009, 114, 613-613. | 1.4 | 23 |
| 248 | Impact of FISH and Cytogenetics On Overall and Event Free Survival in Myeloma: An IMWG Analysis of 9,897 Patients.. Blood, 2009, 114, 743-743. | 1.4 | 6 |
| 249 | Correlation Between Clinical Outcome and Disease Kinetics by Quantitative PCR in Myeloma Patients Following Post-Transplant Consolidation with Bortezomib, Thalidomide and Dexamethasone.. Blood, 2009, 114, 960-960. | 1.4 | 3 |
| 250 | Lenalidomide Plus Dexamethasone Versus Lenalidomide Plus Melphalan and Prednisone: A Case-Control Study in Newly Diagnosed Elderly Myeloma Patients.. Blood, 2009, 114, 2877-2877. | 1.4 | 0 |
| 251 | Central Nervous System and Intracranial Myeloma: a Retrospective Italian Multicenter Study.. Blood, 2009, 114, 1882-1882. | 1.4 | 1 |
| 252 | Prevention of thalidomide- and lenalidomide-associated thrombosis in myeloma. Leukemia, 2008, 22, 414-423. | 7.2 | 787 |

| # | Article | IF | Citations |
|---|---|---|---|
| 253 | Bortezomib plus Melphalan and Prednisone for Initial Treatment of Multiple Myeloma. New England Journal of Medicine, 2008, 359, 906-917. | 27.0 | 1,787 |
| 254 | Thalidomide for treatment of multiple myeloma: 10 years later. Blood, 2008, 111, 3968-3977. | 1.4 | 294 |
| 255 | Lenalidomide: A new therapy for multiple myeloma. Cancer Treatment Reviews, 2008, 34, 283-291. | 7.7 | 39 |
| 256 | Oral melphalan, prednisone, and thalidomide in elderly patients with multiple myeloma: updated results of a randomized controlled trial. Blood, 2008, 112, 3107-3114. | 1.4 | 339 |
| 257 | A Phase III Study of Enoxaparin Versus Low-Dose Warfarin Versus Aspirin as Thromboprophylaxis for Patients with Newly Diagnosed Multiple Myeloma Treated up-Front with Thalidomide-Containing Regimens. Blood, 2008, 112, 3017-3017. | 1.4 | 17 |
| 258 | Bortezomib as Front-Line Therapy in Primary Plasma Cell Leukemia. Blood, 2008, 112, 2784-2784. | 1.4 | 1 |
| 259 | Time to first disease progression, but not Î²2-microglobulin, predicts outcome in myeloma patients who receive thalidomide as salvage therapy. Cancer, 2007, 110, 824-829. | 4.1 | 19 |
| 260 | Neuropathy in Multiple Myeloma Patients Treated with Bortezomib: A Multicenter Experience.. Blood, 2007, 110, 4823-4823. | 1.4 | 2 |
| 261 | Oral melphalan and prednisone chemotherapy plus thalidomide compared with melphalan and prednisone alone in elderly patients with multiple myeloma: randomised controlled trial. Lancet, The, 2006, 367, 825-831. | 13.7 | 775 |
| 262 | Defibrotide (DF), an Orally Bioavailable Modulator of Myeloma Tumor-Microenvironment Interactions: Molecular Sequelae and Clinical Implications.. Blood, 2006, 108, 3523-3523. | 1.4 | 5 |
| 263 | Impact of Early Consolidation with Bortezomib, Thalidomide and Dexamethasone on Molecularly-Detectable Disease in MM Patients in CR or VGPR Following Autologous Transplantation: Uncommon Achievement of Molecular Remission Despite Evidence of Tumor Load Reduction by Real Time PCR.. Blood, 2006, 108, 3100-3100. | 1.4 | 0 |
| 264 | Bortezomib and Plasma Cell Leukemia.. Blood, 2006, 108, 3546-3546. | 1.4 | 1 |
| 265 | Immunoglobulin (Ig) Repertoire in Multiple Myeloma: High Frequency of Recurrent Aminoacid Substitutions in the FR2 and CDR2.. Blood, 2006, 108, 3413-3413. | 1.4 | 0 |
| 266 | Mutational activation of N- and K-ras oncogenes in plasma cell dyscrasias. Blood, 1993, 81, 2708-2713. | 1.4 | 116 |
| 267 | Mutational activation of N- and K-ras oncogenes in plasma cell dyscrasias. Blood, 1993, 81, 2708-2713. | 1.4 | 2 |
| 268 | Activated idiotype-reactive cells in suppressor/cytotoxic subpopulations of monoclonal gammopathies: correlation with diagnosis and disease status. Blood, 1988, 72, 1064-1068. | 1.4 | 48 |
| 269 | Activated idiotype-reactive cells in suppressor/cytotoxic subpopulations of monoclonal gammopathies: correlation with diagnosis and disease status. Blood, 1988, 72, 1064-1068. | 1.4 | 44 |