

Anna Deda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3239929/anna-deda-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12
papers

31
citations

3
h-index

5
g-index

14
ext. papers

54
ext. citations

2.6
avg, IF

1.14
L-index

#	Paper	IF	Citations
12	Assessment of Psoriatic Skin Features Using Non-Invasive Imaging Technique. <i>Processes</i> , 2022 , 10, 985	2.9	1
11	The use of light in the treatment of acne vulgaris-a review. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 3788-3792	2.5	
10	Mapping of Nanomechanical Properties of Enamel Surfaces Due to Orthodontic Treatment by AFM Method. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3918	2.6	0
9	Analysis of the effectiveness of chemical peelings in the treatment of acne vulgaris assessed using high-frequency ultrasound-A comparative study. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 2810-2815	2.5	0
8	A split-face comparative study to evaluate the efficacy of 50% pyruvic acid against a mixture of glycolic and salicylic acids in the treatment of acne vulgaris. <i>Journal of Cosmetic Dermatology</i> , 2020 , 19, 2352-2358	2.5	2
7	The use of microtomographic imaging in the identification of counterfeit medicines. <i>Talanta</i> , 2019 , 195, 870-875	6.2	3
6	CO laser treatment for pearly penile papules - personal experience. <i>Journal of Cosmetic and Laser Therapy</i> , 2019 , 21, 152-157	1.8	2
5	Osteoarticular lesions of lesser toes as cause of dermatological problems within the foot. <i>Annales Academiae Medicae Silesiensis</i> , 2019 , 73, 144-149	0.1	
4	In vivo dynamic thermal imaging of skin radiofrequency treatment. <i>Journal of Cosmetic Dermatology</i> , 2018 , 18, 1307	2.5	1
3	Thermographic mapping of the skin surface in biometric evaluation of cellulite treatment effectiveness. <i>Skin Research and Technology</i> , 2017 , 23, 61-69	1.9	8
2	The Use of Directional Reflectance Measurement for in vivo Assessment of Protective Properties of Cosmetics in the Infrared Radiation Range. <i>Photochemistry and Photobiology</i> , 2017 , 93, 1303-1311	3.6	0
1	Image analysis and processing methods in verifying the correctness of performing low-invasive esthetic medical procedures. <i>BioMedical Engineering OnLine</i> , 2013 , 12, 51	4.1	14