

# Xin Jing

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3242138/publications.pdf>

Version: 2024-02-01

40  
papers

554  
citations

687363

13  
h-index

677142

22  
g-index

41  
all docs

41  
docs citations

41  
times ranked

756  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of Diagnostic Rates and Concordance with Subsequent Surgical Resections between Conventional Smear and ThinPrep Preparations versus ThinPrep Only in Thyroid Fine Needle Aspiration (T-FNA) Specimens. <i>Acta Cytologica</i> , 2022, 66, 36-45.	1.3	4
2	A Study of Thyroid Fine Needle Aspiration of Follicular Adenoma in the "Atypia of Undetermined Significance" Bethesda Category Using Digital Image Analysis. <i>Journal of Pathology Informatics</i> , 2022, 13, 100004.	1.7	7
3	Cytomorphology of nodular histiocytic/mesothelial hyperplasia. <i>Diagnostic Cytopathology</i> , 2022, , .	1.0	1
4	Performance of Afirma genomic sequencing classifier and histopathological outcome are associated with patterns of atypia in Bethesda category "III" thyroid nodules. <i>Cancer Cytopathology</i> , 2022, 130, 891-898.	2.4	3
5	Diagnosis and categorization of malignant effusions: A 6-year review from a single academic institution. <i>Diagnostic Cytopathology</i> , 2021, 49, 615-621.	1.0	10
6	An institutional experience: A retrospective analysis of the effect of transitioning from follicular lesion of undetermined significance to atypia of undetermined significance with subclassified atypia on interobserver concordance, rates of neoplasia, and rates of malignancy. <i>Diagnostic Cytopathology</i> , 2021, 49, 31-38.	1.0	1
7	Performance of Afirma genomic sequencing classifier vs gene expression classifier in Bethesda category "III" thyroid nodules: An institutional experience. <i>Diagnostic Cytopathology</i> , 2021, 49, 921-927.	1.0	16
8	Diagnostic Challenges in Fine-Needle Aspiration Cytology of Mediastinal Tumors and Lesions. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, , .	2.5	0
9	Low-grade squamous intraepithelial lesion on Papanicolaou test: follow-up rates and stratification of risk for high-grade squamous intraepithelial lesion. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 258-265.	0.5	2
10	Is thyroid core needle biopsy a valid compliment to fine-needle aspiration?. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 383-388.	0.5	9
11	Body Cavity Effusions and Washings. , 2020, , 127-142.		0
12	Malignant risk of indeterminate pediatric thyroid nodules"An institutional experience. <i>Diagnostic Cytopathology</i> , 2019, 47, 993-998.	1.0	8
13	Pitfalls in the Diagnosis of Papillary Thyroid Carcinoma. , 2019, , 155-159.		0
14	Challenges Encountered in the Cytologic Diagnosis of Follicular Neoplasm. , 2019, , 341-345.		0
15	Implementing noninvasive follicular thyroid neoplasm with papillary-like nuclear features may potentially impact the risk of malignancy for thyroid nodules categorized as AUS/FLUS and FN/SFN. <i>Diagnostic Cytopathology</i> , 2018, 46, 148-153.	1.0	33
16	Committee II: Guidelines for cytologic sampling techniques of lung and mediastinal lymph nodes. <i>Diagnostic Cytopathology</i> , 2018, 46, 815-825.	1.0	15
17	Thyroid Fine Needle Aspiration Cytology. , 2018, , 19-42.		0
18	MicroRNA-101 regulated transcriptional modulator SUB1 plays a role in prostate cancer. <i>Oncogene</i> , 2016, 35, 6330-6340.	5.9	74

#	ARTICLE	IF	CITATIONS
19	Cytomorphologic characteristics and differential diagnoses of lymphoepithelial carcinoma of the parotid. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 93-99.	0.5	10
20	Cytologic Features and Immunocytochemical Profiles of Malignant Effusions with Metastatic Papillary Thyroid Carcinoma: A Case Series from a Single Institution. <i>Acta Cytologica</i> , 2015, 59, 412-417.	1.3	10
21	Young investigator challenge: The utility of GATA3 immunohistochemistry in the evaluation of metastatic breast carcinomas in malignant effusions. <i>Cancer Cytopathology</i> , 2015, 123, 576-581.	2.4	22
22	Value of ultrasound guidance in cytopathologist-performed fine-needle aspirations of palpable lesions. <i>Journal of the American Society of Cytopathology</i> , 2015, 4, 195-202.	0.5	9
23	SPINK1 promotes colorectal cancer progression by downregulating Metallothioneins expression. <i>Oncogenesis</i> , 2015, 4, e162-e162.	4.9	50
24	Prospective evaluation of impact of using the Bethesda System for Reporting Thyroid Cytopathology: an institutional experience. <i>Journal of the American Society of Cytopathology</i> , 2015, 4, 25-29.	0.5	8
25	Diagnostic yield of <sc>T</sc>hin<sc>P</sc>rep preparation in the assessment of fine-needle aspiration biopsy of salivary gland neoplasms. <i>Diagnostic Cytopathology</i> , 2015, 43, 98-104.	1.0	13
26	The impact of using the Bethesda System for reporting thyroid cytology diagnostic criteria on the follicular lesion of undetermined significance category. <i>Journal of the American Society of Cytopathology</i> , 2014, 3, 131-136.	0.5	5
27	The use of immunocytochemical study in the cytologic diagnosis of melanoma: Evaluation of three antibodies. <i>Diagnostic Cytopathology</i> , 2013, 41, 126-130.	1.0	21
28	Fine-needle aspiration of gray zone lesions of the breast: Fibroadenoma versus ductal carcinoma. <i>Diagnostic Cytopathology</i> , 2013, 41, 806-811.	1.0	6
29	Morphologic and Immunocytochemical Performances of Effusion Cell Blocks Prepared Using 3 Different Methods. <i>American Journal of Clinical Pathology</i> , 2013, 139, 177-182.	0.7	40
30	Diagnostic value of fine needle aspirates processed by ThinPrep® for the assessment of axillary lymph node status in patients with invasive carcinoma of the breast. <i>Cytopathology</i> , 2013, 24, 372-376.	0.7	10
31	Group consensus review minimizes the diagnosis of "follicular lesion of undetermined significance" and improves cytohistologic concordance. <i>Diagnostic Cytopathology</i> , 2012, 40, 1037-1042.	1.0	39
32	Potential pitfalls for false suspicion of papillary thyroid carcinoma: A Cytohistologic Review of 22 Cases. <i>Diagnostic Cytopathology</i> , 2012, 40, E74-9.	1.0	14
33	Retrospective evaluation of instituted standard adequacy criteria for on-site adequacy assessment of thyroid fine-needle aspiration. <i>Diagnostic Cytopathology</i> , 2011, 39, 391-394.	1.0	10
34	Minimizing the diagnosis of "follicular lesion of undetermined significance" and identifying predictive features for neoplasia. <i>Diagnostic Cytopathology</i> , 2011, 39, 737-742.	1.0	15
35	Mixed medullary-follicular carcinoma of the thyroid: Diagnostic dilemmas in fine-needle aspiration cytology. <i>Diagnostic Cytopathology</i> , 2011, 39, 862-865.	1.0	15
36	Combining fine needle aspiration with brushing cytology has improved yields in diagnosing pancreatic ductal adenocarcinoma. <i>Diagnostic Cytopathology</i> , 2009, 37, 574-578.	1.0	7

#	ARTICLE	IF	CITATIONS
37	Fine-needle aspiration cytology of metastatic eccrine porocarcinoma. <i>Diagnostic Cytopathology</i> , 2009, 37, 755-758.	1.0	9
38	The clinical and diagnostic impact of using standard criteria of adequacy assessment and diagnostic terminology on thyroid nodule fine needle aspiration. <i>Diagnostic Cytopathology</i> , 2008, 36, 161-166.	1.0	38
39	Fine-needle aspiration cytological features of Cherubism. <i>Diagnostic Cytopathology</i> , 2008, 36, 188-189.	1.0	7
40	Fine-needle aspiration cytology of Rosai-Dorfman disease of bone. <i>Diagnostic Cytopathology</i> , 2008, 36, 516-518.	1.0	11