

Wenjie Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3242184/publications.pdf>

Version: 2024-02-01

63
papers

2,669
citations

304743

22
h-index

197818

49
g-index

70
all docs

70
docs citations

70
times ranked

4662
citing authors

#	ARTICLE	IF	CITATIONS
1	The oral and gut microbiomes are perturbed in rheumatoid arthritis and partly normalized after treatment. <i>Nature Medicine</i> , 2015, 21, 895-905.	30.7	1,306
2	Clinical characteristics of immunoglobulin G4-related disease: a prospective study of 118 Chinese patients. <i>Rheumatology</i> , 2015, 54, 1982-1990.	1.9	185
3	Circulating plasmablasts/plasma cells: a potential biomarker for IgG4-related disease. <i>Arthritis Research and Therapy</i> , 2017, 19, 25.	3.5	110
4	Substrate stiffness regulates B cell activation, proliferation, class switch, and T cell-independent antibody responses in vivo. <i>European Journal of Immunology</i> , 2015, 45, 1621-1634.	2.9	76
5	Profiling the origin, dynamics, and function of traction force in B cell activation. <i>Science Signaling</i> , 2018, 11, .	3.6	59
6	Pregnancy-Related Systemic Lupus Erythematosus: Clinical Features, Outcome and Risk Factors of Disease Flares – A Case Control Study. <i>PLoS ONE</i> , 2014, 9, e104375.	2.5	58
7	A pilot study of tofacitinib for refractory Behçet's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1517-1520.	0.9	50
8	Behçet's Disease Complicated with Thrombosis. <i>Medicine (United States)</i> , 2014, 93, e263.	1.0	46
9	Substrate stiffness governs the initiation of B cell activation by the concerted signaling of PKC δ^2 and focal adhesion kinase. <i>ELife</i> , 2017, 6, .	6.0	40
10	IL10 polymorphisms associated with Behçet's disease in Chinese Han. <i>Human Immunology</i> , 2014, 75, 271-276.	2.4	38
11	Cerebral venous sinus thrombosis in Behçet's disease: a retrospective case-control study. <i>Clinical Rheumatology</i> , 2018, 37, 51-57.	2.2	36
12	Single-cell analyses highlight the proinflammatory contribution of C1q-high monocytes to Behçet's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	35
13	Through an ITIM-Independent Mechanism the Fc γ RIIB Blocks B Cell Activation by Disrupting the Colocalized Microclustering of the B Cell Receptor and CD19. <i>Journal of Immunology</i> , 2014, 192, 5179-5191.	0.8	32
14	Association between MEFV Mutations M694V and M680I and Behçet's Disease: A Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0132704.	2.5	32
15	Behçet's disease associated with malignancy: a report of 41 Chinese cases. <i>International Journal of Rheumatic Diseases</i> , 2014, 17, 459-465.	1.9	30
16	Gut microbiota in children with juvenile idiopathic arthritis: characteristics, biomarker identification, and usefulness in clinical prediction. <i>BMC Genomics</i> , 2020, 21, 286.	2.8	30
17	Neutrophil Extracellular Traps Promote Aberrant Macrophages Activation in Behçet's Disease. <i>Frontiers in Immunology</i> , 2020, 11, 590622.	4.8	30
18	Genetic Association Study of TNFAIP3, IFIH1, IRF5 Polymorphisms with Polymyositis/Dermatomyositis in Chinese Han Population. <i>PLoS ONE</i> , 2014, 9, e110044.	2.5	30

#	ARTICLE	IF	CITATIONS
19	Clinical Characteristics of Cerebral Venous Sinus Thrombosis in Patients with Systemic Lupus Erythematosus: A Single-Centre Experience in China. <i>Journal of Immunology Research</i> , 2015, 2015, 1-7.	2.2	28
20	An autoimmune disease variant of IgG1 modulates B cell activation and differentiation. <i>Science</i> , 2018, 362, 700-705.	12.6	28
21	Growth of B Cell Receptor Microclusters Is Regulated by PIP 2 and PIP 3 Equilibrium and Dock2 Recruitment and Activation. <i>Cell Reports</i> , 2017, 21, 2541-2557.	6.4	27
22	Coronary involvement in patients with Behçet's disease. <i>Clinical Rheumatology</i> , 2019, 38, 2835-2841.	2.2	26
23	Pulmonary artery involvement in Takayasu's arteritis: diagnosis before pulmonary hypertension. <i>BMC Pulmonary Medicine</i> , 2019, 19, 225.	2.0	26
24	An Improved Positioning Algorithm in a Long-Range Asymmetric Perimeter Security System. <i>Journal of Lightwave Technology</i> , 2016, 34, 5278-5283.	4.6	18
25	Positive association of genetic variations in the phospholipase C-like 1 gene with dermatomyositis in Chinese Han. <i>Immunologic Research</i> , 2016, 64, 204-212.	2.9	18
26	Differences and similarities between IgG4-related disease with and without dacryoadenitis and sialoadenitis: clinical manifestations and treatment efficacy. <i>Arthritis Research and Therapy</i> , 2019, 21, 44.	3.5	18
27	Autoantigen-targeting microRNAs in Sjögren's syndrome. <i>Clinical Rheumatology</i> , 2016, 35, 911-917.	2.2	16
28	The Clinical Features, Risk Factors, and Outcome of Aneurysmal Lesions in Behçet's Disease. <i>Journal of Immunology Research</i> , 2019, 2019, 1-8.	2.2	14
29	An Asia-specific variant of human IgG1 represses colorectal tumorigenesis by shaping the tumor microenvironment. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	14
30	Association between nonspecific interstitial pneumonia and presence of CD20+ B lymphocytes within pulmonary lymphoid follicles. <i>Scientific Reports</i> , 2017, 7, 16912.	3.3	13
31	Tocilizumab in the treatment of severe and/or refractory vasculo-Behçet's disease: a single-centre experience in China. <i>Rheumatology</i> , 2018, 57, 2057-2059.	1.9	13
32	HLA-DPB1 variant rs3117242 is associated with anti-neutrophil cytoplasmic antibody-associated vasculitides in a Han Chinese population. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 1009-1015.	1.9	12
33	Metabolomic alterations associated with Behçet's disease. <i>Arthritis Research and Therapy</i> , 2018, 20, 214.	3.5	12
34	Effectiveness and safety of interferon β 2a as an add-on treatment for refractory Behçet's uveitis. <i>Therapeutic Advances in Chronic Disease</i> , 2019, 10, 204062231984788.	2.5	12
35	Clinical Characteristics of Peripheral Neuropathy in Eosinophilic Granulomatosis with Polyangiitis: A Retrospective Single-Center Study in China. <i>Journal of Immunology Research</i> , 2020, 2020, 1-10.	2.2	12
36	Tocilizumab in the treatment of severe and refractory parenchymal neuro-Behçet's syndrome: case series and literature review. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020, 12, 1759720X2097190.	2.7	11

#	ARTICLE	IF	CITATIONS
37	Aberrant monocyte subsets in patients with Behçet's disease. <i>Clinical Immunology</i> , 2021, 225, 108683.	3.2	11
38	Renal involvement in Chinese patients with Behcet's disease: a report of 16 cases. <i>International Journal of Rheumatic Diseases</i> , 2015, 18, 892-897.	1.9	10
39	Prevalence and risk factors of active tuberculosis in patients with rheumatic diseases: a multi-center, cross-sectional study in China. <i>Emerging Microbes and Infections</i> , 2021, 10, 2303-2312.	6.5	10
40	Low-ratio somatic NLRC4 mutation causes late-onset autoinflammatory disease. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1173-1178.	0.9	10
41	The synaptic recruitment of lipid rafts is dependent on CD19-PI3K module and cytoskeleton remodeling molecules. <i>Journal of Leukocyte Biology</i> , 2015, 98, 223-234.	3.3	9
42	The efficacy and safety of anti-tumor necrosis factor agents in the treatment of intestinal Behcet's disease, a systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 608-619.	2.8	9
43	The Clinical Features and Risk Factors of Parenchymal Neuro-Behcet's Disease. <i>Journal of Immunology Research</i> , 2019, 2019, 1-7.	2.2	8
44	Clinical manifestations of Behçet's disease in a large cohort of Chinese patients: gender- and age-related differences. <i>Clinical Rheumatology</i> , 2020, 39, 3449-3454.	2.2	8
45	Symptomatic knee osteonecrosis in patients with systemic lupus erythematosus: a case-control study. <i>Rheumatology International</i> , 2016, 36, 1105-1111.	3.0	7
46	Diagnostic value of the interferon- γ release assay for tuberculosis infection in patients with Behçet's disease. <i>BMC Infectious Diseases</i> , 2019, 19, 323.	2.9	6
47	Clinical Features and Risk Factors of Active Tuberculosis in Patients with Behçet's Disease. <i>Journal of Immunology Research</i> , 2020, 2020, 1-7.	2.2	5
48	Aberrant Fc γ RIIb and Fc γ RIII expression on monocytes from patients with Behçet's disease. <i>Clinical Immunology</i> , 2020, 219, 108549.	3.2	4
49	Behçet's Syndrome in a Chinese Pedigree of NLRP3-Associated Autoinflammatory Disease: A Coexistence or Novel Presentation?. <i>Frontiers in Medicine</i> , 2021, 8, 695197.	2.6	4
50	A negative-feedback function of PKC ζ in the formation and accumulation of signaling-active B cell receptor microclusters within B cell immunological synapse. <i>Journal of Leukocyte Biology</i> , 2015, 97, 887-900.	3.3	3
51	Comprehensive analysis of immunoglobulin and clinical variables identifies functional linkages and diagnostic indicators associated with Behcet's disease patients receiving immunomodulatory treatment. <i>BMC Immunology</i> , 2021, 22, 16.	2.2	3
52	Novel Insights Into Gene Signatures and Their Correlation With Immune Infiltration of Peripheral Blood Mononuclear Cells in Behcet's Disease. <i>Frontiers in Immunology</i> , 2021, 12, 794800.	4.8	3
53	Preparative Separation of Cephalosporin with Ion-Exchange Planar Electrochromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2009, 32, 933-947.	1.0	2
54	Prognosis of nonspecific interstitial pneumonia correlates with perivascular CD4+ T lymphocyte infiltration of the lung. <i>BMC Pulmonary Medicine</i> , 2015, 15, 127.	2.0	2

#	ARTICLE	IF	CITATIONS
55	Anaplastic large cell lymphoma in a patient with MAGIC syndrome: a case and review of the literature. <i>Clinical Rheumatology</i> , 2021, 40, 2075-2082.	2.2	2
56	New strategy of color and power doppler sonography combined with DMSA in the assessment of acute pyelonephritis in infants. <i>BMC Nephrology</i> , 2021, 22, 181.	1.8	2
57	Response to: "Correspondence on "A pilot study of tofacitinib for refractory Behçet's syndrome" by Zou et al". <i>Annals of the Rheumatic Diseases</i> , 2023, 82, e101-e101.	0.9	2
58	Secukinumab in the treatment of parenchymal neuro-Behçet's syndrome. <i>Rheumatology</i> , 2022, 61, e277-e279.	1.9	2
59	The clinical features, image findings and risk factors of vena cava syndrome in Behçet's syndrome. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.8	2
60	Correspondence to "Comparative effectiveness of first-line tumour necrosis factor inhibitor versus non-tumour necrosis factor inhibitor biologics and targeted synthetic agents in patients with rheumatoid arthritis: results from a large US registry study". <i>Annals of the Rheumatic Diseases</i> , 2022, 81, e224-e224.	0.9	1
61	Perioperative management with biologics on severe aortic valve regurgitation caused by Behçet syndrome: the experience from a single center. <i>Therapeutic Advances in Chronic Disease</i> , 2021, 12, 204062232110267.	2.5	1
62	Anti-interleukin 6 receptor antibody tocilizumab was not satisfactory for refractory Behçet's uveitis in three consecutive patients. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.8	1
63	1650. Clinical Features and Risk Factors of Active Tuberculosis in Patients with Behçet's Disease. <i>Open Forum Infectious Diseases</i> , 2020, 7, S812-S813.	0.9	0