Jingshan Luo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3243292/jingshan-luo-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113	18,938	63	123
papers	citations	h-index	g-index
123 ext. papers	21,172 ext. citations	15.6 avg, IF	6.84 L-index

#	Paper	IF	Citations
113	Reduced defects and enhanced Vbi in perovskite absorbers through synergetic passivating effect using 4-methoxyphenylacetic acid. <i>Journal of Power Sources</i> , 2022 , 518, 230734	8.9	2
112	Bimetallic Cu Z n Catalysts for Electrochemical CO2 Reduction: Phase-Separated versus Core B hell Distribution. <i>ACS Catalysis</i> , 2022 , 12, 2741-2748	13.1	4
111	Crystal facet effect induced by different pretreatment of Cu2O nanowire electrode for enhanced electrochemical CO2 reduction to C2+ products. <i>Chinese Journal of Catalysis</i> , 2022 , 43, 1066-1073	11.3	2
110	Double interface modification promotes efficient Sb2Se3 solar cell by tailoring band alignment and light harvest. <i>Journal of Energy Chemistry</i> , 2022 , 70, 191-200	12	1
109	Interface engineering utilizing bifunctional metformin for high performance inverted perovskite solar cells. <i>Organic Electronics</i> , 2022 , 106, 106525	3.5	O
108	Structural and Compositional Investigations on the Stability of Cuprous Oxide Nanowire Photocathodes for Photoelectrochemical Water Splitting. <i>ACS Applied Materials & Composition (Composition)</i> 13, 55080-55091	9.5	3
107	UV light absorbers executing synergistic effects of passivating defects and improving photostability for efficient perovskite photovoltaics. <i>Journal of Energy Chemistry</i> , 2021 ,	12	4
106	Chemically tailored molecular surface modifiers for efficient and stable perovskite photovoltaics. SmartMat, 2021 , 2, 33-37	22.8	18
105	Water Stable Haloplumbate Modulation for Efficient and Stable Hybrid Perovskite Photovoltaics. <i>Advanced Energy Materials</i> , 2021 , 11, 2101082	21.8	6
104	Hydrophobic Organic Ammonium Halide Modification toward Highly Efficient and Stable CsPbI2.25Br0.75 Solar Cell. <i>Solar Rrl</i> , 2021 , 5, 2100178	7.1	3
103	Effects of guanidinium cations on structural, optoelectronic and photovoltaic properties of perovskites. <i>Journal of Energy Chemistry</i> , 2021 , 58, 48-54	12	6
102	Promoting CO electroreduction on CuO nanowires with a hydrophobic Nafion overlayer. <i>Nanoscale</i> , 2021 , 13, 3588-3593	7.7	10
101	Micro-Electrode with Fast Mass Transport for Enhancing Selectivity of Carbonaceous Products in Electrochemical CO2 Reduction. <i>Advanced Functional Materials</i> , 2021 , 31, 2103966	15.6	6
100	Manipulated Crystallization and Passivated Defects for Efficient Perovskite Solar Cells via Addition of Ammonium Iodide. <i>ACS Applied Materials & English (Materials & Materials & Materia</i>	9.5	3
99	Copper-indium hydroxides derived electrocatalysts with tunable compositions for electrochemical CO2 reduction. <i>Journal of Energy Chemistry</i> , 2021 , 63, 278-278	12	4
98	The pitfalls in electrocatalytic nitrogen reduction for ammonia synthesis. <i>Journal of Energy Chemistry</i> , 2021 , 61, 149-154	12	8
97	The removal of inevitable NO species in catalysts and the selection of appropriate membrane for measuring electrocatalytic ammonia synthesis accurately. <i>Journal of Energy Chemistry</i> , 2020 , 49, 51-58	12	23

(2018-2020)

96	Toward Efficient and Stable Perovskite Solar Cells: Choosing Appropriate Passivator to Specific Defects. <i>Solar Rrl</i> , 2020 , 4, 2070104	7.1	6
95	Selective electrochemical reduction of carbon dioxide to ethylene on a copper hydroxide nitrate nanostructure electrode. <i>Nanoscale</i> , 2020 , 12, 17013-17019	7.7	12
94	Toward Efficient and Stable Perovskite Solar Cells: Choosing Appropriate Passivator to Specific Defects. <i>Solar Rrl</i> , 2020 , 4, 2000308	7.1	19
93	Semitransparent Perovskite Solar Cells: From Materials and Devices to Applications. <i>Advanced Materials</i> , 2020 , 32, e1806474	24	93
92	Ligand-Modulated Excess PbI Nanosheets for Highly Efficient and Stable Perovskite Solar Cells. <i>Advanced Materials</i> , 2020 , 32, e2000865	24	60
91	Selective C-C Coupling in Carbon Dioxide Electroreduction via Efficient Spillover of Intermediates As Supported by Operando Raman Spectroscopy. <i>Journal of the American Chemical Society</i> , 2019 , 141, 18704-18714	16.4	113
90	CsPb(I Br1)B solar cells. <i>Science Bulletin</i> , 2019 , 64, 1532-1539	10.6	92
89	Atomic Layer Deposition of ZnO on CuO Enables Selective and Efficient Electroreduction of Carbon Dioxide to Liquid Fuels. <i>Angewandte Chemie</i> , 2019 , 131, 15178-15182	3.6	27
88	Atomic Layer Deposition of ZnO on CuO Enables Selective and Efficient Electroreduction of Carbon Dioxide to Liquid Fuels. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 15036-15040	16.4	73
87	Atomic-level passivation mechanism of ammonium salts enabling highly efficient perovskite solar cells. <i>Nature Communications</i> , 2019 , 10, 3008	17.4	178
86	Elucidation of photovoltage origin and charge transport in Cu2O heterojunctions for solar energy conversion. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 2633-2641	5.8	14
85	Ba-induced phase segregation and band gap reduction in mixed-halide inorganic perovskite solar cells. <i>Nature Communications</i> , 2019 , 10, 4686	17.4	65
84	Solar Water Splitting with Perovskite/Silicon Tandem Cell and TiC-Supported Pt Nanocluster Electrocatalyst. <i>Joule</i> , 2019 , 3, 2930-2941	27.8	49
83	Photoelectrocatalytic Arene C-H Amination. <i>Nature Catalysis</i> , 2019 , 2, 266-373	36.5	114
82	An ultrathin cobaltion oxide catalyst for water oxidation on nanostructured hematite photoanodes. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 6012-6020	13	40
81	Europium-Doped CsPbI2Br for Stable and Highly Efficient Inorganic Perovskite Solar Cells. <i>Joule</i> , 2019 , 3, 205-214	27.8	290
80	Solution-Processed Cu2S Photocathodes for Photoelectrochemical Water Splitting. <i>ACS Energy Letters</i> , 2018 , 3, 760-766	20.1	64
79	Low-Temperature Nb-Doped SnO2 Electron-Selective Contact Yields over 20% Efficiency in Planar Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2018 , 3, 773-778	20.1	119

78	Comprehensive control of voltage loss enables 11.7% efficient solid-state dye-sensitized solar cells. Energy and Environmental Science, 2018 , 11, 1779-1787	35.4	112
77	Boosting the Efficiency of Perovskite Solar Cells with CsBr-Modified Mesoporous TiO2 Beads as Electron-Selective Contact. <i>Advanced Functional Materials</i> , 2018 , 28, 1705763	15.6	93
76	Ti/Co-S catalyst covered amorphous Si-based photocathodes with high photovoltage for the HER in non-acid environments. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 811-816	13	17
75	A Promising Beginning for Perovskite Nanocrystals: A Nano Letters Virtual Issue. <i>Nano Letters</i> , 2018 , 18, 2747-2750	11.5	13
74	Hyperbranched TiO-CdS nano-heterostructures for highly efficient photoelectrochemical photoanodes. <i>Nanotechnology</i> , 2018 , 29, 335404	3.4	11
73	Multifunctional molecular modulators for perovskite solar cells with over 20% efficiency and high operational stability. <i>Nature Communications</i> , 2018 , 9, 4482	17.4	189
72	Boosting the performance of Cu2O photocathodes for unassisted solar water splitting devices. <i>Nature Catalysis</i> , 2018 , 1, 412-420	36.5	329
71	Isomer-Pure Bis-PCBM-Assisted Crystal Engineering of Perovskite Solar Cells Showing Excellent Efficiency and Stability. <i>Advanced Materials</i> , 2017 , 29, 1606806	24	276
70	Enhanced light absorption of thin perovskite solar cells using textured substrates. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 168, 214-220	6.4	36
69	Hydrogenated TiO Thin Film for Accelerating Electron Transport in Highly Efficient Planar Perovskite Solar Cells. <i>Advanced Science</i> , 2017 , 4, 1700008	13.6	15
68	11% efficiency solid-state dye-sensitized solar cells with copper(II/I) hole transport materials. <i>Nature Communications</i> , 2017 , 8, 15390	17.4	181
67	A copper nickel mixed oxide hole selective layer for Au-free transparent cuprous oxide photocathodes. <i>Energy and Environmental Science</i> , 2017 , 10, 912-918	35.4	57
66	Elucidating the role of chlorine in perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7423-	7 <u>4</u> 32	76
65	Morphology Engineering: A Route to Highly Reproducible and High Efficiency Perovskite Solar Cells. <i>ChemSusChem</i> , 2017 , 10, 1624-1630	8.3	40
64	Over 20% PCE perovskite solar cells with superior stability achieved by novel and low-cost hole-transporting materials. <i>Nano Energy</i> , 2017 , 41, 469-475	17.1	191
63	Solar conversion of CO2 to CO using Earth-abundant electrocatalysts prepared by atomic layer modification of CuO. <i>Nature Energy</i> , 2017 , 2,	62.3	334
62	Dopant-Free Donor (D)-ED-ED Conjugated Hole-Transport Materials for Efficient and Stable Perovskite Solar Cells. <i>ChemSusChem</i> , 2016 , 9, 2578-2585	8.3	75
61	Polymer-templated nucleation and crystal growth of perovskite films for solar cells with efficiency greater than 21%. <i>Nature Energy</i> , 2016 , 1,	62.3	1422

(2015-2016)

60	Solar Cells: Ionic Liquid Control Crystal Growth to Enhance Planar Perovskite Solar Cells Efficiency (Adv. Energy Mater. 20/2016). <i>Advanced Energy Materials</i> , 2016 , 6,	21.8	1
59	Perovskite Photovoltaics with Outstanding Performance Produced by Chemical Conversion of Bilayer Mesostructured Lead Halide/TiO2 Films. <i>Advanced Materials</i> , 2016 , 28, 2964-70	24	140
58	A vacuum flash-assisted solution process for high-efficiency large-area perovskite solar cells. <i>Science</i> , 2016 , 353, 58-62	33.3	1406
57	High-Performance Perovskite Solar Cells with Enhanced Environmental Stability Based on Amphiphile-Modified CH3 NH3 PbI3. <i>Advanced Materials</i> , 2016 , 28, 2910-5	24	207
56	A Novel Dopant-Free Triphenylamine Based Molecular B utterfly[Hole-Transport Material for Highly Efficient and Stable Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2016 , 6, 1600401	21.8	152
55	Covalent Immobilization of a Molecular Catalyst on Cu2O Photocathodes for CO2 Reduction. Journal of the American Chemical Society, 2016 , 138, 1938-46	16.4	220
54	Cu2O Nanowire Photocathodes for Efficient and Durable Solar Water Splitting. <i>Nano Letters</i> , 2016 , 16, 1848-57	11.5	439
53	Efficient luminescent solar cells based on tailored mixed-cation perovskites. <i>Science Advances</i> , 2016 , 2, e1501170	14.3	1498
52	Entropic stabilization of mixed A-cation ABX3 metal halide perovskites for high performance perovskite solar cells. <i>Energy and Environmental Science</i> , 2016 , 9, 656-662	35.4	882
51	Bipolar Membrane-Assisted Solar Water Splitting in Optimal pH. <i>Advanced Energy Materials</i> , 2016 , 6, 1600100	21.8	108
50	Enhanced Charge Collection with Passivation Layers in Perovskite Solar Cells. <i>Advanced Materials</i> , 2016 , 28, 3966-72	24	140
49	A novel one-step synthesized and dopant-free hole transport material for efficient and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 16330-16334	13	78
48	Enhancing Efficiency of Perovskite Solar Cells via N-doped Graphene: Crystal Modification and Surface Passivation. <i>Advanced Materials</i> , 2016 , 28, 8681-8686	24	228
47	Ionic Liquid Control Crystal Growth to Enhance Planar Perovskite Solar Cells Efficiency. <i>Advanced Energy Materials</i> , 2016 , 6, 1600767	21.8	165
46	Perovskite Solar Cells for the Generation of Fuels from Sunlight 2016 , 285-305		3
45	Nanowire perovskite solar cell. <i>Nano Letters</i> , 2015 , 15, 2120-6	11.5	282
44	Hierarchical Core/Shell NiCo2O4@NiCo2O4 Nanocactus Arrays with Dual-functionalities for High Performance Supercapacitors and Li-ion Batteries. <i>Scientific Reports</i> , 2015 , 5, 12099	4.9	84
43	MoS2 architectures supported on graphene foam/carbon nanotube hybrid films: highly integrated frameworks with ideal contact for superior lithium storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 17534-17543	13	47

42	A simple spiro-type hole transporting material for efficient perovskite solar cells. <i>Energy and Environmental Science</i> , 2015 , 8, 1986-1991	35.4	184
41	Low-Temperature Atomic Layer Deposition of Crystalline and Photoactive Ultrathin Hematite Films for Solar Water Splitting. <i>ACS Nano</i> , 2015 , 9, 11775-83	16.7	59
40	Improved performance and stability of perovskite solar cells by crystal crosslinking with alkylphosphonic acid Emmonium chlorides. <i>Nature Chemistry</i> , 2015 , 7, 703-11	17.6	898
39	A dopant-free spirobi[cyclopenta[2,1-b:3,4-b?]dithiophene] based hole-transport material for efficient perovskite solar cells. <i>Materials Horizons</i> , 2015 , 2, 613-618	14.4	116
38	Efficient and selective carbon dioxide reduction on low cost protected Cu2O photocathodes using a molecular catalyst. <i>Energy and Environmental Science</i> , 2015 , 8, 855-861	35.4	119
37	Targeting Ideal Dual-Absorber Tandem Water Splitting Using Perovskite Photovoltaics and CulnxGa1-xSe2 Photocathodes. <i>Advanced Energy Materials</i> , 2015 , 5, 1501520	21.8	89
36	Unraveling the Reasons for Efficiency Loss in Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2015 , 25, 3925-3933	15.6	114
35	Transparent Cuprous Oxide Photocathode Enabling a Stacked Tandem Cell for Unbiased Water Splitting. <i>Advanced Energy Materials</i> , 2015 , 5, 1501537	21.8	123
34	Efficient photosynthesis of carbon monoxide from CO2 using perovskite photovoltaics. <i>Nature Communications</i> , 2015 , 6, 7326	17.4	245
33	Solution transformation of CuD into CuInSIfor solar water splitting. <i>Nano Letters</i> , 2015 , 15, 1395-402	11.5	102
32	Three-Dimensional Co3O4@MnO2 Hierarchical Nanoneedle Arrays: Morphology Control and Electrochemical Energy Storage. <i>Advanced Functional Materials</i> , 2014 , 24, 3815-3826	15.6	338
31	Preparation of CoAl layered double hydroxide nanoflake arrays and their high supercapacitance performance. <i>Applied Clay Science</i> , 2014 , 102, 28-32	5.2	32
30	3D carbon/cobalt-nickel mixed-oxide hybrid nanostructured arrays for asymmetric supercapacitors. Small, 2014 , 10, 2937-45	11	126
29	NiCo2O4 nanostructure materials: morphology control and electrochemical energy storage. <i>Dalton Transactions</i> , 2014 , 43, 15887-97	4.3	53
28	Water photolysis at 12.3% efficiency via perovskite photovoltaics and Earth-abundant catalysts. <i>Science</i> , 2014 , 345, 1593-6	33.3	1920
27	Seed-assisted synthesis of Co3O4@Fe2O3 coreBhell nanoneedle arrays for lithium-ion battery anode with high capacity. <i>RSC Advances</i> , 2014 , 4, 13241	3.7	39
26	Synthesis of free-standing metal sulfide nanoarrays via anion exchange reaction and their electrochemical energy storage application. <i>Small</i> , 2014 , 10, 766-73	11	367
25	Diffusion-controlled evolution of core-shell nanowire arrays into integrated hybrid nanotube arrays for Li-ion batteries. <i>Nanoscale</i> , 2013 , 5, 8105-13	7.7	50

(2012-2013)

24	Three-dimensional graphene foam supported FeDIIithium battery anodes with long cycle life and high rate capability. <i>Nano Letters</i> , 2013 , 13, 6136-43	11.5	670
23	Hierarchical TiO2 nanobelts@MnO2 ultrathin nanoflakes coreBhell array electrode materials for supercapacitors. <i>RSC Advances</i> , 2013 , 3, 14413	3.7	90
22	Photon upconversion in hetero-nanostructured photoanodes for enhanced near-infrared light harvesting. <i>Advanced Materials</i> , 2013 , 25, 1603-7	24	119
21	Self-assembled graphene@PANI nanoworm composites with enhanced supercapacitor performance. <i>RSC Advances</i> , 2013 , 3, 5851	3.7	114
20	Ultrafast Exciton Dynamics and Two-Photon Pumped Lasing from ZnSe Nanowires. <i>Advanced Optical Materials</i> , 2013 , 1, 319-326	8.1	20
19	Exciton Dynamics: Ultrafast Exciton Dynamics and Two-Photon Pumped Lasing from ZnSe Nanowires (Advanced Optical Materials 4/2013). <i>Advanced Optical Materials</i> , 2013 , 1, 276-276	8.1	1
18	A green approach to the synthesis of high-quality graphene oxide flakes via electrochemical exfoliation of pencil core. <i>RSC Advances</i> , 2013 , 3, 11745	3.7	119
17	Rationally Designed Hierarchical TiO2@Fe2O3 Hollow Nanostructures for Improved Lithium Ion Storage. <i>Advanced Energy Materials</i> , 2013 , 3, 737-743	21.8	274
16	Controlled synthesis of hierarchical graphene-wrapped TiO2@Co3O4 coaxial nanobelt arrays for high-performance lithium storage. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 273-281	13	122
15	Light Harvesting: Photon Upconversion in Hetero-nanostructured Photoanodes for Enhanced Near-Infrared Light Harvesting (Adv. Mater. 11/2013). <i>Advanced Materials</i> , 2013 , 25, 1656-1656	24	
14	Self-assembly of well-ordered whisker-like manganese oxide arrays on carbon fiber paper and its application as electrode material for supercapacitors. <i>Journal of Materials Chemistry</i> , 2012 , 22, 8634		231
13	Integrated photoelectrochemical energy storage: solar hydrogen generation and supercapacitor. <i>Scientific Reports</i> , 2012 , 2, 981	4.9	75
12	Porous Hydroxide Nanosheets on Preformed Nanowires by Electrodeposition: Branched Nanoarrays for Electrochemical Energy Storage. <i>Chemistry of Materials</i> , 2012 , 24, 3793-3799	9.6	192
11	Temperature-dependent terahertz conductivity of tin oxide nanowire films. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 465101	3	21
10	Seed-assisted synthesis of highly ordered TiO2@\(\mathbb{F}\)e2O3 core/shell arrays on carbon textiles for lithium-ion battery applications. \(\mathbb{E}\)ergy and \(\mathbb{E}\)nvironmental Science, \(\mathbb{2012}\), 5, 6559	35.4	404
9	Homogeneous photosensitization of complex TiO[hanostructures for efficient solar energy conversion. <i>Scientific Reports</i> , 2012 , 2, 451	4.9	76
8	A novel photoanode with three-dimensionally, hierarchically ordered nanobushes for highly efficient photoelectrochemical cells. <i>Advanced Materials</i> , 2012 , 24, 4157-62	24	89
7	TiO2/(CdS, CdSe, CdSeS) Nanorod Heterostructures and Photoelectrochemical Properties. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 11956-11963	3.8	224

6	Hierarchical self-assembly of CdTe quantum dots into hyperbranched nanobundles: suppression of biexciton Auger recombination. <i>Nanoscale</i> , 2011 , 3, 2882-8	7.7	16
5	Interface Etching Leads to the Inversion of the Conduction Band Offset between the CdS/Sb2Se3 Heterojunction and High-Efficient Sb2Se3 Solar Cells. <i>ACS Applied Energy Materials</i> ,	6.1	4
4	Remarkable Cd-free Sb2Se3 solar cell yield achieved by interface band-alignment and growth orientation screening. <i>Journal of Materials Chemistry A</i> ,	13	4
3	Healing the defects in CsPbI3 solar cells by CsPbBr3 quantum dots. <i>Nano Research</i> ,1	10	3
2	Interface Modification Uncovers the Potential Application of SnO 2 /TiO 2 Double Electron Transport Layer in Efficient Cadmium-Free Sb 2 Se 3 Devices. <i>Advanced Materials Interfaces</i> ,2102464	4.6	1