

Tomohiko Urano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3243421/publications.pdf>

Version: 2024-02-01

60
papers

1,920
citations

257429

24
h-index

254170

43
g-index

72
all docs

72
docs citations

72
times ranked

3326
citing authors

#	ARTICLE	IF	CITATIONS
1	Fruit and Vegetable Consumption and Incident Frailty in Older Adults: A Systematic Review and Meta-Analysis. <i>Journal of Frailty & Aging</i> , 2022, 11, 1-6.	1.3	3
2	Sarcopenia is not associated with inspiratory muscle strength but with expiratory muscle strength among older adults requiring long-term care/support. <i>PeerJ</i> , 2022, 10, e12958.	2.0	7
3	Earlier menopause is associated with higher risk of incident frailty in community-dwelling older women in England. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2602-2609.	2.6	3
4	The inability to open a polyethylene terephthalate bottle cap can predict sarcopenia. <i>Geriatrics and Gerontology International</i> , 2022, 22, 682-684.	1.5	3
5	Association of advanced glycation end-products levels with vascular events in postmenopausal women. <i>Geriatrics and Gerontology International</i> , 2021, 21, 651-656.	1.5	0
6	Minimal detectable change in handgrip strength and usual and maximum gait speed scores in community-dwelling Japanese older adults requiring long-term care/support. <i>Geriatric Nursing</i> , 2021, 42, 1184-1189.	1.9	1
7	Rejuvenation of standing and gait balance in community-dwelling older individuals: A comparative study between 2006 and 2019. <i>Geriatrics and Gerontology International</i> , 2021, 21, 975-980.	1.5	4
8	5. Osteoporosis and Fracture Prevention. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021, 110, 577-584.	0.0	0
9	Cognitive function has a stronger correlation with perceived age than with chronological age. <i>Geriatrics and Gerontology International</i> , 2020, 20, 779-784.	1.5	12
10	Association between skeletal muscle mass index and lung function/respiratory muscle strength in older adults requiring long-term care or support. <i>Journal of Physical Therapy Science</i> , 2020, 32, 754-759.	0.6	8
11	Factors Associated With Improvement in Frailty Status Defined Using the Frailty Phenotype: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1647-1649.e2.	2.5	20
12	TRIM25 enhances cell growth and cell survival by modulating p53 signals via interaction with G3BP2 in prostate cancer. <i>Oncogene</i> , 2018, 37, 2165-2180.	5.9	83
13	Bisphosphonates prevent age-related weight loss in Japanese postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 734-740.	2.7	4
14	Low serum osteocalcin concentration is associated with incident type 2 diabetes mellitus in Japanese women. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 470-477.	2.7	23
15	Efp promotes in vitro and in vivo growth of endometrial cancer cells along with the activation of nuclear factor- κ B signaling. <i>PLoS ONE</i> , 2018, 13, e0208351.	2.5	18
16	V. Osteoporosis and Fractures in the Elderly. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018, 107, 2451-2460.	0.0	1
17	Preventive effects of raloxifene treatment on age-related weight loss in postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 108-113.	2.7	9
18	A novel prognostic factor TRIM44 promotes cell proliferation and migration, and inhibits apoptosis in testicular germ cell tumor. <i>Cancer Science</i> , 2017, 108, 32-41.	3.9	62

#	ARTICLE	IF	CITATIONS
19	<sc>ACSL</sc>3 promotes intratumoral steroidogenesis in prostate cancer cells. <i>Cancer Science</i> , 2017, 108, 2011-2021.	3.9	50
20	Prognostic value of CD66b positive tumor-infiltrating neutrophils in testicular germ cell tumor. <i>BMC Cancer</i> , 2016, 16, 898.	2.6	12
21	Abhydrolase domain containing 2, an androgen target gene, promotes prostate cancer cell proliferation and migration. <i>European Journal of Cancer</i> , 2016, 57, 39-49.	2.8	26
22	Efficacy of Fine-Needle Aspiration Cytology in the Diagnosis of Primary Thyroid Lymphoma for Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e52-3.	2.6	1
23	Androgen-induced Long Noncoding RNA (lncRNA) SOCS2-AS1 Promotes Cell Growth and Inhibits Apoptosis in Prostate Cancer Cells. <i>Journal of Biological Chemistry</i> , 2016, 291, 17861-17880.	3.4	122
24	Increased Expression of Tripartite Motif (TRIM) 47 Is a Negative Prognostic Predictor in Human Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 298-303.	1.9	29
25	Patient preference for monthly bisphosphonate versus weekly bisphosphonate in a cluster-randomized, open-label, crossover trial: Minodroate Alendronate/Risedronate Trial in Osteoporosis (MARTO). <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 201-208.	2.7	13
26	Recent genetic discoveries in osteoporosis, sarcopenia and obesity [Review]. <i>Endocrine Journal</i> , 2015, 62, 475-484.	1.6	53
27	Toremifene, a selective estrogen receptor modulator, significantly improved biochemical recurrence in bone metastatic prostate cancer: a randomized controlled phase II trial. <i>BMC Cancer</i> , 2015, 15, 836.	2.6	21
28	RUNX1, an androgen- and EZH2-regulated gene, has differential roles in AR-dependent and -independent prostate cancer. <i>Oncotarget</i> , 2015, 6, 2263-2276.	1.8	75
29	Pregnane X Receptor Knockout Mice Display Aging-Dependent Wearing of Articular Cartilage. <i>PLoS ONE</i> , 2015, 10, e0119177.	2.5	17
30	Osteoblast-Specific $\hat{3}$ -Glutamyl Carboxylase-Deficient Mice Display Enhanced Bone Formation With Aberrant Mineralization. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 1245-1254.	2.8	36
31	TET2 repression by androgen hormone regulates global hydroxymethylation status and prostate cancer progression. <i>Nature Communications</i> , 2015, 6, 8219.	12.8	93
32	Identification of TRIM22 as a progesterone-responsive gene in Ishikawa endometrial cancer cells. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 154, 217-225.	2.5	13
33	<i>SLC25A24</i> as a Novel Susceptibility Gene for Low Fat Mass in Humans and Mice. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E655-E663.	3.6	16
34	Liver-Specific $\hat{3}$ -Glutamyl Carboxylase-Deficient Mice Display Bleeding Diathesis and Short Life Span. <i>PLoS ONE</i> , 2014, 9, e88643.	2.5	11
35	Polymorphism of <i>SLC25A32</i>, the folate transporter gene, is associated with plasma folate levels and bone fractures in Japanese postmenopausal women. <i>Geriatrics and Gerontology International</i> , 2014, 14, 942-946.	1.5	11
36	CtBP2 Modulates the Androgen Receptor to Promote Prostate Cancer Progression. <i>Cancer Research</i> , 2014, 74, 6542-6553.	0.9	53

#	ARTICLE	IF	CITATIONS
37	Systemic identification of estrogen-regulated genes in breast cancer cells through cap analysis of gene expression mapping. <i>Biochemical and Biophysical Research Communications</i> , 2014, 447, 531-536.	2.1	14
38	Large-scale analysis reveals a functional single-nucleotide polymorphism in the 5' flanking region of PRDM 16 gene associated with lean body mass. <i>Aging Cell</i> , 2014, 13, 739-743.	6.7	31
39	Genetics of osteoporosis. <i>Biochemical and Biophysical Research Communications</i> , 2014, 452, 287-293.	2.1	34
40	Expression of Androgen and Estrogen Signaling Components and Stem Cell Markers to Predict Cancer Progression and Cancer-Specific Survival in Patients with Metastatic Prostate Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 4625-4635.	7.0	37
41	<i>GPR98</i> Gene Is Involved in the Regulation of Human and Mouse Bone Mineral Density. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E565-E574.	3.6	18
42	Association of Circulating Sclerostin Levels with Fat Mass and Metabolic Disease-Related Markers in Japanese Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1473-E1477.	3.6	86
43	Single-nucleotide polymorphism in the hyaluronan and proteoglycan link protein 1 (HAPLN1) gene is associated with spinal osteophyte formation and disc degeneration in Japanese women. <i>European Spine Journal</i> , 2011, 20, 572-577.	2.2	49
44	Association of HTRA1 promoter polymorphism with spinal disc degeneration in Japanese women. <i>Journal of Bone and Mineral Metabolism</i> , 2010, 28, 220-226.	2.7	24
45	Identification of non-synonymous polymorphisms in the WDSOF1 gene as novel susceptibility markers for low bone mineral density in Japanese postmenopausal women. <i>Bone</i> , 2010, 47, 636-642.	2.9	9
46	Bone mass effects of a Smad6 gene polymorphism in Japanese postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2009, 27, 562-566.	2.7	6
47	Association of a single nucleotide polymorphism in the constitutive androstane receptor gene with bone mineral density. <i>Geriatrics and Gerontology International</i> , 2009, 9, 235-241.	1.5	15
48	TRIM44 interacts with and stabilizes terf, a TRIM ubiquitin E3 ligase. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 263-268.	2.1	45
49	A1330V polymorphism of low-density lipoprotein receptor-related protein 5 gene and self-reported incident fractures in Japanese female patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2009, 19, 140-146.	1.8	14
50	Association of a Sequence Variation in the Gene Encoding Adiponectin Receptor 1 (ADIPOR1) with Body Mass Index in the Japanese Population. <i>Anti-aging Medicine</i> , 2009, 6, 79-82.	0.7	0
51	A1330V Variant of the Low-density Lipoprotein Receptor-related Protein 5 (LRP5) Gene Decreases Wnt Signaling and Affects the Total Body Bone Mineral Density in Japanese Women. <i>Endocrine Journal</i> , 2009, 56, 625-631.	1.6	24
52	Association of a Single Nucleotide Polymorphism in the Insulin-Like Growth Factor-1 Receptor Gene With Spinal Disc Degeneration in Postmenopausal Japanese Women. <i>Spine</i> , 2008, 33, 1256-1261.	2.0	29
53	Q89R Polymorphism in the LDL Receptor-Related Protein 5 Gene Is Associated With Spinal Osteoarthritis in Postmenopausal Japanese Women. <i>Spine</i> , 2007, 32, 25-29.	2.0	37
54	Association of a single nucleotide polymorphism in Wnt10b gene with bone mineral density. <i>Geriatrics and Gerontology International</i> , 2007, 7, 48-53.	1.5	4

#	ARTICLE	IF	CITATIONS
55	Association of a single nucleotide polymorphism in the steroid and xenobiotic receptor (SXR) gene (IVS1-579A/G) with bone mineral density. <i>Geriatrics and Gerontology International</i> , 2007, 7, 104-109.	1.5	7
56	Association of a single nucleotide polymorphism in the WISP1 gene with spinal osteoarthritis in postmenopausal Japanese women. <i>Journal of Bone and Mineral Metabolism</i> , 2007, 25, 253-258.	2.7	43
57	Association of a single nucleotide polymorphism in the lipoxygenase ALOX15 5'-flanking region (?5229C/A) with bone mineral density. <i>Journal of Bone and Mineral Metabolism</i> , 2005, 23, 226-230.	2.7	35
58	Association of a single-nucleotide polymorphism in low-density lipoprotein receptor-related protein 5 gene with bone mineral density. <i>Journal of Bone and Mineral Metabolism</i> , 2004, 22, 341-5.	2.7	77
59	14-3-3 β is down-regulated in human prostate cancer. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 795-800.	2.1	40
60	Efp targets 14-3-3 β for proteolysis and promotes breast tumour growth. <i>Nature</i> , 2002, 417, 871-875.	27.8	322