

Anthony Wing-Hung Chan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3243478/anthony-wing-hung-chan-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

387
papers

20,159
citations

80
h-index

129
g-index

414
ext. papers

24,369
ext. citations

6.2
avg, IF

6.72
L-index

#	Paper	IF	Citations
387	Diagnosis of fibrosis and cirrhosis using liver stiffness measurement in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010 , 51, 454-62	11.2	790
386	Disease progression of non-alcoholic fatty liver disease: a prospective study with paired liver biopsies at 3 years. <i>Gut</i> , 2010 , 59, 969-74	19.2	431
385	Clinical scoring system to predict hepatocellular carcinoma in chronic hepatitis B carriers. <i>Journal of Clinical Oncology</i> , 2010 , 28, 1660-5	2.2	336
384	Prevalence of non-alcoholic fatty liver disease and advanced fibrosis in Hong Kong Chinese: a population study using proton-magnetic resonance spectroscopy and transient elastography. <i>Gut</i> , 2012 , 61, 409-15	19.2	328
383	Entecavir treatment reduces hepatic events and deaths in chronic hepatitis B patients with liver cirrhosis. <i>Hepatology</i> , 2013 , 58, 1537-47	11.2	321
382	Alanine aminotransferase-based algorithms of liver stiffness measurement by transient elastography (Fibroscan) for liver fibrosis in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2009 , 16, 36-44 ^{3,4}	13.4	307
381	Risk of hepatocellular carcinoma in chronic hepatitis B: assessment and modification with current antiviral therapy. <i>Journal of Hepatology</i> , 2015 , 62, 956-67	13.4	285
380	Screening diabetic patients for non-alcoholic fatty liver disease with controlled attenuation parameter and liver stiffness measurements: a prospective cohort study. <i>Gut</i> , 2016 , 65, 1359-68	19.2	271
379	Serum hepatitis B surface antigen quantitation can reflect hepatitis B virus in the liver and predict treatment response. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 1462-8	6.9	271
378	Liver stiffness measurement using XL probe in patients with nonalcoholic fatty liver disease. <i>American Journal of Gastroenterology</i> , 2012 , 107, 1862-71	0.7	244
377	High viral load and hepatitis B virus subgenotype ce are associated with increased risk of hepatocellular carcinoma. <i>Journal of Clinical Oncology</i> , 2008 , 26, 177-82	2.2	242
376	Hepatitis B surface antigen quantification: why and how to use it in 2011 - a core group report. <i>Journal of Hepatology</i> , 2011 , 55, 1121-31	13.4	237
375	MET Amplification and Exon 14 Splice Site Mutation Define Unique Molecular Subgroups of Non-Small Cell Lung Carcinoma with Poor Prognosis. <i>Clinical Cancer Research</i> , 2016 , 22, 3048-56	12.9	226
374	Quantitative elastography of liver fibrosis and spleen stiffness in chronic hepatitis B carriers: comparison of shear-wave elastography and transient elastography with liver biopsy correlation. <i>Radiology</i> , 2013 , 269, 910-8	20.5	218
373	RNAi-based treatment of chronically infected patients and chimpanzees reveals that integrated hepatitis B virus DNA is a source of HBsAg. <i>Science Translational Medicine</i> , 2017 , 9,	17.5	216
372	Asia-Pacific Working Party on Non-alcoholic Fatty Liver Disease guidelines 2017-Part 1: Definition, risk factors and assessment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 70-85	4	211
371	A randomized, controlled trial of combination therapy for chronic hepatitis B: comparing pegylated interferon-alpha2b and lamivudine with lamivudine alone. <i>Annals of Internal Medicine</i> , 2005 , 142, 240-50 ⁸		207

370	Molecular characterization of the fecal microbiota in patients with nonalcoholic steatohepatitis--a longitudinal study. <i>PLoS ONE</i> , 2013 , 8, e62885	3.7	205
369	Coronary artery disease and cardiovascular outcomes in patients with non-alcoholic fatty liver disease. <i>Gut</i> , 2011 , 60, 1721-7	19.2	205
368	Viral-human chimeric transcript predisposes risk to liver cancer development and progression. <i>Cancer Cell</i> , 2014 , 25, 335-49	24.3	199
367	MiR-222 overexpression confers cell migratory advantages in hepatocellular carcinoma through enhancing AKT signaling. <i>Clinical Cancer Research</i> , 2010 , 16, 867-75	12.9	195
366	A longitudinal study on the natural history of serum hepatitis B surface antigen changes in chronic hepatitis B. <i>Hepatology</i> , 2010 , 52, 1232-41	11.2	192
365	The role of quantitative hepatitis B surface antigen revisited. <i>Journal of Hepatology</i> , 2017 , 66, 398-411	13.4	191
364	Yes-associated protein 1 exhibits oncogenic property in gastric cancer and its nuclear accumulation associates with poor prognosis. <i>Clinical Cancer Research</i> , 2011 , 17, 2130-9	12.9	191
363	Treatment of nonalcoholic steatohepatitis with probiotics. A proof-of-concept study. <i>Annals of Hepatology</i> , 2013 , 12, 256-262	3.1	187
362	Hepatocellular carcinoma and hepatitis B virus. <i>Seminars in Liver Disease</i> , 2006 , 26, 153-61	7.3	187
361	Diagnosis of liver fibrosis and cirrhosis using liver stiffness measurement: comparison between M and XL probe of FibroScan . <i>Journal of Hepatology</i> , 2012 , 56, 833-9	13.4	184
360	Community-based lifestyle modification programme for non-alcoholic fatty liver disease: a randomized controlled trial. <i>Journal of Hepatology</i> , 2013 , 59, 536-42	13.4	183
359	High prevalence of colorectal neoplasm in patients with non-alcoholic steatohepatitis. <i>Gut</i> , 2011 , 60, 829-36	19.2	183
358	Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection. <i>Journal of Hepatology</i> , 2018 , 69, 1284-1293	13.4	183
357	Liver stiffness-based optimization of hepatocellular carcinoma risk score in patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2014 , 60, 339-45	13.4	173
356	Peptostreptococcus anaerobius Induces Intracellular Cholesterol Biosynthesis in Colon Cells to Induce Proliferation and Causes Dysplasia in Mice. <i>Gastroenterology</i> , 2017 , 152, 1419-1433.e5	13.3	172
355	High serum interleukin-6 level predicts future hepatocellular carcinoma development in patients with chronic hepatitis B. <i>International Journal of Cancer</i> , 2009 , 124, 2766-70	7.5	171
354	Metabolic syndrome increases the risk of liver cirrhosis in chronic hepatitis B. <i>Gut</i> , 2009 , 58, 111-7	19.2	168
353	Prevalence and Severity of Nonalcoholic Fatty Liver Disease in Non-Obese Patients: A Population Study Using Proton-Magnetic Resonance Spectroscopy. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1306-14; quiz 1315	0.7	164

352	Identification of chronic hepatitis B patients without significant liver fibrosis by a simple noninvasive predictive model. <i>American Journal of Gastroenterology</i> , 2005 , 100, 616-23	0.7	164
351	Exome and genome sequencing of nasopharynx cancer identifies NF- κ B pathway activating mutations. <i>Nature Communications</i> , 2017 , 8, 14121	17.4	163
350	Prognostic Nutritional Index (PNI) Predicts Tumor Recurrence of Very Early/Early Stage Hepatocellular Carcinoma After Surgical Resection. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4138-48	3.1	162
349	Non-invasive diagnosis of non-alcoholic steatohepatitis by combined serum biomarkers. <i>Journal of Hepatology</i> , 2012 , 56, 1363-70	13.4	162
348	Modulation of LMP2A expression by a newly identified Epstein-Barr virus-encoded microRNA miR-BART22. <i>Neoplasia</i> , 2009 , 11, 1174-84	6.4	162
347	Histological severity and clinical outcomes of nonalcoholic fatty liver disease in nonobese patients. <i>Hepatology</i> , 2017 , 65, 54-64	11.2	160
346	Sirtuin 1 is upregulated in a subset of hepatocellular carcinomas where it is essential for telomere maintenance and tumor cell growth. <i>Cancer Research</i> , 2011 , 71, 4138-49	10.1	158
345	SIRT2 overexpression in hepatocellular carcinoma mediates epithelial to mesenchymal transition by protein kinase B/glycogen synthase kinase-3 β /E-catenin signaling. <i>Hepatology</i> , 2013 , 57, 2287-98	11.2	153
344	Metabolic and adipokine profile of Chinese patients with nonalcoholic fatty liver disease. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 1154-61	6.9	152
343	Hepatitis B virus infection and fatty liver in the general population. <i>Journal of Hepatology</i> , 2012 , 56, 533-40	13.4	151
342	Epigenetic therapy using belinostat for patients with unresectable hepatocellular carcinoma: a multicenter phase I/II study with biomarker and pharmacokinetic analysis of tumors from patients in the Mayo Phase II Consortium and the Cancer Therapeutics Research Group. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3361-7	2.2	146
341	Fatty pancreas, insulin resistance, and β cell function: a population study using fat-water magnetic resonance imaging. <i>American Journal of Gastroenterology</i> , 2014 , 109, 589-97	0.7	140
340	Improved noninvasive prediction of liver fibrosis by liver stiffness measurement in patients with nonalcoholic fatty liver disease accounting for controlled attenuation parameter values. <i>Hepatology</i> , 2017 , 65, 1145-1155	11.2	135
339	Deep sequencing of small RNA transcriptome reveals novel non-coding RNAs in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2013 , 58, 1165-73	13.4	132
338	Assessment of fibrosis by transient elastography compared with liver biopsy and morphometry in chronic liver diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 1027-35	6.9	127
337	Viral genotype and hepatitis B virus DNA levels are correlated with histological liver damage in HBeAg-negative chronic hepatitis B virus infection. <i>American Journal of Gastroenterology</i> , 2002 , 97, 406-12	0.7	123
336	Peptostreptococcus anaerobius promotes colorectal carcinogenesis and modulates tumour immunity. <i>Nature Microbiology</i> , 2019 , 4, 2319-2330	26.6	120
335	Long-term impact of liver function on curative therapy for hepatocellular carcinoma: application of the ALBI grade. <i>British Journal of Cancer</i> , 2016 , 114, 744-50	8.7	119

334	Controlled attenuation parameter for the diagnosis of steatosis in non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 848-55	4	106
333	Incidence of non-alcoholic fatty liver disease in Hong Kong: a population study with paired proton-magnetic resonance spectroscopy. <i>Journal of Hepatology</i> , 2015 , 62, 182-9	13.4	104
332	Hepatitis B virus genotype C takes a more aggressive disease course than hepatitis B virus genotype B in hepatitis B e antigen-positive patients. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 1277-9	9.7	104
331	Pathogenesis and novel treatment options for non-alcoholic steatohepatitis. <i>The Lancet Gastroenterology and Hepatology</i> , 2016 , 1, 56-67	18.8	103
330	Renal outcome in type 2 diabetic patients with or without coexisting nondiabetic nephropathies. <i>Diabetes Care</i> , 2002 , 25, 900-5	14.6	100
329	Wnt/ECatenin activates MiR-183/96/182 expression in hepatocellular carcinoma that promotes cell invasion. <i>Cancer Letters</i> , 2015 , 362, 97-105	9.9	99
328	PNPLA3 gene polymorphism and response to lifestyle modification in patients with nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 139-46	4	98
327	Development of a non-invasive algorithm with transient elastography (Fibroscan) and serum test formula for advanced liver fibrosis in chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 1095-103	6.1	97
326	Beneficial effects of lifestyle intervention in non-obese patients with non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018 , 69, 1349-1356	13.4	96
325	Management of hepatocellular carcinoma with portal vein tumor thrombosis: Review and update at 2016. <i>World Journal of Gastroenterology</i> , 2016 , 22, 7289-300	5.6	96
324	Serial combination of non-invasive tools improves the diagnostic accuracy of severe liver fibrosis in patients with NAFLD. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 617-627	6.1	94
323	Tenofovir Is Associated With Lower Risk of Hepatocellular Carcinoma Than Entecavir in Patients With Chronic HBV Infection in China. <i>Gastroenterology</i> , 2020 , 158, 215-225.e6	13.3	94
322	Viral determinants of hepatitis B surface antigen seroclearance in hepatitis B e antigen-negative chronic hepatitis B patients. <i>Journal of Infectious Diseases</i> , 2011 , 204, 408-14	7	91
321	Hepatoma-intrinsic CCRK inhibition diminishes myeloid-derived suppressor cell immunosuppression and enhances immune-checkpoint blockade efficacy. <i>Gut</i> , 2018 , 67, 931-944	19.2	87
320	Concurrent fatty liver increases risk of hepatocellular carcinoma among patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 667-676	4	87
319	Metabolic and histological features of non-alcoholic fatty liver disease patients with different serum alanine aminotransferase levels. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 387-96	6.1	87
318	Frequent hypermethylation of promoter region of RASSF1A in tumor tissues and voided urine of urinary bladder cancer patients. <i>International Journal of Cancer</i> , 2003 , 104, 611-6	7.5	87
317	Dietary cholesterol drives fatty liver-associated liver cancer by modulating gut microbiota and metabolites. <i>Gut</i> , 2021 , 70, 761-774	19.2	87

316	Increased liver stiffness measurement by transient elastography in severe acute exacerbation of chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 1002-7	4	85
315	Durability of peginterferon alfa-2b treatment at 5 years in patients with hepatitis B e antigen-positive chronic hepatitis B. <i>Hepatology</i> , 2010 , 51, 1945-53	11.2	85
314	Impact of age and gender on risk of hepatocellular carcinoma after hepatitis B surface antigen seroclearance. <i>Journal of Hepatology</i> , 2017 , 67, 902-908	13.4	84
313	miR-375 is involved in Hippo pathway by targeting YAP1/TEAD4-CTGF axis in gastric carcinogenesis. <i>Cell Death and Disease</i> , 2018 , 9, 92	9.8	83
312	Integration of albumin-bilirubin (ALBI) score into Barcelona Clinic Liver Cancer (BCLC) system for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1300-6	4	83
311	PNPLA3 gene polymorphism accounts for fatty liver in community subjects without metabolic syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 39, 532-9	6.1	82
310	MiR-145 modulates multiple components of the insulin-like growth factor pathway in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2012 , 33, 1134-41	4.6	82
309	Validation of the NAFLD fibrosis score in a Chinese population with low prevalence of advanced fibrosis. <i>American Journal of Gastroenterology</i> , 2008 , 103, 1682-8	0.7	82
308	Liver stiffness measurement by transient elastography as a predictor on posthepatectomy outcomes. <i>Annals of Surgery</i> , 2013 , 257, 922-8	7.8	81
307	Validity criteria for the diagnosis of fatty liver by M probe-based controlled attenuation parameter. <i>Journal of Hepatology</i> , 2017 , 67, 577-584	13.4	80
306	Prevalence of undiagnosed diabetes and postchallenge hyperglycaemia in Chinese patients with non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 1215-22	6.1	80
305	HBSAg seroclearance further reduces hepatocellular carcinoma risk after complete viral suppression with nucleos(t)ide analogues. <i>Journal of Hepatology</i> , 2019 , 70, 361-370	13.4	80
304	Coincidental metabolic syndrome increases the risk of liver fibrosis progression in patients with chronic hepatitis B--a prospective cohort study with paired transient elastography examinations. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 39, 883-93	6.1	79
303	Factors associated with viral breakthrough in lamivudine monophylaxis of hepatitis B virus recurrence after liver transplantation. <i>Journal of Medical Virology</i> , 2002 , 68, 182-7	19.7	79
302	On-treatment monitoring of liver fibrosis with transient elastography in chronic hepatitis B patients. <i>Antiviral Therapy</i> , 2011 , 16, 165-72	1.6	75
301	Stathmin1 plays oncogenic role and is a target of microRNA-223 in gastric cancer. <i>PLoS ONE</i> , 2012 , 7, e33919	3.7	75
300	Evaluation of alanine transaminase and hepatitis B virus DNA to predict liver cirrhosis in hepatitis B e antigen-negative chronic hepatitis B using transient elastography. <i>American Journal of Gastroenterology</i> , 2008 , 103, 3071-81	0.7	73
299	"Interchangeability" of PD-L1 immunohistochemistry assays: a meta-analysis of diagnostic accuracy. <i>Modern Pathology</i> , 2020 , 33, 4-17	9.8	73

298	Phase I/II study of tlemsirolimus for patients with unresectable Hepatocellular Carcinoma (HCC)- a correlative study to explore potential biomarkers for response. <i>BMC Cancer</i> , 2015 , 15, 395	4.8	72
297	The Asia-Pacific Working Party on Non-alcoholic Fatty Liver Disease guidelines 2017-Part 2: Management and special groups. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 86-98 ⁴		71
296	A randomized, open-label clinical study of combined pegylated interferon Alfa-2a (40KD) and entecavir treatment for hepatitis B "e" antigen-positive chronic hepatitis B. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1714-23	11.6	71
295	Genomic and Epigenomic Features of Primary and Recurrent Hepatocellular Carcinomas. <i>Gastroenterology</i> , 2019 , 157, 1630-1645.e6	13.3	69
294	New simple prognostic score for primary biliary cirrhosis: Albumin-bilirubin score. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1391-6	4	69
293	Hepatitis B virus genotype C is associated with more severe liver fibrosis than genotype B. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 1361-6	6.9	69
292	Long-term clinical outcomes after fatty liver screening in patients undergoing coronary angiogram: A prospective cohort study. <i>Hepatology</i> , 2016 , 63, 754-63	11.2	68
291	Epigenetic regulation of hepatocellular carcinoma in non-alcoholic fatty liver disease. <i>Seminars in Cancer Biology</i> , 2013 , 23, 471-82	12.7	66
290	A novel interplay between oncogenic PFTK1 protein kinase and tumor suppressor TAGLN2 in the control of liver cancer cell motility. <i>Oncogene</i> , 2011 , 30, 4464-75	9.2	66
289	Unified interpretation of liver stiffness measurement by M and XL probes in non-alcoholic fatty liver disease. <i>Gut</i> , 2019 , 68, 2057-2064	19.2	65
288	Liver injury is independently associated with adverse clinical outcomes in patients with COVID-19. <i>Gut</i> , 2021 , 70, 733-742	19.2	65
287	Transient elastography. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1726-31	4	64
286	Long-term follow-up of peginterferon and lamivudine combination treatment in HBeAg-positive chronic hepatitis B. <i>Hepatology</i> , 2005 , 41, 1357-64	11.2	64
285	Carboxyl-terminal truncated HBx regulates a distinct microRNA transcription program in hepatocellular carcinoma development. <i>PLoS ONE</i> , 2011 , 6, e22888	3.7	63
284	Targeting monocyte-intrinsic enhancer reprogramming improves immunotherapy efficacy in hepatocellular carcinoma. <i>Gut</i> , 2020 , 69, 365-379	19.2	63
283	Albumin-to-alkaline phosphatase ratio: a novel prognostic index for hepatocellular carcinoma. <i>Disease Markers</i> , 2015 , 2015, 564057	3.2	62
282	Two-year Lamivudine treatment for Hepatitis B e Antigen-Negative Chronic Hepatitis B: A Double-Blind, Placebo-Controlled Trial. <i>Antiviral Therapy</i> , 2007 , 12, 345-354	1.6	62
281	Statin and the risk of hepatocellular carcinoma and death in a hospital-based hepatitis B-infected population: A propensity score landmark analysis. <i>Journal of Hepatology</i> , 2015 , 63, 1190-7	13.4	59

280	Expression of stemness markers (CD133 and EpCAM) in prognostication of hepatocellular carcinoma. <i>Histopathology</i> , 2014 , 64, 935-50	7.3	59
279	Clinical factors associated with liver stiffness in hepatitis B e antigen-positive chronic hepatitis B patients. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 227-33	6.9	59
278	Chronic hepatitis B in Asia-new insights from the past decade. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26 Suppl 1, 131-7	4	58
277	Putative tumour-suppressor gene DAB2 is frequently down regulated by promoter hypermethylation in nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2010 , 10, 253	4.8	58
276	Hypermethylation of the tumor suppressor gene RASSF1A and frequent concomitant loss of heterozygosity at 3p21 in cervical cancers. <i>International Journal of Cancer</i> , 2003 , 105, 204-9	7.5	58
275	Prevalence of the TM6SF2 variant and non-alcoholic fatty liver disease in Chinese. <i>Journal of Hepatology</i> , 2014 , 61, 708-9	13.4	56
274	Detection of ALK rearrangement by immunohistochemistry in lung adenocarcinoma and the identification of a novel EML4-ALK variant. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 883-91	8.9	56
273	Diet-Quality Scores and Prevalence of Nonalcoholic Fatty Liver Disease: A Population Study Using Proton-Magnetic Resonance Spectroscopy. <i>PLoS ONE</i> , 2015 , 10, e0139310	3.7	56
272	Genetic polymorphisms of adiponectin and tumor necrosis factor-alpha and nonalcoholic fatty liver disease in Chinese people. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 914-21	4	53
271	Management of patients with liver derangement during the COVID-19 pandemic: an Asia-Pacific position statement. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 776-787	18.8	51
270	Prognostic Value of Controlled Attenuation Parameter by Transient Elastography. <i>American Journal of Gastroenterology</i> , 2017 , 112, 1812-1823	0.7	49
269	Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. <i>Journal of Hepatology</i> , 2017 ,	13.4	49
268	Assessment of non-alcoholic fatty liver disease using serum total cell death and apoptosis markers. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 1057-66	6.1	49
267	Inhibition of NOTCH3 signalling significantly enhances sensitivity to cisplatin in EBV-associated nasopharyngeal carcinoma. <i>Journal of Pathology</i> , 2012 , 226, 471-81	9.4	49
266	Association between anthropometric parameters and measurements of liver stiffness by transient elastography. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 295-302.e1-3	6.9	48
265	Durability of hepatitis B surface antigen seroclearance in untreated and nucleos(t)ide analogue-treated patients. <i>Journal of Hepatology</i> , 2017 ,	13.4	47
264	Liver- and Colon-Specific DNA Methylation Markers in Plasma for Investigation of Colorectal Cancers with or without Liver Metastases. <i>Clinical Chemistry</i> , 2018 , 64, 1239-1249	5.5	47
263	Non-invasive algorithm of enhanced liver fibrosis and liver stiffness measurement with transient elastography for advanced liver fibrosis in chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 39, 197-208	6.1	47

262	Characterization of rare transforming KRAS mutations in sporadic colorectal cancer. <i>Cancer Biology and Therapy</i> , 2014 , 15, 768-76	4.6	47
261	Interaction of adipokines and hepatitis B virus on histological liver injury in the Chinese. <i>American Journal of Gastroenterology</i> , 2010 , 105, 132-8	0.7	47
260	Prediction of Survival Among Patients Receiving Transarterial Chemoembolization for Hepatocellular Carcinoma: A Response-Based Approach. <i>Hepatology</i> , 2020 , 72, 198-212	11.2	47
259	Lymphoepithelioma-like hepatocellular carcinoma: an uncommon variant of hepatocellular carcinoma with favorable outcome. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 304-12	6.7	46
258	Yin Yang 1 contributes to gastric carcinogenesis and its nuclear expression correlates with shorter survival in patients with early stage gastric adenocarcinoma. <i>Journal of Translational Medicine</i> , 2014 , 12, 80	8.5	46
257	Neutrophils: driving progression and poor prognosis in hepatocellular carcinoma?. <i>British Journal of Cancer</i> , 2018 , 118, 248-257	8.7	46
256	Personalized therapy for hepatocellular carcinoma: Where are we now?. <i>Cancer Treatment Reviews</i> , 2016 , 45, 77-86	14.4	45
255	Hepatitis B virus genotype has no impact on hepatitis B e antigen seroconversion after lamivudine treatment. <i>World Journal of Gastroenterology</i> , 2003 , 9, 2695-7	5.6	45
254	Normal on-treatment ALT during antiviral treatment is associated with a lower risk of hepatic events in patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2018 , 69, 793-802	13.4	45
253	DNA of Erythroid Origin Is Present in Human Plasma and Informs the Types of Anemia. <i>Clinical Chemistry</i> , 2017 , 63, 1614-1623	5.5	44
252	Surrogate end points and long-term outcome in patients with chronic hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 1113-20	6.9	44
251	Adverse effects of vitamin D deficiency on outcomes of patients with chronic hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 783-90.e1	6.9	42
250	An inflammatory-CCRK circuitry drives mTORC1-dependent metabolic and immunosuppressive reprogramming in obesity-associated hepatocellular carcinoma. <i>Nature Communications</i> , 2018 , 9, 5214	17.4	42
249	Quantitative assessment of fibrosis in liver biopsies from patients with chronic hepatitis B. <i>Liver International</i> , 2004 , 24, 611-8	7.9	41
248	Significant positive association of endotoxemia with histological severity in 237 patients with non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 175-182	6.1	40
247	RASAL2 promotes tumor progression through LATS2/YAP1 axis of hippo signaling pathway in colorectal cancer. <i>Molecular Cancer</i> , 2018 , 17, 102	42.1	40
246	Profiling of Oncogenic Driver Events in Lung Adenocarcinoma Revealed MET Mutation as Independent Prognostic Factor. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 1292-1300	8.9	40
245	Strong immunohistochemical expression of vascular endothelial growth factor predicts overall survival in head and neck squamous cell carcinoma. <i>Annals of Surgical Oncology</i> , 2007 , 14, 3558-65	3.1	40

244	Effect of age and disease on taste perception. <i>Journal of Pain and Symptom Management</i> , 2004 , 28, 28-34.8	4.0	40
243	Incorporating albumin-bilirubin grade into the cancer of the liver Italian program system for hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 221-228	4	39
242	Applicability of albumin-bilirubin-based Japan integrated staging score in hepatitis B-associated hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1766-1772	4	39
241	Association of baseline vitamin D levels with clinical parameters and treatment outcomes in chronic hepatitis B. <i>Journal of Hepatology</i> , 2015 , 63, 1086-92	13.4	37
240	Epstein-Barr virus-associated lymphoepithelioma-like cholangiocarcinoma: a rare variant of intrahepatic cholangiocarcinoma with favourable outcome. <i>Histopathology</i> , 2014 , 65, 674-83	7.3	37
239	Repeated Measurements of Hepatitis B Surface Antigen Identify Carriers of Inactive HBV During Long-term Follow-up. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1481-1489.e5	6.9	36
238	Liver injury is common among chronic abusers of ketamine. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 1759-62.e1	6.9	36
237	Impact of the New Definition of Metabolic Associated Fatty Liver Disease on the Epidemiology of the Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 2161-2171.e5	6.9	36
236	A subset of breast cancer predisposes to brain metastasis. <i>Medical Molecular Morphology</i> , 2011 , 44, 15-20.3	2.3	35
235	Glucuronidation by UGT1A1 is the dominant pathway of the metabolic disposition of belinostat in liver cancer patients. <i>PLoS ONE</i> , 2013 , 8, e54522	3.7	35
234	Yin Yang 1-mediated epigenetic silencing of tumour-suppressive microRNAs activates nuclear factor- κ B in hepatocellular carcinoma. <i>Journal of Pathology</i> , 2016 , 238, 651-64	9.4	35
233	Application of the combined FibroMeter vibration-controlled transient elastography algorithm in Chinese patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1363-1369	4	34
232	Assessment of programmed cell death ligand-1 expression by 4 diagnostic assays and its clinicopathological correlation in a large cohort of surgical resected non-small cell lung carcinoma. <i>Modern Pathology</i> , 2018 , 31, 1381-1390	9.8	34
231	Clinical utility of plasma Epstein-Barr virus DNA and ERCC1 single nucleotide polymorphism in nasopharyngeal carcinoma. <i>Cancer</i> , 2015 , 121, 2720-9	6.4	34
230	Liver stiffness measurement predicts long-term survival and complications in non-alcoholic fatty liver disease. <i>Liver International</i> , 2020 , 40, 581-589	7.9	33
229	Transgenic cyclooxygenase-2 expression and high salt enhanced susceptibility to chemical-induced gastric cancer development in mice. <i>Carcinogenesis</i> , 2008 , 29, 1648-54	4.6	32
228	Outcome of lamivudine resistant hepatitis B virus mutant post-liver transplantation on lamivudine monophylaxis. <i>Clinical Transplantation</i> , 2004 , 18, 295-300	3.8	31
227	Long-Read RNA Sequencing Identifies Alternative Splice Variants in Hepatocellular Carcinoma and Tumor-Specific Isoforms. <i>Hepatology</i> , 2019 , 70, 1011-1025	11.2	31

226	Predictors of treatment response in chronic hepatitis B. <i>Drugs</i> , 2009 , 69, 2167-77	12.1	30
225	EBV-encoded miRNAs target ATM-mediated response in nasopharyngeal carcinoma. <i>Journal of Pathology</i> , 2018 , 244, 394-407	9.4	30
224	Effects of Diabetes and Glycemic Control on Risk of Hepatocellular Carcinoma After Seroclearance of Hepatitis B Surface Antigen. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 765-773.e2	6.9	29
223	Liver fibrosis progression is uncommon in patients with inactive chronic hepatitis B: a prospective cohort study with paired transient elastography examination. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1842-8	4	29
222	GEF-H1 over-expression in hepatocellular carcinoma promotes cell motility via activation of RhoA signalling. <i>Journal of Pathology</i> , 2012 , 228, 575-85	9.4	29
221	Systematic evaluation of circulating inflammatory markers for hepatocellular carcinoma. <i>Liver International</i> , 2017 , 37, 280-289	7.9	28
220	Targeted hepatitis C screening among ex-injection drug users in the community. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 116-20	4	28
219	A retrospective study on clinical features and prognostic factors of biopsy-proven primary biliary cirrhosis in Chinese patients. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2205-11	0.7	28
218	A review of the natural history of chronic hepatitis B in the era of transient elastography. <i>Antiviral Therapy</i> , 2009 , 14, 489-499	1.6	28
217	Chronic Hepatitis B Increases Liver-Related Mortality of Patients With Acute Hepatitis E: A Territorywide Cohort Study From 2000 to 2016. <i>Clinical Infectious Diseases</i> , 2018 , 67, 1278-1284	11.6	27
216	No Resistance to Tenofovir Alafenamide Detected through 96 Weeks of Treatment in Patients with Chronic Hepatitis B Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	27
215	Tenofovir disoproxil fumarate reduces hepatocellular carcinoma, decompensation and death in chronic hepatitis B patients with cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 1037-1048	6.1	27
214	The effect of caffeine and alcohol consumption on liver fibrosis - a study of 1045 Asian hepatitis B patients using transient elastography. <i>Liver International</i> , 2011 , 31, 1047-53	7.9	27
213	Risk factors for active liver disease in HBeAg-negative chronic hepatitis B virus-infected patients. <i>American Journal of Gastroenterology</i> , 2000 , 95, 3547-51	0.7	27
212	Impact of Obesity and Alanine Aminotransferase Levels on the Diagnostic Accuracy for Advanced Liver Fibrosis of Noninvasive Tools in Patients With Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2019 , 114, 916-928	0.7	27
211	Two-year lamivudine treatment for hepatitis B e antigen-negative chronic hepatitis B: a double-blind, placebo-controlled trial. <i>Antiviral Therapy</i> , 2007 , 12, 345-53	1.6	27
210	Liver stiffness measurement predicts high-grade post-hepatectomy liver failure: A prospective cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 506-514	4	26
209	Genotype B hepatitis B virus is associated with severe icteric flare-up of chronic hepatitis B virus infection in Hong Kong. <i>American Journal of Gastroenterology</i> , 2002 , 97, 2629-33	0.7	26

208	Reassessing the accuracy of PAGE-B-related scores to predict hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2020 , 72, 847-854	13.4	26
207	Long-Term follow-up of Lamivudine Treatment in Patients with Severe Acute Exacerbation of Hepatitis B e Antigen (HBeAg)-Positive Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2008 , 13, 571-579	1.6	26
206	Real-world risk score for hepatocellular carcinoma (RWS-HCC): a clinically practical risk predictor for HCC in chronic hepatitis B. <i>Gut</i> , 2016 , 65, 887-8	19.2	25
205	Non-alcoholic fatty liver disease: spectral patterns observed from an in vivo phosphorus magnetic resonance spectroscopy study. <i>Journal of Hepatology</i> , 2014 , 60, 809-15	13.4	25
204	Characterization of early IgA nephropathy. <i>American Journal of Kidney Diseases</i> , 2000 , 36, 703-8	7.4	25
203	Measuring spleen stiffness to predict varices in chronic hepatitis B cirrhotic patients with or without receiving non-selective beta-blockers. <i>Journal of Digestive Diseases</i> , 2016 , 17, 538-546	3.3	25
202	Risk of hepatitis B surface antigen seroreversion after corticosteroid treatment in patients with previous hepatitis B virus exposure. <i>Journal of Hepatology</i> , 2020 , 72, 57-66	13.4	25
201	Promoter hypermethylation of Death-associated protein-kinase gene associated with advance stage gastric cancer. <i>Oncology Reports</i> , 2005 , 13, 937-41	3.5	25
200	Microwave ablation provides better survival than liver resection for hepatocellular carcinoma in patients with borderline liver function: application of ALBI score to patient selection. <i>Hpb</i> , 2018 , 20, 546-554	3.8	24
199	Improved Bone Safety of Tenofovir Alafenamide Compared to Tenofovir Disoproxil Fumarate Over 2 Years in Patients With Chronic HBV Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2018 ,	6.9	24
198	JGH Foundation emerging leadership lecture. Significance of hepatitis B virus genotypes and mutations in the development of hepatocellular carcinoma in Asia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 8-12	4	23
197	Early hepatitis B virus DNA suppression can predict virologic response to peginterferon and lamivudine treatment. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 1022-6	6.9	23
196	A hospital clinic-based survey on traditional Chinese medicine usage among chronic hepatitis B patients. <i>Complementary Therapies in Medicine</i> , 2005 , 13, 175-82	3.5	23
195	Long-Term Lamivudine Treatment is Associated with a Good Maintained Response in Severe Acute Exacerbation of Chronic Hbeag-Negative Hepatitis B. <i>Antiviral Therapy</i> , 2006 , 11, 465-471	1.6	23
194	Soluble CD163 and mannose receptor associate with chronic hepatitis B activity and fibrosis and decline with treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 484-491	4	22
193	Repeating measurements by transient elastography in non-alcoholic fatty liver disease patients with high liver stiffness. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 241-248	4	22
192	Improving transient elastography performance for detecting hepatitis B cirrhosis. <i>Digestive and Liver Disease</i> , 2012 , 44, 61-6	3.3	22
191	Predictors of invasion in needle core biopsies of the breast with ductal carcinoma in situ. <i>Modern Pathology</i> , 2010 , 23, 737-42	9.8	22

190	Virological Response to Different Combination Regimes of Peginterferon α b and Lamivudine in Hepatitis B e Antigen Positive Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2007 , 12, 815-823	1.6	22
189	Phylogenetic, virological, and clinical characteristics of genotype C hepatitis B virus with TCC at codon 15 of the precore region. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 681-7	9.7	21
188	Serial Transient Elastography Examinations to Monitor Patients With Type 2 Diabetes: A Prospective Cohort Study. <i>Hepatology</i> , 2020 , 72, 1230-1241	11.2	20
187	The CCCTC-binding factor (CTCF)-forkhead box protein M1 axis regulates tumour growth and metastasis in hepatocellular carcinoma. <i>Journal of Pathology</i> , 2017 , 243, 418-430	9.4	20
186	Use of hepatitis B virus DNA quantitation to predict hepatitis B e antigen reversion in cases of chronic hepatitis B. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 4793-5	9.7	20
185	Treatment of advanced hepatocellular carcinoma: immunotherapy from checkpoint blockade to potential of cellular treatment. <i>Translational Gastroenterology and Hepatology</i> , 2018 , 3, 89	5.2	20
184	Treatment of non-alcoholic steatohepatitis with <i>Phyllanthus urinaria</i> : a randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 57-62	4	19
183	Accuracy of Faecal Immunochemical Test to Predict Endoscopic and Histological Healing in Ulcerative Colitis: A Prospective Study Based on Validated Histological Scores. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 1071-1077	1.5	19
182	Liver fibrosis progression in chronic hepatitis B patients positive for hepatitis B e antigen: a prospective cohort study with paired transient elastography examination. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1762-9	4	19
181	Metabolic syndrome increases cardiovascular events but not hepatic events and death in patients with chronic hepatitis B. <i>Hepatology</i> , 2016 , 64, 1507-1517	11.2	19
180	Low Risk of Variceal Bleeding in Patients With Cirrhosis After Variceal Screening Stratified by Liver/Spleen Stiffness. <i>Hepatology</i> , 2019 , 70, 971-981	11.2	18
179	Incorporating Serum Level of Hepatitis B Surface Antigen or Omitting Level of Hepatitis B Virus DNA Does not Affect Calculation of Risk for Hepatocellular Carcinoma in Patients Without Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 461-468.e2	6.9	18
178	Evaluation of histological staging systems for primary biliary cirrhosis: correlation with clinical and biochemical factors and significance of pathological parameters in prognostication. <i>Histopathology</i> , 2014 , 65, 174-86	7.3	18
177	MCM7 serves as a prognostic marker in diffuse-type gastric adenocarcinoma and siRNA-mediated knockdown suppresses its oncogenic function. <i>Oncology Reports</i> , 2014 , 31, 2071-8	3.5	18
176	A prospective study on second-generation colon capsule endoscopy to detect mucosal lesions and disease activity in ulcerative colitis (with video). <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 1139-1146.e6	5.2	18
175	Evaluation of impact of serial hepatitis B virus DNA levels on development of hepatocellular carcinoma. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 1830-6	9.7	18
174	Higher estimated net endogenous Acid production may be associated with increased prevalence of nonalcoholic Fatty liver disease in chinese adults in Hong Kong. <i>PLoS ONE</i> , 2015 , 10, e0122406	3.7	18
173	International validation of the Chinese university prognostic index for staging of hepatocellular carcinoma: a joint United Kingdom and Hong Kong study. <i>Chinese Journal of Cancer</i> , 2014 , 33, 481-91		18

172	Epigenetic silencing of GDF1 disrupts SMAD signaling to reinforce gastric cancer development. <i>Oncogene</i> , 2016 , 35, 2133-44	9.2	17
171	The ATP-binding cassette transporter ABCF1 is a hepatic oncofetal protein that promotes chemoresistance, EMT and cancer stemness in hepatocellular carcinoma. <i>Cancer Letters</i> , 2019 , 457, 98-109	8.9	17
170	Dysregulated Lysine Acetyltransferase 2B Promotes Inflammatory Bowel Disease Pathogenesis Through Transcriptional Repression of Interleukin-10. <i>Journal of Crohn's and Colitis</i> , 2016 , 10, 726-34	1.5	17
169	Prevention of hepatocellular carcinoma: a concise review of contemporary issues. <i>Annals of Hepatology</i> , 2012 , 11, 284-293	3.1	17
168	Risk factors for active liver disease in HBeAg-negative chronic hepatitis B virus-infected patients. <i>American Journal of Gastroenterology</i> , 2000 , 95, 3547-3551	0.7	17
167	Albumin-bilirubin grade predicts the outcomes of liver resection versus radiofrequency ablation for very early/early stage of hepatocellular carcinoma. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2018 , 16, 163-170	2.5	17
166	On-Treatment Improvement of MELD Score Reduces Death and Hepatic Events in Patients With Hepatitis B-Related Cirrhosis. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1629-1638	0.7	17
165	Genomic landscape of lymphoepithelioma-like hepatocellular carcinoma. <i>Journal of Pathology</i> , 2019 , 249, 166-172	9.4	16
164	Probability-based interpretation of liver stiffness measurement in untreated chronic hepatitis B patients. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 1448-56	4	16
163	Risk of Advanced Adenomas in Siblings of Individuals With Advanced Adenomas: A Cross-Sectional Study. <i>Gastroenterology</i> , 2016 , 150, 608-16; quiz e16-7	13.3	16
162	Reduced CRYL1 expression in hepatocellular carcinoma confers cell growth advantages and correlates with adverse patient prognosis. <i>Journal of Pathology</i> , 2010 , 220, 348-60	9.4	16
161	Development of a Novel Inflammation-Based Index for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2020 , 9, 167-181	9.1	16
160	The anti-diabetic drug exenatide, a glucagon-like peptide-1 receptor agonist, counteracts hepatocarcinogenesis through cAMP-PKA-EGFR-STAT3 axis. <i>Oncogene</i> , 2017 , 36, 4135-4149	9.2	15
159	Steatotic hepatocellular carcinoma: a variant associated with metabolic factors and late tumour relapse. <i>Histopathology</i> , 2016 , 69, 971-984	7.3	15
158	Non-invasive assessment of liver fibrosis with transient elastography (FibroScan [®]): applying the cut-offs of M probe to XL probe. <i>Annals of Hepatology</i> , 2013 , 12, 402-412	3.1	15
157	Second-trimester detection of Mowat-Wilson syndrome using comparative genomic hybridization microarray testing. <i>Obstetrics and Gynecology</i> , 2010 , 115, 462-465	4.9	15
156	Four-year Outcomes After Cessation of Tenofovir in Immune-tolerant Chronic Hepatitis B Patients. <i>Journal of Clinical Gastroenterology</i> , 2018 , 52, 347-352	3	15
155	Real-life efficacy and safety of paritaprevir/ritonavir, ombitasvir, and dasabuvir in chronic hepatitis C patients in Hong Kong. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1230-1233	4	14

154	Chronic hepatitis B: a treatment update. <i>Seminars in Liver Disease</i> , 2013 , 33, 122-9	7.3	14
153	Association of the POU class 2 homeobox 1 gene (POU2F1) with susceptibility to Type 2 diabetes in Chinese populations. <i>Diabetic Medicine</i> , 2010 , 27, 1443-9	3.5	14
152	Changing scene in hepatitis B serology interpretation. <i>British Journal of Hospital Medicine</i> , 2002 , 63, 16-9		14
151	Artificial intelligence in prediction of non-alcoholic fatty liver disease and fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 543-550	4	14
150	Cross-sectional area of the median nerve at the wrist: Comparison of sonographic, MRI, and cadaveric measurements. <i>Journal of Clinical Ultrasound</i> , 2019 , 47, 122-127	1	14
149	A review of the natural history of chronic hepatitis B in the era of transient elastography. <i>Antiviral Therapy</i> , 2009 , 14, 489-99	1.6	14
148	Modelling the economic and clinical burden of non-alcoholic steatohepatitis in East Asia: Data from Hong Kong. <i>Hepatology Research</i> , 2020 , 50, 1024-1031	5.1	13
147	Positive Hepatitis B Core Antibody Is Associated With Cirrhosis and Hepatocellular Carcinoma in Nonalcoholic Fatty Liver Disease. <i>American Journal of Gastroenterology</i> , 2020 , 115, 867-875	0.7	13
146	Endoscopic ultrasound-guided tissue acquisition with or without macroscopic on-site evaluation: randomized controlled trial. <i>Endoscopy</i> , 2020 , 52, 856-863	3.4	13
145	A phase 2 study of the efficacy and biomarker on the combination of transarterial chemoembolization and axitinib in the treatment of inoperable hepatocellular carcinoma. <i>Cancer</i> , 2017 , 123, 3977-3985	6.4	13
144	Applicability of BALAD score in prognostication of hepatitis B-related hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1529-35	4	13
143	Significantly Lower Case-fatality Ratio of Coronavirus Disease 2019 (COVID-19) than Severe Acute Respiratory Syndrome (SARS) in Hong Kong-A Territory-Wide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021 , 72, e466-e475	11.6	13
142	Targeting ribonucleotide reductase M2 subunit by small interfering RNA exerts anti-oncogenic effects in gastric adenocarcinoma. <i>Oncology Reports</i> , 2014 , 31, 2579-86	3.5	12
141	In vivo appearances of gallbladder carcinoma under magnifying endoscopy and probe-based confocal laser endomicroscopy after endosonographic gallbladder drainage. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E13-4	3.4	12
140	HER2 expression predicts improved survival in patients with cervical node-positive head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2009 , 141, 467-73	5.5	12
139	Current and Past Infections of HBV Do Not Increase Mortality in Patients With COVID-19. <i>Hepatology</i> , 2021 , 74, 1750-1765	11.2	12
138	Quantifying and monitoring fibrosis in non-alcoholic fatty liver disease using dual-photon microscopy. <i>Gut</i> , 2020 , 69, 1116-1126	19.2	12
137	A comparability study of immunohistochemical assays for PD-L1 expression in hepatocellular carcinoma. <i>Modern Pathology</i> , 2019 , 32, 1646-1656	9.8	11

136	Epstein-Barr Virus-Induced Epigenetic Pathogenesis of Viral-Associated Lymphoepithelioma-Like Carcinomas and Natural Killer/T-Cell Lymphomas. <i>Pathogens</i> , 2018 , 7,	4.5	11
135	Metabolic syndrome delays HBeAg seroclearance in Chinese patients with hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 716-26	6.1	11
134	Antiviral therapy for chronic hepatitis B: challenges in Hong Kong. <i>Journal of Hepatology</i> , 2009 , 51, 1088-94	9.4	11
133	Progressive increase of genetic alteration in urinary bladder cancer by combined allelotyping analysis and comparative genomic hybridization. <i>International Journal of Oncology</i> , 2009 , 34, 963-70	1	11
132	Correlation of biomarkers in head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2010 , 143, 795-800	5.5	11
131	A selective HDAC8 inhibitor potentiates antitumor immunity and efficacy of immune checkpoint blockade in hepatocellular carcinoma. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	11
130	Virus and Host Testing to Manage Chronic Hepatitis B. <i>Clinical Infectious Diseases</i> , 2016 , 62 Suppl 4, S298-305	10.5	11
129	Multiple modulatory activities of <i>Andrographis paniculata</i> on immune responses and xenograft growth in esophageal cancer preclinical models. <i>Phytomedicine</i> , 2019 , 60, 152886	6.5	10
128	A pancreatic mass with multiple hepatic lesions. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, e3-46.9		10
127	Noninvasive assessments of liver fibrosis with transient elastography and Hui index predict survival in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 582-90	4	10
126	Serum hepatitis B surface antigen kinetics in severe reactivation of hepatitis B e antigen negative chronic hepatitis B patients receiving nucleoside/nucleotide analogues. <i>Antiviral Therapy</i> , 2013 , 18, 979-86	1.6	10
125	A Sequential Algorithm Combining ADAPT and Liver Stiffness Can Stage Metabolic-Associated Fatty Liver Disease in Hospital-Based and Primary Care Patients. <i>American Journal of Gastroenterology</i> , 2021 , 116, 984-993	0.7	10
124	A concurrent primary hepatic MALT lymphoma and hepatocellular carcinoma. <i>Pathology</i> , 2015 , 47, 178-81.6		9
123	Ketamine-related cholangiopathy: a retrospective study on clinical and imaging findings. <i>Abdominal Imaging</i> , 2014 , 39, 1241-6		9
122	Primary perivascular epithelioid cell tumour (PEComa) of the urinary bladder. <i>Pathology</i> , 2011 , 43, 746-9.1.6		9
121	Congenital systemic Langerhans cell histiocytosis presenting as hydrops fetalis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 1843-7	3.1	9
120	Granulin epithelin precursor promotes colorectal carcinogenesis by activating MARK/ERK pathway. <i>Journal of Translational Medicine</i> , 2018 , 16, 150	8.5	9
119	Peginterferon alfa-2a (40 kD) stopping rules in chronic hepatitis B: a systematic review and meta-analysis of individual participant data. <i>Antiviral Therapy</i> , 2019 , 24, 133-140	1.6	8

118	EUS-guided alcohol injection of pancreatic neuroendocrine tumor. <i>Gastrointestinal Endoscopy</i> , 2015 , 82, 167	5.2	8
117	Novel therapeutic targets and predictive markers for hepatocellular carcinoma. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 973-83	6.4	8
116	Increased expression of GATA zinc finger domain containing 1 through gene amplification promotes liver cancer by directly inducing phosphatase of regenerating liver 3. <i>Hepatology</i> , 2018 , 67, 2302-2319	11.2	8
115	Performance of Simple Fibrosis Scores in Nonobese Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 2843-2845.e2	6.9	8
114	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1950-1958.e7	6.9	8
113	Increasing antiviral treatment uptake improves survival in patients with HBV-related HCC. <i>JHEP Reports</i> , 2020 , 2, 100152	10.3	8
112	Risks of AKI and Major Adverse Clinical Outcomes in Patients with Severe Acute Respiratory Syndrome or Coronavirus Disease 2019. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	8
111	Virological response to different combination regimes of peginterferon alpha-2b and lamivudine in hepatitis B e antigen positive chronic hepatitis B. <i>Antiviral Therapy</i> , 2007 , 12, 815-23	1.6	8
110	Change in treatment paradigm in people who previously injected drugs with chronic hepatitis C in the era of direct-acting antiviral therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1641-1647	4	7
109	Improvement in enhanced liver fibrosis score and liver stiffness measurement reflects lower risk of hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 49, 1509-1517	6.1	7
108	Receptor tyrosine kinase fusions act as a significant alternative driver of the serrated pathway in colorectal cancer development. <i>Journal of Pathology</i> , 2020 , 251, 74-86	9.4	7
107	Impact of diabetes mellitus and hepatitis B virus coinfection on patients with chronic hepatitis C: A territory-wide cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 934-941	4	7
106	Peginterferon therapy for chronic hepatitis B: one size fits all?. <i>Gut</i> , 2013 , 62, 185-7	19.2	7
105	A sensitive and specific liquid chromatography-tandem mass spectrometric method for determination of belinostat in plasma from liver cancer patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2409-14	3.2	7
104	Laparoscopic Hepatectomy (with or without Robotic Assistance) versus Radiofrequency Ablation as a Minimally Invasive Treatment for Very Early-Stage or Early-Stage Hepatocellular Carcinoma. <i>Digestive Surgery</i> , 2020 , 37, 65-71	2.5	7
103	Cell cycle-related kinase reprograms the liver immune microenvironment to promote cancer metastasis. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 1005-1015	15.4	7
102	Hepatitis Flare During Immunotherapy in Patients With Current or Past Hepatitis B Virus Infection. <i>American Journal of Gastroenterology</i> , 2021 , 116, 1274-1283	0.7	7
101	Long-term lamivudine treatment is associated with a good maintained response in severe acute exacerbation of chronic HBeAg-negative hepatitis B. <i>Antiviral Therapy</i> , 2006 , 11, 465-71	1.6	7

100	Validating the ALBI grade: Its current and future use in HCC prognostication. <i>Journal of Hepatology</i> , 2017 , 66, 661-663	13.4	6
99	Cost effectiveness of response-guided therapy with peginterferon in the treatment of chronic hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, 377-385.e5	6.9	6
98	Thiazolidinediones reduce the risk of hepatocellular carcinoma and hepatic events in diabetic patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 904-914	3.4	6
97	Antiviral drug resistance testing in patients with chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 221-31	4	6
96	Impact of IL28B and PNPLA3 polymorphisms on treatment outcomes in patients infected with genotype 6 hepatitis C virus. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1040-8	4	6
95	An uncommon insertion mutation in exon 19 of EGFR showed stable disease after TKI treatment. <i>Journal of Thoracic Oncology</i> , 2013 , 8, e107-8	8.9	6
94	Malignant pigmented clear cell epithelioid cell tumor (PEComa) in an adolescent boy with widespread metastases: a rare entity in this age group. <i>Pediatric Radiology</i> , 2011 , 41, 1587-90	2.8	6
93	Familial extrarenal Wilms tumor. <i>Journal of Pediatric Surgery</i> , 2007 , 42, 1826-30	2.6	6
92	Multimarker Panels for Detection of Early Stage Hepatocellular Carcinoma: A Prospective, Multicenter, Case-Control Study. <i>Hepatology Communications</i> , 2021 ,	6	6
91	A phase II clinical study on the efficacy and predictive biomarker of pegylated recombinant arginase on hepatocellular carcinoma. <i>Investigational New Drugs</i> , 2021 , 39, 1375-1382	4.3	6
90	EXOSC4 functions as a potential oncogene in development and progression of colorectal cancer. <i>Molecular Carcinogenesis</i> , 2018 , 57, 1780-1791	5	6
89	Impact of Weight Loss During Chemotherapy in Chinese Patients with Unresectable Pancreatic Cancer. <i>Nutrition and Cancer</i> , 2019 , 71, 954-970	2.8	5
88	Unresolved issues of immune tolerance in chronic hepatitis B. <i>Journal of Gastroenterology</i> , 2020 , 55, 3836-389	3.9	5
87	Extramedullary Nasal Plasmacytoma □An Unusual Clinical Entity. <i>Ear, Nose and Throat Journal</i> , 1996 , 75, 171-173	1	5
86	ACE inhibitors prevent liver-related events in non-alcoholic fatty liver disease.. <i>Hepatology</i> , 2021 ,	11.2	5
85	Similarly low risk of hepatocellular carcinoma after either spontaneous or nucleos(t)ide analogue-induced hepatitis B surface antigen loss. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 53, 321-331	6.1	5
84	Topical Application of Mesenchymal Stromal Cells Ameliorated Liver Parenchyma Damage After Ischemia-Reperfusion Injury in an Animal Model. <i>Transplantation Direct</i> , 2017 , 3, e160	2.3	4
83	Updates of pancreatic neuroendocrine neoplasm in the 2017 World Health Organization classification. <i>Surgical Practice</i> , 2019 , 23, 42-47	0.4	4

82	Irreversible Electroporation of the Femoral Neurovascular Bundle: Imaging and Histologic Evaluation in a Swine Model. <i>Journal of Vascular and Interventional Radiology</i> , 2015 , 26, 1212-1220.e1	2.4	4
81	High incidence of hepatocellular carcinoma and cirrhotic complications in patients with psychiatric illness: a territory-wide cohort study. <i>BMC Gastroenterology</i> , 2020 , 20, 128	3	4
80	Primary hepatic gastrointestinal stromal tumor presented with rupture. <i>Hepatobiliary Surgery and Nutrition</i> , 2017 , 6, 65-66	2.1	4
79	Ablative Chemoembolization for Hepatocellular Carcinoma: A Prospective Phase I Case-Control Comparison with Conventional Chemoembolization. <i>Radiology</i> , 2018 , 287, 340-348	20.5	4
78	Chronic kidney disease: Treatment of hepatitis C virus infection in patients with CKD. <i>Nature Reviews Nephrology</i> , 2016 , 12, 5-6	14.9	4
77	Association Between Serum Folate Level and Toxicity of Capecitabine During Treatment for Colorectal Cancer. <i>Oncologist</i> , 2018 , 23, 1436-1445	5.7	4
76	Is transient elastography inaccurate in chronic hepatitis B and non-alcoholic fatty liver disease?. <i>Journal of Hepatology</i> , 2011 , 55, 497; author reply 498	13.4	4
75	Benign epithelioid schwannoma of intraparotid facial nerve. <i>Pathology</i> , 2011 , 43, 280-2	1.6	4
74	EUS-guided transduodenal biliary drainage. <i>Gastrointestinal Endoscopy</i> , 2010 , 72, 186-7; discussion 187	5.2	4
73	Progranulin mediates immune evasion of pancreatic ductal adenocarcinoma through regulation of MHCII expression.. <i>Nature Communications</i> , 2022 , 13, 156	17.4	4
72	Promoter hypermethylation of Death-associated protein-kinase gene associated with advance stage gastric cancer. <i>Oncology Reports</i> ,	3.5	4
71	Association of genetic variations with NAFLD in lean individuals. <i>Liver International</i> , 2021 ,	7.9	4
70	Aspirin Reduces the Incidence of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B Receiving Oral Nucleos(t)ide Analog. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00324	4.2	4
69	No association between IFNL3 (IL28B) genotype and response to peginterferon alfa-2a in HBeAg-positive or -negative chronic hepatitis B. <i>PLoS ONE</i> , 2018 , 13, e0199198	3.7	4
68	Mechanism and Natural Course of Tumor Involution in Hepatocellular Carcinoma Following Transarterial Ethanol Ablation. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 1136-43	2.7	3
67	45 year old man with a pineal region tumor for over 15 years. <i>Brain Pathology</i> , 2012 , 22, 255-8	6	3
66	Should all patients with nonalcoholic fatty liver disease undergo oral glucose tolerance test?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 419-20	4	3
65	Reply:. <i>Hepatology</i> , 2009 , 50, 2049-2050	11.2	3

64	Novel biomarkers GEP/ABCB5 regulate response to adjuvant transarterial chemoembolization after curative hepatectomy for hepatocellular carcinoma. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018 , 17, 524-530	2.1	3
63	Clinical Study of Single-Stranded Oligonucleotide RO7062931 in Healthy Volunteers and Patients With Chronic Hepatitis B. <i>Hepatology</i> , 2021 , 74, 1795-1808	11.2	3
62	Virodynamic Predictors of Response to Pegylated Interferon and Lamivudine Combination Treatment of Hepatitis B e Antigen-Positive Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2008 , 13, 1029-1037	1.6	3
61	Towards finite oral antiviral treatment for chronic hepatitis B. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 260-262	18.8	2
60	Factors associated with improvement in MELD score after antiviral treatment in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1610-1618	4	2
59	Virtual multiplex immunohistochemistry: Application on cell block of effusion and aspiration cytology. <i>Diagnostic Cytopathology</i> , 2020 , 48, 417-423	1.4	2
58	Renal myxoid tumour of uncertain malignant potential. <i>Pathology</i> , 2011 , 43, 287-9	1.6	2
57	984 COMBINATION OF THE MEDIAN AND VARIABILITY OF LIVER STIFFNESS MEASUREMENTS BY TRANSIENT ELASTOGRAPHY IMPROVES THE ACCURACY OF DIAGNOSING ADVANCED FIBROSIS IN NONALCOHOLIC FATTY LIVER DISEASE. <i>Journal of Hepatology</i> , 2008 , 48, S367	13.4	2
56	U-shaped relationship between urea level and hepatic decompensation in chronic liver diseases. <i>Clinical and Molecular Hepatology</i> , 2021 ,	6.9	2
55	Non-Hodgkin's Lymphoma of the Knee: A Case Report. <i>Iranian Journal of Radiology</i> , 2015 , 12, e7583	1.4	2
54	Alpha-Fetoprotein as a Biomarker in Hepatocellular Carcinoma: Focus on Its Role in Composition of Tumor Staging Systems and Monitoring of Treatment Response. <i>Biomarkers in Disease</i> , 2017 , 623-635		2
53	EBV-encoded miRNAs can sensitize nasopharyngeal carcinoma to chemotherapeutic drugs by targeting BRCA1. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 13523-13535	5.6	2
52	Genetic variation in ABCB5 associates with risk of hepatocellular carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 10705-10713	5.6	2
51	A prospective 5-year study on the use of transient elastography to monitor the improvement of non-alcoholic fatty liver disease following bariatric surgery. <i>Scientific Reports</i> , 2021 , 11, 5416	4.9	2
50	SARS-CoV-2 Viral Persistence Based on Cycle Threshold Value and Liver Injury in Patients With COVID-19. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab205	1	2
49	Endoscopic ultrasound of pancreatic lesions. <i>Journal of Visualized Surgery</i> , 2016 , 2, 119	0.3	2
48	Genomic and Epigenomic Features of Primary and Recurrent Hepatocellular Carcinomas. <i>Gastroenterology</i> , 2020 ,	13.3	1
47	Macromolecular proton fraction mapping based on spin-lock magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 3157-3171	4.4	1

46	HHV8 genotype study in an HIV+ patient with concurrent Kaposi sarcoma and extracavitary primary effusion lymphoma. <i>Journal of Clinical Pathology</i> , 2017 , 70, 814-816	3.9	1
45	Novel machine learning models outperform risk scores in predicting hepatocellular carcinoma in patients with chronic viral hepatitis.. <i>JHEP Reports</i> , 2022 , 4, 100441	10.3	1
44	Single-nucleotide polymorphism (SNP) of excision repair cross complementation group 1 (ERCC1) in nasopharynx cancer (NPC): A companion biomarker study to Hong Kong NPC Study Group 0502 trial.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 6029-6029	2.2	1
43	The association between serum folate level and toxicity of capecitabine.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3566-3566	2.2	1
42	A study on thromboembolism of patients with pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 262-262	2.2	1
41	CD133 and EpCAM as Biomarkers in Liver Diseases. <i>Biomarkers in Disease</i> , 2017 , 349-372		1
40	Colonoscopy and Risk of Colorectal Cancer in Patients With Nonalcoholic Fatty Liver Disease: A Retrospective Territory-Wide Cohort Study. <i>Hepatology Communications</i> , 2021 , 5, 1212-1223	6	1
39	Hepatitis B Core-Related Antigen: From Virology to Clinical Application. <i>Seminars in Liver Disease</i> , 2021 , 41, 182-190	7.3	1
38	Reply. <i>Hepatology</i> , 2016 , 64, 685-6	11.2	1
37	Reply to: Correspondence concerning "Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection". <i>Journal of Hepatology</i> , 2019 , 70, 573-574	13.4	1
36	Negligible HCC risk during stringently defined untreated immune-tolerant phase of chronic hepatitis B. <i>European Journal of Internal Medicine</i> , 2021 , 84, 68-73	3.9	1
35	Impact of Non-alcoholic Fatty Liver Disease on Chronic Hepatitis B Infection. <i>Current Hepatology Reports</i> , 2017 , 16, 97-104	1	0
34	Letter: systematic review with meta-analysis on the impact of functional cure on clinical outcomes in patients with chronic hepatitis B.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 , 55, 616-617	6.1	0
33	En bloc transdiaphragmatic lung resection for locally advanced hepatocellular carcinoma: a case report. <i>Journal of Surgical Case Reports</i> , 2020 , 2020, rjaa084	0.6	0
32	Letter to the Editor: Use of Pregenomic Hepatitis B Virus RNA and Hepatitis B Core-Related Antigen to Predict Cure of Hepatitis B Virus Infection. <i>Hepatology</i> , 2021 , 73, 870	11.2	0
31	Serum fibrosis index-based risk score predicts hepatocellular carcinoma in untreated patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 499-509	6.9	0
30	Reply to: "Serum HBsAg kinetics in clinical prediction". <i>Journal of Hepatology</i> , 2017 , 67, 193-194	13.4	
29	Reply to: "NAFLD and beneficial effects of lifestyle intervention: Defining the meat of the matter". <i>Journal of Hepatology</i> , 2019 , 70, 1304	13.4	

- 28 Reply to: "Hepatocellular carcinoma risk stratification in HBV cirrhosis: Time to turn the page". *Journal of Hepatology*, **2020**, 73, 729-730 13.4
- 27 Non-invasive Assessment of Liver Disease **2018**, 163-179
- 26 Reply to: "Risk factors of hepatocellular carcinoma after hepatitis B surface antigen seroclearance". *Journal of Hepatology*, **2017**, 13.4
- 25 A rare cause of protein-losing enteropathy. *Clinical Gastroenterology and Hepatology*, **2014**, 12, e49-50 6.9
- 24 Case report and a review of the literature of two patients with gastric MALToma and pulmonary metastasis. *Surgical Practice*, **2013**, 17, 28-30 0.4
- 23 Development of Serum DHCR24 Antibody as a Marker for Hepatocellular Carcinoma: The End of the Beginning. *EBioMedicine*, **2015**, 2, 497-8 8.8
- 22 Case of hepatocellular carcinoma with multicentric Castleman's disease. *Surgical Practice*, **2014**, 18, 154-155 0.5
- 21 A rare tumor of the common hepatic duct causing biliary obstruction. *Clinical Gastroenterology and Hepatology*, **2014**, 12, e29-30 6.9
- 20 Non-Invasive Methods to Determine the Severity of NAFLD and NASH **2013**, 112-121
- 19 Metabolic syndrome and chronic hepatitis B: is the evidence enough?. *Gut*, **2010**, 59, 277.1-277 19.2
- 18 Fine needle aspiration cytology of breast cancer in women aged 70 years and older. *Pathology*, **2008**, 40, 573-9 1.6
- 17 Molecular virology and drug resistance in antiviral therapy of chronic hepatitis B. *Current Hepatitis Reports*, **2005**, 4, 27-33
- 16 Differential Diagnoses of Hepatocellular Carcinoma **2022**, 155-193
- 15 Tumour Staging for Hepatocellular Carcinoma **2022**, 145-153
- 14 Lymphocyte-Rich Hepatocellular Carcinoma **2022**, 69-75
- 13 Steatohepatic Hepatocellular Carcinoma **2022**, 51-55
- 12 Use of Proton-Pump Inhibitor Is Not Associated with Adverse Clinical Outcomes in COVID-19 Patients: A Territory-Wide Cohort Study. *GastroHep*, **2022**, 2022, 1-13 1
- 11 Hepatic adverse events during treatment with immune checkpoint inhibitors (ICI) in cancer patients: A territory-wide patient cohort study.. *Journal of Clinical Oncology*, **2020**, 38, 508-508 2.2

10	CD133 and EpCAM as Biomarkers in Liver Diseases. <i>Exposure and Health</i> , 2015 , 1-24	8.8
9	A phase II clinical trial on combined axitinib and transarterial chemoembolization (TACE) for hepatocellular carcinoma (HCC): Final results and evaluation of clinical predictor for response.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4073-4073	2.2
8	Alpha-Fetoprotein as a Biomarker in Hepatocellular Carcinoma: Focus on Its Role in Composition of Tumor Staging Systems and Monitoring of Treatment Response. <i>Biomarkers in Disease</i> , 2016 , 1-13	
7	A novel and validated inflammation-integrated prognostic model for hepatocellular carcinoma (HCC).. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15679-e15679	2.2
6	Debate settled for elevated alanine aminotransferase in hepatitis B?. <i>Lancet Infectious Diseases, The</i> , 2021 , 21, 750-751	25.5
5	Reply. <i>Hepatology</i> , 2016 , 64, 1820-1821	11.2
4	MET DNA Alterations in NSCLC-Reply. <i>Clinical Cancer Research</i> , 2016 , 22, 3699	12.9
3	A Rare Cause of Ischemic Colitis. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, e109-10	6.9
2	Comments on "Proposal and validation of a new model to estimate survival for hepatocellular carcinoma patients". <i>European Journal of Cancer</i> , 2016 , 68, 203-205	7.5
1	Sodium-glucose co-transporter 2 inhibitors reduce hepatic events in diabetic patients with chronic hepatitis B. <i>GastroHep</i> , 2021 , 3, 261-269	1