Ming-Li He

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3244223/publications.pdf

Version: 2024-02-01

516710 330143 1,457 49 16 37 h-index citations g-index papers 50 50 50 1910 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Efficacy of Folic Acid Therapy in Primary Prevention of Stroke Among Adults With Hypertension in China. JAMA - Journal of the American Medical Association, 2015, 313, 1325.	7.4	577
2	Serum Trimethylamine N-Oxide Concentration Is Positively Associated With First Stroke in Hypertensive Patients. Stroke, 2018, 49, 2021-2028.	2.0	119
3	Homocysteine and Stroke Risk. Stroke, 2017, 48, 1183-1190.	2.0	89
4	Association between percent decline in serum total homocysteine and risk of first stroke. Neurology, 2017, 89, 2101-2107.	1.1	60
5	Folic Acid Therapy Reduces the First Stroke Risk Associated With Hypercholesterolemia Among Hypertensive Patients. Stroke, 2016, 47, 2805-2812.	2.0	59
6	Prevalence of hyperhomocysteinaemia and its major determinants in rural Chinese hypertensive patients aged 45–75 years. British Journal of Nutrition, 2013, 109, 1284-1293.	2.3	45
7	Folic acid therapy reduces serum uric acid in hypertensive patients: a substudy of the China Stroke Primary Prevention Trial (CSPPT). American Journal of Clinical Nutrition, 2017, 105, 882-889.	4.7	43
8	Prevalence of obesity, abdominal obesity and associated factors in hypertensive adults aged 45–75 years. Clinical Nutrition, 2013, 32, 361-367.	5.0	32
9	Effect of folic acid supplementation on risk of newâ€onset diabetes in adults with hypertension in China: Findings from the China Stroke Primary Prevention Trial (CSPPT). Journal of Diabetes, 2016, 8, 286-294.	1.8	32
10	<i>MTHFR</i> Gene and Serum Folate Interaction on Serum Homocysteine Lowering. Arteriosclerosis, Thrombosis, and Vascular Biology, 2018, 38, 679-685.	2.4	29
11	Prevalence of Unrecognized Lower Extremity Peripheral Arterial Disease and the Associated Factors in Chinese Hypertensive Adults. American Journal of Cardiology, 2012, 110, 1692-1698.	1.6	28
12	Effects of Blood Pressure in the Early Phase of Ischemic Stroke and Stroke Subtype on Poststroke Cognitive Impairment. Stroke, 2018, 49, 1610-1617.	2.0	23
13	Mid-Term Blood Pressure Variability Is Associated With Clinical Outcome After Ischemic Stroke. American Journal of Hypertension, 2017, 30, 968-977.	2.0	21
14	Homocysteine and all-cause mortality in hypertensive adults without pre-existing cardiovascular conditions. Medicine (United States), 2017, 96, e5862.	1.0	20
15	Distinct Patterns of Cognitive Aging Modified by Education Level and Gender among Adults with Limited or No Formal Education: A Normative Study of the Mini-Mental State Examination. Journal of Alzheimer's Disease, 2016, 49, 961-969.	2.6	18
16	Prestroke glycemic status is associated with the functional outcome in spontaneous intracerebral hemorrhage. Neurological Sciences, 2015, 36, 927-934.	1.9	18
17	Impact of achieved blood pressure on renal function decline and first stroke in hypertensive patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2018, 33, 409-417.	0.7	18
18	Proteinuria Is an Independent Risk Factor for First Incident Stroke in Adults Under Treatment for Hypertension in China. Journal of the American Heart Association, 2015, 4, .	3.7	15

#	Article	IF	CITATIONS
19	Effects of Folic Acid Therapy on the New-Onset Proteinuria in Chinese Hypertensive Patients. Hypertension, 2017, 70, 300-306.	2.7	15
20	An HPLC method for the determination of ng mifepristone in human plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 832, 181-184.	2.3	13
21	Effect of Smoking and Folate Levels on the Efficacy of Folic Acid Therapy in Prevention of Stroke in Hypertensive Men. Stroke, 2018, 49, 114-120.	2.0	13
22	Midterm Blood Pressure Variability Is Associated with Poststroke Cognitive Impairment: A Prospective Cohort Study. Frontiers in Neurology, 2017, 8, 365.	2.4	12
23	AKR1C3 and Its Transcription Factor HOXB4 Are Promising Diagnostic Biomarkers for Acute Myocardial Infarction. Frontiers in Cardiovascular Medicine, 2021, 8, 694238.	2.4	12
24	Higher Adiposity Is Associated With Slower Cognitive Decline in Hypertensive Patients: Secondary Analysis of the China Stroke Primary Prevention Trial. Journal of the American Heart Association, 2017, 6, .	3.7	11
25	A U-shaped association between serum betaine and incident risk of first ischemic stroke in hypertensive patients. Clinical Nutrition, 2020, 39, 2517-2524.	5.0	11
26	The role of carotid stenosis ultrasound scale in the prediction of ischemic stroke. Neurological Sciences, 2020, 41, 1193-1199.	1.9	10
27	Prospective study of serum uric acid levels and stroke in a Chinese hypertensive cohort. Clinical and Experimental Hypertension, 2017, 39, 527-531.	1.3	9
28	Effect of long-term low-dose folic acid supplementation on degree of total homocysteine-lowering: major effect modifiers. British Journal of Nutrition, 2018, 120, 1122-1130.	2.3	9
29	Blood pressures immediately following ischemic strokes are associated with cerebral perfusion and neurologic function. Journal of Clinical Hypertension, 2018, 20, 1008-1015.	2.0	9
30	Higher uric acid is associated with better discharge recovery and short-term outcome in stroke patients treated with thrombolysis. Neurological Sciences, 2020, 42, 3225-3231.	1.9	8
31	Effects of repetitive transcranial magnetic stimulation on hypothalamic-pituitary-adrenal axis of patients with depression. Journal of Medical Colleges of PLA, 2009, 24, 337-345.	0.1	7
32	Methylenetetrahydrofolate reductase C677T polymorphism is associated with estimated glomerular filtration rate in hypertensive Chinese males. BMC Medical Genetics, 2012, 13, 74.	2.1	7
33	Community-Based Stroke System of Care for Chinese Rural Areas. Stroke, 2014, 45, 2385-2390.	2.0	7
34	A Reasonable Blood Pressure Level for Good Clinical Outcome After the Acute Phase of Ischemic Stroke. Journal of Clinical Hypertension, 2016, 18, 536-542.	2.0	7
35	Impact of Achieved Blood Pressure on First Stroke in Uncomplicated Grade 1 Hypertension. Journal of the American Heart Association, 2017, 6, .	3.7	6
36	Age and Diastolic Blood Pressure Play an Important Role in the Progression of White Matter Lesions: A Meta-Analysis. European Neurology, 2020, 83, 351-359.	1.4	6

#	Article	IF	Citations
37	Corpus callosum infarction with cognitive dysfunction: two case reports and literature review. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 511-515.	2.2	5
38	Community-based stroke system of care improves patient outcomes in Chinese rural areas. Journal of Epidemiology and Community Health, 2018, 72, 630-635.	3.7	5
39	Association of Blood Pressure, White Matter Lesions, and Regional Cerebral Blood Flow. Medical Science Monitor, 2021, 27, e929958.	1.1	5
40	Optimal blood pressure levels in different phases of peripheral thrombolysis period in acute ischemic stroke. Journal of Hypertension, 2021, 39, 1453-1461.	0.5	4
41	Blood pressure undulation of peripheral thrombolysis period in acute ischemic stroke is associated with prognosis. Journal of Hypertension, 2022, 40, 749-757.	0.5	4
42	Red blood cell distribution width in different time-points of peripheral thrombolysis period in acute ischemic stroke is associated with prognosis. Aging, 0 , , .	3.1	4
43	Focus on blood pressure levels and variability in the early phase of acute ischemic stroke with hypertension and carotid stenosis. Journal of Clinical Hypertension, 2021, 23, 2089-2099.	2.0	3
44	Treatment of depression using sleep electroencephalogram modulated repetitive transcranial magnetic stimulation. Chinese Medical Journal, 2011, 124, 1779-83.	2.3	3
45	Electrocardiographic-left ventricular hypertrophy and incident stroke among Chinese hypertensive adults. Journal of Human Hypertension, 2020, 34, 286-292.	2.2	2
46	Effects of Organized Education by Video on Knowledge of Early Stroke Symptoms among a Chinese Rural Population. International Journal of Stroke, 2014, 9, E41-E41.	5.9	1
47	Antihypertensive Therapy in the Acute Phase of Lacunar Infarcts. Medical Science Monitor, 2018, 24, 6688-6694.	1.1	1
48	Clinical and imaging features of reversible splenial lesion syndrome with language disorder. Translational Neuroscience, 2020, 11, 210-214.	1.4	1
49	Blood Pressure Rhythm and Blood Pressure Variability as Risk Factors for White Matter Lesions: A Cross-Sectional Study. Medical Science Monitor, 2022, 28, e933880.	1.1	1