SÃ¼leyman Mesut PÄ±nar

List of Publications by Year
in descending order

21 papers	90 citations	1684188 5 h-index	1588992 8 g-index
21 all docs	21 docs citations	21 times ranked	94 citing authors

#	Article	IF	Citations
1	Seed micromorphology and anatomy of 36 Muscari (Asparagaceae) taxa from Turkey with notes on their systematic importance. Acta Botanica Croatica, 2021, 80, 146-157.	0.7	6
2	VANF HERBARYUMUNDA BULUNAN BÄ°TKÄ° Ã–RNEKLERÄ°NÄ°N DÄ°JÄ°TAL ORTAMA AKTARILMASI Ã–NCESÄ°NDE YAPILAN Ä°ÅžLEMLER*. EJONS International Journal of Mathematic Engineering and Natural Sciences, 2021, 5, 824-828.	0.0	0
3	A Karyomorphological Study on the Genus <i>Muscari</i> Miller Growing in Turkey. Cytologia, 2020, 85, 301-305.	0.6	4
4	A Karyomorphological Study on the Subgenus <i>Leopoldia</i> of the Genus <i>Muscari</i> Growing in Turkey. Cytologia, 2020, 85, 79-83.	0.6	4
5	Comprehensive appraisement of antioxidant potential and phytochemical profile of native botanicals from Turkey. Journal of Food Measurement and Characterization, 2019, 13, 3230-3241.	3.2	2
6	Muscari sabihapinari sp. nov. (Asparagaceae) from Anatolia, Turkey. Nordic Journal of Botany, 2019, 37, .	0.5	4
7	The taxonomic resurrection of Muscari haradjianii (Asparagaceae, Scilloideae), and a new synonym in the genus Muscari in Turkey . Phytotaxa, 2019, 418, 97-106.	0.3	5
8	Morphological, anatomical, palynological and ecological data on the local endemic Dianthus vanensis (Caryophyllaceae) from Turkey. Phytotaxa, 2019, 394, 71.	0.3	1
9	Bellevalia turcica sp. nov. (Asparagaceae): a new species from South Anatolia, Turkey. Biologia (Poland), 2019, 74, 447-454.	1.5	2
10	Molecular phylogeny of Muscari (Asparagaceae) inferred from cpDNA sequences. Biologia (Poland), 2019, 74, 205-214.	1.5	9
11	Onopordum nezaketianum sp. nov. (Asteraceae: Cardueae): a new species from Central Anatolia, Turkey. Turkish Journal of Botany, 2019, 43, 126-134.	1.2	2
12	Antioxidant capacity and phylogenetic analysis of twenty native grape cultivars in Siirt province, Turkey. Cellular and Molecular Biology, 2018, 64, 14.	0.9	4
13	Muscari botryoides (L.) Mill.: A New Record for the Family Asparagaceae from Turkey. TÃ¼rkiye TarÄ±msal AraÅŸtÄ±rmalar Dergisi, 2018, 5, 116-119.	0.8	6
14	Antioxidant capacity and phylogenetic analysis of twenty native grape cultivars in Siirt province, Turkey. Cellular and Molecular Biology, 2018, 64, 14-18.	0.9	2
15	Taxonomic revision of the genus Trigonosciadium (Apiaceae) in Turkey. Phytotaxa, 2017, 313, 43.	0.3	0
16	Bellevalia behcetii sp. nov. (Asparagaceae): a new species from South Eastern Anatolia, Turkey. Phytotaxa, 2016, 270, 127.	0.3	6
17	Onopordum hasankeyfense (Asteraceae), a new species from south-eastern Turkey. Turkish Journal of Botany, 2014, 38, 226-233.	1.2	4
18	Phytodermatitis in Eastern Turkey. Dermatitis, 2014, 25, 140-146.	1.6	6

#	Article	IF	Citations
19	Identification ofOnopordumpollen using the extreme learning machine, a type of artificial neural network. Palynology, 2014, 38, 129-137.	1.5	3
20	An expert classification system of pollen of Onopordum using a rough set approach. Review of Palaeobotany and Palynology, 2013, 189, 50-56.	1.5	15
21	LC-HRMS profiling of phytochemicals, antidiabetic, anticholinergic and antioxidant activities of evaporated ethanol extract of Astragalus brachycalyx Fischer. Journal of Chemical Metrology, 0, , 135-151.	0.6	5