

# Huilin Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3247769/publications.pdf>

Version: 2024-02-01

36  
papers

1,688  
citations

331259

21  
h-index

344852

36  
g-index

36  
all docs

36  
docs citations

36  
times ranked

2388  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perovskite Solar Cells Employing a PbSO <sub>4</sub> (PbO) <sub>4</sub> Quantum Dot-Doped Spiro-OMeTAD Hole Transport Layer with an Efficiency over 22%. ACS Applied Materials & Interfaces, 2022, 14, 2989-2999.	4.0	19
2	Toward high-efficiency stable 2D/3D perovskite solar cells by incorporating multifunctional CNT:TiO <sub>2</sub> additives into 3D perovskite layer. EcoMat, 2022, 4, e12166.	6.8	31
3	Effects of the incorporation amounts of CdS and Cd(SCN <sub>2</sub> H <sub>4</sub> ) <sub>2</sub> Cl <sub>2</sub> on the performance of perovskite solar cells. International Journal of Minerals, Metallurgy and Materials, 2022, 29, 283-291.	2.4	16
4	Strategies for high-performance perovskite solar cells from materials, film engineering to carrier dynamics and photon management. Informa Mater, 2022, 4, .	8.5	27
5	Multifunctional CNT:TiO <sub>2</sub> additives in spiro-OMeTAD layer for highly efficient and stable perovskite solar cells. EcoMat, 2021, 3, e12099.	6.8	53
6	Photoferroelectric perovskite solar cells: Principles, advances and insights. Nano Today, 2021, 37, 101062.	6.2	54
7	Effect of (CH <sub>3</sub> ) <sub>2</sub> Sn(COOH) <sub>2</sub> Electron Transport Layer Thickness on Device Performance in n-i-p Planar Heterojunction Perovskite Solar Cells. Journal of Physical Chemistry C, 2021, 125, 7552-7559.	1.5	7
8	Spiro-OMeTAD:Sb <sub>2</sub> S <sub>3</sub> Hole Transport Layer with Triple Functions of Overcoming Lithium Salt Aggregation, Long-Term High Conductivity, and Defect Passivation for Perovskite Solar Cells. Solar Rrl, 2021, 5, 2100622.	3.1	30
9	Defect Passivation with Metal Cations toward Efficient and Stable Perovskite Solar Cells Exceeding 22.7% Efficiency. ACS Applied Energy Materials, 2021, 4, 11144-11150.	2.5	9
10	Near-Infrared-Irradiation-Mediated Synaptic Behavior from Tunable Charge-Trapping Dynamics. Advanced Electronic Materials, 2020, 6, 1900765.	2.6	37
11	A self-powered artificial retina perception system for image preprocessing based on photovoltaic devices and memristive arrays. Nano Energy, 2020, 78, 105246.	8.2	91
12	Ru-Doping Enhanced Electrocatalysis of Metal-Organic Framework Nanosheets toward Overall Water Splitting. Chemistry - A European Journal, 2020, 26, 17091-17096.	1.7	51
13	Artificial Synapses: Near-Infrared-Irradiation-Mediated Synaptic Behavior from Tunable Charge-Trapping Dynamics (Adv. Electron. Mater. 2/2020). Advanced Electronic Materials, 2020, 6, 2070007.	2.6	1
14	Ferroelectric polymers for non-volatile memory devices: a review. Polymer International, 2020, 69, 533-544.	1.6	62
15	Tannic Acid-Mediated <i>In Situ</i> Controlled Assembly of NiFe Alloy Nanoparticles on Pristine Graphene as a Superior Oxygen Evolution Catalyst. ACS Applied Energy Materials, 2020, 3, 3966-3977.	2.5	29
16	Fully photon modulated heterostructure for neuromorphic computing. Nano Energy, 2019, 65, 104000.	8.2	110
17	Graphitic carbon nitride nanosheets for solution processed non-volatile memory devices. Journal of Materials Chemistry C, 2019, 7, 10203-10210.	2.7	24
18	Pristine Graphene-Supported Nitrogen-Doped Carbon Self-Assembled from Glucaminium-Based Ionic Liquids as Metal-Free Catalyst for Oxygen Evolution. ChemSusChem, 2019, 12, 5041-5050.	3.6	25

#	ARTICLE	IF	CITATIONS
19	A solution processed metal-oxo cluster for rewritable resistive memory devices. <i>Journal of Materials Chemistry C</i> , 2019, 7, 843-852.	2.7	18
20	Ultrasensitive and Stable Au Dimer-Based Colorimetric Sensors Using the Dynamically Tunable Gap-Dependent Plasmonic Coupling Optical Properties. <i>Advanced Functional Materials</i> , 2018, 28, 1707392.	7.8	48
21	Periodic Porous Alloyed Au-Ag Nanosphere Arrays and Their Highly Sensitive SERS Performance with Good Reproducibility and High Density of Hotspots. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 9792-9801.	4.0	138
22	Physical process-aided fabrication of periodic Au-M (M = Ag, Cu, Ag-Cu) alloyed nanoparticle arrays with tunable localized surface plasmon resonance and diffraction peaks. <i>RSC Advances</i> , 2018, 8, 9134-9140.	1.7	18
23	Bionic PDMS film with hybrid superhydrophilic/superhydrophobic arrays for water harvest. <i>Surface Innovations</i> , 2018, 6, 141-149.	1.4	15
24	Strong Electronic Interaction in Dual-Cation-Incorporated NiSe <sub>2</sub> Nanosheets with Lattice Distortion for Highly Efficient Overall Water Splitting. <i>Advanced Materials</i> , 2018, 30, e1802121.	11.1	361
25	Highly efficient production of ordered wafer-scale gold nanoparticle arrays film by simple heat treatment based on colloidal monolayer. <i>International Journal of Modern Physics B</i> , 2018, 32, 1850192.	1.0	2
26	Gold nanoshell arrays-based visualized sensors of pH: Facile fabrication and high diffraction intensity. <i>Journal of Materials Research</i> , 2017, 32, 717-725.	1.2	8
27	Surface enhanced Raman scattering properties of dynamically tunable nanogaps between Au nanoparticles self-assembled on hydrogel microspheres controlled by pH. <i>Journal of Colloid and Interface Science</i> , 2017, 505, 467-475.	5.0	23
28	Functionalized periodic Au@MOFs nanoparticle arrays as biosensors for dual-channel detection through the complementary effect of SPR and diffraction peaks. <i>Nano Research</i> , 2017, 10, 2257-2270.	5.8	44
29	Controlled synthesis of sponge-like porous Au-Ag alloy nanocubes for surface-enhanced Raman scattering properties. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11039-11045.	2.7	45
30	Rapid and Efficient Self-Assembly of Au@ZnO Core-Shell Nanoparticle Arrays with an Enhanced and Tunable Plasmonic Absorption for Photoelectrochemical Hydrogen Generation. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 31897-31906.	4.0	53
31	Mo doped Ni <sub>2</sub> P nanowire arrays: an efficient electrocatalyst for the hydrogen evolution reaction with enhanced activity at all pH values. <i>Nanoscale</i> , 2017, 9, 16674-16679.	2.8	179
32	Optical sensing properties of Au nanoparticle/hydrogel composite microbeads using droplet microfluidics. <i>Nanotechnology</i> , 2017, 28, 405502.	1.3	8
33	Periodic nanostructured Au arrays on an Si electrode for high-performance electrochemical detection of hydrogen peroxide without an enzyme. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9864-9871.	2.7	21
34	Effects of NaSbO <sub>3</sub> on phase structure and electrical properties of K <sub>0.5</sub> Na <sub>0.5</sub> NbO <sub>3</sub> -LiTaO <sub>3</sub> -NaSbO <sub>3</sub> piezoelectric ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 855-860.	1.1	8
35	Effects of NaTaO <sub>3</sub> additions on structure and electrical properties of K <sub>0.5</sub> Na <sub>0.5</sub> NbO <sub>3</sub> -Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> -LiSbO <sub>3</sub> piezoelectric ceramics. <i>Ceramics International</i> , 2011, 37, 1959-1965.	2.3	7
36	Crystal structure and properties of K <sub>0.5</sub> Na <sub>0.5</sub> NbO <sub>3</sub> -Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> -LiSbO <sub>3</sub> lead-free piezoelectric ceramics. <i>Journal of Alloys and Compounds</i> , 2010, 506, 407-411.	2.8	16