

Salvatore Piro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3248243/salvatore-piro-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

3,034
citations

27
h-index

53
g-index

97
ext. papers

3,539
ext. citations

4.3
avg, IF

4.59
L-index

#	Paper	IF	Citations
90	PCSK9 Plasma Levels Are Associated with Mechanical Vascular Impairment in Familial Hypercholesterolemia Subjects without a History of Atherosclerotic Cardiovascular Disease: Results of Six-Month Add-On PCSK9 Inhibitor Therapy.. <i>Biomolecules</i> , 2022 , 12,	5.9	1
89	Increased Platelet Reactivity and Proinflammatory Profile Are Associated with IntimaMedia Thickness and Arterial Stiffness in Prediabetes. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2870	5.1	1
88	Candidate genes of SARS-CoV-2 gender susceptibility. <i>Scientific Reports</i> , 2021 , 11, 21968	4.9	2
87	Clinical and Molecular Biomarkers for Diagnosis and Staging of NAFLD. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
86	Effect of PCSK9 inhibitors on pulse wave velocity and monocyte-to-HDL-cholesterol ratio in familial hypercholesterolemia subjects: results from a single-lipid-unit real-life setting. <i>Acta Diabetologica</i> , 2021 , 58, 949-957	3.9	2
85	Analysis of steatosis biomarkers and inflammatory profile after adding on PCSK9 inhibitor treatment in familial hypercholesterolemia subjects with nonalcoholic fatty liver disease: A single lipid center real-world experience. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 869-879	4.5	9
84	Hyperglycemia at admission, comorbidities, and in-hospital mortality in elderly patients hospitalized in internal medicine wards: data from the RePoSI Registry. <i>Acta Diabetologica</i> , 2021 , 58, 1225-1236	3.9	2
83	Sarcopenia and Appendicular Muscle Mass as Predictors of Impaired Fasting Glucose/Type 2 Diabetes in Elderly Women. <i>Nutrients</i> , 2021 , 13,	6.7	4
82	High Glucose Exposure Impairs L-Cell Differentiation in Intestinal Organoids: Molecular Mechanisms and Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
81	Proprotein Convertase Subtilisin Kexin Type 9 Inhibitors Reduce Platelet Activation Modulating ox-LDL Pathways. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
80	High TG to HDL ratio plays a significant role on atherosclerosis extension in prediabetes and newly diagnosed type 2 diabetes subjects. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3367	7.5	13
79	Pattern of comorbidities and 1-year mortality in elderly patients with COPD hospitalized in internal medicine wards: data from the RePoSI Registry. <i>Internal and Emergency Medicine</i> , 2021 , 16, 389-400	3.7	7
78	The multifaceted spectrum of liver cirrhosis in older hospitalised patients: analysis of the REPOSI registry. <i>Age and Ageing</i> , 2021 , 50, 498-504	3	0
77	Beneficial effects of glucagon-like peptide 1 receptor agonists on glucose control, cardiovascular risk profile, and non-alcoholic fatty liver disease. An expert opinion of the Italian diabetes society. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3257-3270	4.5	4
76	High glomerular filtration rate is associated with impaired arterial stiffness and subendocardial viability ratio in prediabetic subjects. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3393-3400	4.5	2
75	Coffee Restores Expression of lncRNAs Involved in Steatosis and Fibrosis in a Mouse Model of NAFLD. <i>Nutrients</i> , 2021 , 13,	6.7	3
74	Impact of high neutrophil-to-lymphocyte ratio on the cardiovascular benefit of PCSK9 inhibitors in familial hypercholesterolemia subjects with atherosclerotic cardiovascular disease: Real-world data from two lipid units. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3401-3406	4.5	1

73	May statins and PCSK9 inhibitors be protective from COVID-19 in familial hypercholesterolemia subjects?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1068-1069	4.5	11
72	Arterial stiffness improvement after adding on PCSK9 inhibitors or ezetimibe to high-intensity statins in patients with familial hypercholesterolemia: A Two-Lipid Center Real-World Experience. <i>Journal of Clinical Lipidology</i> , 2020 , 14, 231-240	4.9	22
71	Direct Effects of D-Chiro-Inositol on Insulin Signaling and Glucagon Secretion of Pancreatic Alpha Cells. <i>Biomolecules</i> , 2020 , 10,	5.9	4
70	Management of type 2 diabetes for prevention of cardiovascular disease. An expert opinion of the Italian Diabetes Society. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1926-1936	4.5	4
69	Circulating Coding and Long Non-Coding RNAs as Potential Biomarkers of Idiopathic Pulmonary Fibrosis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
68	Analysis of Arterial Stiffness and Sexual Function after Adding on PCSK9 Inhibitor Treatment in Male Patients with Familial Hypercholesterolemia: A Single Lipid Center Real-World Experience. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
67	Thyroid Cancer and Circadian Clock Disruption. <i>Cancers</i> , 2020 , 12,	6.6	4
66	1 h Postload Glycemia Is Associated with Low Endogenous Secretory Receptor for Advanced Glycation End Product Levels and Early Markers of Cardiovascular Disease. <i>Cells</i> , 2019 , 8,	7.9	14
65	Serum coding and non-coding RNAs as biomarkers of NAFLD and fibrosis severity. <i>Liver International</i> , 2019 , 39, 1742-1754	7.9	37
64	Pathophysiological, Molecular and Therapeutic Issues of Nonalcoholic Fatty Liver Disease: An Overview. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	72
63	Similar effectiveness of dapagliflozin and GLP-1 receptor agonists concerning combined endpoints in routine clinical practice: A multicentre retrospective study. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1886-1894	6.7	12
62	Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1313-1317.e9	5.9	4
61	Analysis of S100A12 plasma levels in hyperlipidemic subjects with or without familial hypercholesterolemia. <i>Acta Diabetologica</i> , 2019 , 56, 899-906	3.9	7
60	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2019 , 68, e7-e11	3.9	1
59	Impaired glucagon suppression and reduced insulin sensitivity in subjects with prediabetes undergoing atorvastatin therapy. <i>European Journal of Endocrinology</i> , 2019 , 181, 579-590	6.5	4
58	Analysis of HDL-microRNA panel in heterozygous familial hypercholesterolemia subjects with LDL receptor null or defective mutation. <i>Scientific Reports</i> , 2019 , 9, 20354	4.9	12
57	An increased waist-to-hip ratio is a key determinant of atherosclerotic burden in overweight subjects. <i>Acta Diabetologica</i> , 2018 , 55, 741-749	3.9	17
56	New treatment options for lipid-lowering therapy in subjects with type 2 diabetes. <i>Acta Diabetologica</i> , 2018 , 55, 209-218	3.9	28

55	Detecting familial hypercholesterolemia by serum lipid profile screening in a hospital setting: Clinical, genetic and atherosclerotic burden profile. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 35-43	4.5	12
54	The Endocrine Pancreas. <i>Endocrinology</i> , 2018 , 423-454	0.1	
53	Chronic Exposure to Palmitate Impairs Insulin Signaling in an Intestinal L-cell Line: A Possible Shift from GLP-1 to Glucagon Production. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	13
52	Inflammation and ventricular-vascular coupling in hypertensive patients with metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 1222-1229	4.5	10
51	Atorvastatin but Not Pravastatin Impairs Mitochondrial Function in Human Pancreatic Islets and Rat β Cells. Direct Effect of Oxidative Stress. <i>Scientific Reports</i> , 2017 , 7, 11863	4.9	41
50	HbA1c Identifies Subjects With Prediabetes and Subclinical Left Ventricular Diastolic Dysfunction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3756-3764	5.6	34
49	High intake of dietary advanced glycation end-products is associated with increased arterial stiffness and inflammation in subjects with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 978-984	4.5	46
48	Intracellular and extracellular miRNome deregulation in cellular models of NAFLD or NASH: Clinical implications. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 1129-1139	4.5	23
47	Altered expression of uncoupling protein 2 in GLP-1-producing cells after chronic high glucose exposure: implications for the pathogenesis of diabetes mellitus. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C558-67	5.4	17
46	Hepatic insulin resistance in NAFLD: relationship with markers of atherosclerosis and metabolic syndrome components. <i>Acta Diabetologica</i> , 2016 , 53, 449-59	3.9	11
45	Low Endogenous Secretory Receptor for Advanced Glycation End-Products Levels Are Associated With Inflammation and Carotid Atherosclerosis in Prediabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1701-9	5.6	29
44	The Endocrine Pancreas. <i>Endocrinology</i> , 2016 , 1-32	0.1	
43	Update on pre-diabetes: Focus on diagnostic criteria and cardiovascular risk. <i>World Journal of Diabetes</i> , 2016 , 7, 423-432	4.7	19
42	Low advanced glycation end product diet improves the lipid and inflammatory profiles of prediabetic subjects. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 1098-108	4.9	22
41	Diabetes increases renovascular impedance in patients with liver cirrhosis. <i>Internal and Emergency Medicine</i> , 2015 , 10, 703-9	3.7	2
40	Low circulating vitamin D levels are associated with increased arterial stiffness in prediabetic subjects identified according to HbA1c. <i>Atherosclerosis</i> , 2015 , 243, 395-401	3.1	22
39	Apolipoprotein AI and HDL are reduced in stable cirrhotic patients with adrenal insufficiency: a possible role in glucocorticoid deficiency. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 347-54	2.4	16
38	Cardiovascular risk profile in subjects with prediabetes and new-onset type 2 diabetes identified by HbA(1c) according to American Diabetes Association criteria. <i>Diabetes Care</i> , 2014 , 37, 1447-53	14.6	49

37	CEBPA exerts a specific and biologically important proapoptotic role in pancreatic β cells through its downstream network targets. <i>Molecular Biology of the Cell</i> , 2014 , 25, 2333-41	3.5	12
36	Lipid and liver abnormalities in haemoglobin A1c-defined prediabetes and type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 670-6	4.5	27
35	Alpha- and beta-cell abnormalities in haemoglobin A1c-defined prediabetes and type 2 diabetes. <i>Acta Diabetologica</i> , 2014 , 51, 567-75	3.9	22
34	Chronic exposure to GLP-1 increases GLP-1 synthesis and release in a pancreatic alpha cell line (β TC1): evidence of a direct effect of GLP-1 on pancreatic alpha cells. <i>PLoS ONE</i> , 2014 , 9, e90093	3.7	23
33	Beta and alpha cell function in metabolically healthy but obese subjects: relationship with entero-insular axis. <i>Obesity</i> , 2013 , 21, 320-5	8	24
32	miR-296-3p, miR-298-5p and their downstream networks are causally involved in the higher resistance of mammalian pancreatic β cells to cytokine-induced apoptosis as compared to α cells. <i>BMC Genomics</i> , 2013 , 14, 62	4.5	40
31	Elevated plasma glucose-dependent insulinotropic polypeptide associates with hyperinsulinemia in metabolic syndrome. <i>European Journal of Endocrinology</i> , 2012 , 166, 917-22	6.5	20
30	Archaeological Fieldwork Reports: The Lateran Project. <i>Papers of the British School at Rome</i> , 2012 , 80, 369-371	0.1	5
29	Assessment of adrenocortical reserve in stable patients with cirrhosis. <i>Journal of Hepatology</i> , 2011 , 54, 243-50	13.4	54
28	Early phase insulin secretion is increased in subjects with normal fasting glucose and metabolic syndrome: a premature feature of beta-cell dysfunction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 206-12	4.5	11
27	ENPP1 affects insulin action and secretion: evidences from in vitro studies. <i>PLoS ONE</i> , 2011 , 6, e19462	3.7	32
26	Palmitate affects insulin receptor phosphorylation and intracellular insulin signal in a pancreatic alpha-cell line. <i>Endocrinology</i> , 2010 , 151, 4197-206	4.8	33
25	The thyroid hormone T3 improves function and survival of rat pancreatic islets during in vitro culture. <i>Islets</i> , 2010 , 2, 96-103	2	26
24	Type 2 diabetes susceptibility gene expression in normal or diabetic sorted human alpha and beta cells: correlations with age or BMI of islet donors. <i>PLoS ONE</i> , 2010 , 5, e11053	3.7	39
23	Multimethodological approach to investigate chamber tombs in the Sabine Necropolis at Colle del Forno (CNR, Rome, Italy). <i>Archaeological Prospection</i> , 2009 , 16, 111-124	1.8	11
22	GPR Archaeometry 2009 , 479-508		8
21	Effects of n-3 polyunsaturated fatty acids in subjects with nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2008 , 40, 194-9	3.3	209
20	Direct apoptotic effects of free fatty acids on human endothelial cells. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008 , 18, 96-104	4.5	29

19	Molecular determinants of insulin resistance, cell apoptosis and lipid accumulation in non-alcoholic steatohepatitis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008 , 18, 545-52	4.5	14
18	Therapeutic options for elderly diabetic subjects: open label, randomized clinical trial of insulin glargine added to oral antidiabetic drugs versus increased dosage of oral antidiabetic drugs. <i>Acta Diabetologica</i> , 2008 , 45, 53-9	3.9	28
17	738 Omega-3 polyunsaturated fatty acids: A pilot trial in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2006 , 44, S264	13.4	6
16	Cellular and molecular effects of protons: apoptosis induction and potential implications for cancer therapy. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006 , 11, 57-66	5.4	66
15	Functional and morphological alterations of mitochondria in pancreatic beta cells from type 2 diabetic patients. <i>Diabetologia</i> , 2005 , 48, 282-9	10.3	260
14	Glucosamine-induced alterations of mitochondrial function in pancreatic beta-cells: possible role of protein glycosylation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004 , 287, E602-8	6	24
13	Discovery of a 1st Century AD Roman Amphitheater and Other Structures at the Forum Novum by GPR. <i>Journal of Environmental and Engineering Geophysics</i> , 2004 , 9, 35-41	1	27
12	Glucotoxicity and lipotoxicity in the beta cell. <i>International Congress Series</i> , 2003 , 1253, 115-121		3
11	Prolonged exposure to free fatty acids has cytostatic and pro-apoptotic effects on human pancreatic islets: evidence that beta-cell death is caspase mediated, partially dependent on ceramide pathway, and Bcl-2 regulated. <i>Diabetes</i> , 2002 , 51, 1437-42	0.9	501
10	Role of ATP production and uncoupling protein-2 in the insulin secretory defect induced by chronic exposure to high glucose or free fatty acids and effects of peroxisome proliferator-activated receptor-gamma inhibition. <i>Diabetes</i> , 2002 , 51, 2749-56	0.9	142
9	Insulin secretory function is impaired in isolated human islets carrying the Gly(972)-->Arg IRS-1 polymorphism. <i>Diabetes</i> , 2002 , 51, 1419-24	0.9	96
8	Lipotoxicity in human pancreatic islets and the protective effect of metformin. <i>Diabetes</i> , 2002 , 51 Suppl 1, S134-7	0.9	130
7	Chronic exposure to free fatty acids or high glucose induces apoptosis in rat pancreatic islets: possible role of oxidative stress. <i>Metabolism: Clinical and Experimental</i> , 2002 , 51, 1340-7	12.7	194
6	Melanogenesis, differentiation, and apoptosis in Kupffer cells from <i>Rana esculenta</i> . <i>Pigment Cell & Melanoma Research</i> , 2001 , 14, 126-31		21
5	Bovine islets are less susceptible than human islets to damage by human cytokines. <i>Transplantation</i> , 2001 , 71, 21-6	1.8	19
4	Th2 cytokines have a partial, direct protective effect on the function and survival of isolated human islets exposed to combined proinflammatory and Th1 cytokines. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 4974-8	5.6	43
3	Exposure to glibenclamide increases rat beta cells sensitivity to glucose. <i>British Journal of Pharmacology</i> , 2000 , 129, 887-92	8.6	19
2	Metformin restores insulin secretion altered by chronic exposure to free fatty acids or high glucose: a direct metformin effect on pancreatic beta-cells. <i>Diabetes</i> , 2000 , 49, 735-40	0.9	117

- 1 Hexokinase shift to mitochondria is associated with an increased sensitivity to glucose in rat pancreatic islets. *Diabetes*, **1997**, 46, 1148-1152 0.9 2