

Yvette P Conley

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3249932/yvette-p-conley-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

237
papers

3,914
citations

29
h-index

51
g-index

250
ext. papers

4,850
ext. citations

3.5
avg, IF

5.32
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 237 | Seven new loci associated with age-related macular degeneration. <i>Nature Genetics</i> , 2013 , 45, 433-9, 439e1-3 | 9.3 | 577 |
| 236 | CFH, ELOVL4, PLEKHA1 and LOC387715 genes and susceptibility to age-related maculopathy: AREDS and CHS cohorts and meta-analyses. <i>Human Molecular Genetics</i> , 2006 , 15, 3206-18 | 5.6 | 135 |
| 235 | Identification of a rare coding variant in complement 3 associated with age-related macular degeneration. <i>Nature Genetics</i> , 2013 , 45, 1375-9 | 36.3 | 130 |
| 234 | Candidate gene analysis suggests a role for fatty acid biosynthesis and regulation of the complement system in the etiology of age-related maculopathy. <i>Human Molecular Genetics</i> , 2005 , 14, 1991-2002 | 5.6 | 128 |
| 233 | IL-1 β associations with posttraumatic epilepsy development: a genetics and biomarker cohort study. <i>Epilepsia</i> , 2014 , 55, 1109-19 | 6.4 | 88 |
| 232 | Chemotherapy-Induced Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 204-218.e2 | 4.8 | 71 |
| 231 | Complement factor H genetic variant and age-related macular degeneration: effect size, modifiers and relationship to disease subtype. <i>International Journal of Epidemiology</i> , 2012 , 41, 250-62 | 7.8 | 70 |
| 230 | Brain-Derived Neurotrophic Factor (BDNF) in Traumatic Brain Injury-Related Mortality: Interrelationships Between Genetics and Acute Systemic and Central Nervous System BDNF Profiles. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 83-93 | 4.7 | 66 |
| 229 | Variation in the BDNF gene interacts with age to predict mortality in a prospective, longitudinal cohort with severe TBI. <i>Neurorehabilitation and Neural Repair</i> , 2015 , 29, 234-46 | 4.7 | 55 |
| 228 | The influence of genetic variants on striatal dopamine transporter and D2 receptor binding after TBI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014 , 34, 1328-39 | 7.3 | 48 |
| 227 | Emerging areas of science: Recommendations for Nursing Science Education from the Council for the Advancement of Nursing Science Idea Festival. <i>Nursing Outlook</i> , 2015 , 63, 398-407 | 2.7 | 48 |
| 226 | Genetic variability in glutamic acid decarboxylase genes: associations with post-traumatic seizures after severe TBI. <i>Epilepsy Research</i> , 2013 , 103, 180-94 | 3 | 44 |
| 225 | IL-1 β associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. <i>Epilepsia</i> , 2015 , 56, 991-1001 | 6.4 | 44 |
| 224 | The associations between OPRM 1 and COMT genotypes and postoperative pain, opioid use, and opioid-induced sedation. <i>Biological Research for Nursing</i> , 2013 , 15, 309-17 | 2.6 | 43 |
| 223 | Cardiovascular disease and mortality after breast cancer in postmenopausal women: Results from the Women's Health Initiative. <i>PLoS ONE</i> , 2017 , 12, e0184174 | 3.7 | 42 |
| 222 | Genetic variation in the adenosine regulatory cycle is associated with posttraumatic epilepsy development. <i>Epilepsia</i> , 2015 , 56, 1198-206 | 6.4 | 40 |
| 221 | Apolipoprotein E genotype and cognitive function in postmenopausal women with early-stage breast cancer. <i>Oncology Nursing Forum</i> , 2014 , 41, E313-25 | 1.7 | 39 |

| | | | |
|-----|---|-----|----|
| 220 | Posttraumatic Brain Injury Cognitive Performance Is Moderated by Variation Within ANKK1 and DRD2 Genes. <i>Journal of Head Trauma Rehabilitation</i> , 2015 , 30, E54-66 | 3 | 37 |
| 219 | Stability of Symptom Clusters in Patients With Breast Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 39-55 | 4.8 | 36 |
| 218 | Haptoglobin genotype and functional outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2014 , 120, 386-90 | 3.2 | 36 |
| 217 | Impact of aromatase genetic variation on hormone levels and global outcome after severe TBI. <i>Journal of Neurotrauma</i> , 2013 , 30, 1415-25 | 5.4 | 35 |
| 216 | Rare and common variants in extracellular matrix gene Fibrillin 2 (FBN2) are associated with macular degeneration. <i>Human Molecular Genetics</i> , 2014 , 23, 5827-37 | 5.6 | 34 |
| 215 | Intracranial Pressure Trajectories: A Novel Approach to Informing Severe Traumatic Brain Injury Phenotypes. <i>Critical Care Medicine</i> , 2018 , 46, 1792-1802 | 1.4 | 34 |
| 214 | Integrating emerging areas of nursing science into PhD programs. <i>Nursing Outlook</i> , 2015 , 63, 408-16 | 2.7 | 31 |
| 213 | ABCC8 Single Nucleotide Polymorphisms are Associated with Cerebral Edema in Severe TBI. <i>Neurocritical Care</i> , 2017 , 26, 213-224 | 3.3 | 31 |
| 212 | Variants of SLC6A4 in depression risk following severe TBI. <i>Brain Injury</i> , 2013 , 27, 696-706 | 2.1 | 30 |
| 211 | Impact of chemotherapy-induced neurotoxicities on adult cancer survivors's symptom burden and quality of life. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 234-245 | 5.1 | 30 |
| 210 | Regionally clustered polymorphisms in a prospective cohort predict cerebral oedema and outcome in severe traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 1152-1162 | 5.5 | 29 |
| 209 | A Dopamine Pathway Gene Risk Score for Cognitive Recovery Following Traumatic Brain Injury: Methodological Considerations, Preliminary Findings, and Interactions With Sex. <i>Journal of Head Trauma Rehabilitation</i> , 2016 , 31, E15-29 | 3 | 29 |
| 208 | Psychometric evaluation of the Epworth sleepiness scale in an obstetric population. <i>Sleep Medicine</i> , 2013 , 14, 116-21 | 4.6 | 28 |
| 207 | Associations between genetic and epigenetic variations in cytokine genes and mild persistent breast pain in women following breast cancer surgery. <i>Cytokine</i> , 2017 , 99, 203-213 | 4 | 28 |
| 206 | Predisposition to Childhood Otitis Media and Genetic Polymorphisms within the Toll-Like Receptor 4 (TLR4) Locus. <i>PLoS ONE</i> , 2015 , 10, e0132551 | 3.7 | 28 |
| 205 | Precision assessment of heterogeneity of lymphedema phenotype, genotypes and risk prediction. <i>Breast</i> , 2016 , 29, 231-40 | 3.6 | 26 |
| 204 | Differences in Symptom Clusters Identified Using Ratings of Symptom Occurrence vs. Severity in Lung Cancer Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 194-203 | 4.8 | 25 |
| 203 | Melatonin as a Therapy for Traumatic Brain Injury: A Review of Published Evidence. <i>International Journal of Molecular Sciences</i> , 2018 , 19, | 6.3 | 25 |

| | | | |
|-----|---|-----|----|
| 202 | Mitochondrial polymorphisms impact outcomes after severe traumatic brain injury. <i>Journal of Neurotrauma</i> , 2014 , 31, 34-41 | 5.4 | 25 |
| 201 | The association of CYP2D6 genotype and postoperative nausea and vomiting in orthopedic trauma patients. <i>Biological Research for Nursing</i> , 2013 , 15, 382-9 | 2.6 | 25 |
| 200 | 20-HETE is associated with unfavorable outcomes in subarachnoid hemorrhage patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 1515-22 | 7.3 | 24 |
| 199 | COMT and ANKK1 Genetics Interact With Depression to Influence Behavior Following Severe TBI: An Initial Assessment. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 920-930 | 4.7 | 24 |
| 198 | Genetic variation in neuronal glutamate transport genes and associations with posttraumatic seizure. <i>Epilepsia</i> , 2016 , 57, 984-93 | 6.4 | 24 |
| 197 | Association of KIBRA rs17070145 polymorphism and episodic memory in individuals with severe TBI. <i>Brain Injury</i> , 2012 , 26, 1658-69 | 2.1 | 24 |
| 196 | Educating future nursing scientists: Recommendations for integrating omics content in PhD programs. <i>Nursing Outlook</i> , 2015 , 63, 417-27 | 2.7 | 23 |
| 195 | Interleukin 6 and apolipoprotein E as predictors of acute brain dysfunction and survival in critical care patients. <i>American Journal of Critical Care</i> , 2014 , 23, 49-57 | 1.7 | 23 |
| 194 | Variation in endoglin pathway genes is associated with preeclampsia: a case-control candidate gene association study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 82 | 3.2 | 23 |
| 193 | A Conceptual Model of Psychoneurological Symptom Cluster Variation in Women with Breast Cancer: Bringing Nursing Research to Personalized Medicine. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2013 , 11, 224-230 | 0.4 | 23 |
| 192 | Differences in symptom clusters identified using symptom occurrence rates versus severity ratings in patients with breast cancer undergoing chemotherapy. <i>European Journal of Oncology Nursing</i> , 2017 , 28, 122-132 | 2.8 | 22 |
| 191 | Influence of ATP-binding cassette polymorphisms on neurological outcome after traumatic brain injury. <i>Neurocritical Care</i> , 2013 , 19, 192-8 | 3.3 | 22 |
| 190 | Gene expression in first trimester preeclampsia placenta. <i>Biological Research for Nursing</i> , 2011 , 13, 134-92.6 | | 22 |
| 189 | Evaluation of coping as a mediator of the relationship between stressful life events and cancer-related distress. <i>Health Psychology</i> , 2017 , 36, 1147-1160 | 5 | 22 |
| 188 | Inflammatory pathway genes associated with inter-individual variability in the trajectories of morning and evening fatigue in patients receiving chemotherapy. <i>Cytokine</i> , 2017 , 91, 187-210 | 4 | 21 |
| 187 | OPRM1 and COMT Gene-Gene Interaction Is Associated With Postoperative Pain and Opioid Consumption After Orthopedic Trauma. <i>Biological Research for Nursing</i> , 2017 , 19, 170-179 | 2.6 | 21 |
| 186 | Network Analysis of the Multidimensional Symptom Experience of Oncology. <i>Scientific Reports</i> , 2019 , 9, 2258 | 4.9 | 21 |
| 185 | Associations Between Perceived Stress and Chemotherapy-Induced Peripheral Neuropathy and Otolotoxicity in Adult Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 88-97 | 4.8 | 21 |

| | | | |
|-----|--|-----|----|
| 184 | Current and emerging technology approaches in genomics. <i>Journal of Nursing Scholarship</i> , 2013 , 45, 5-14 | 3.6 | 21 |
| 183 | Brain injury results in lower levels of melatonin receptors subtypes MT1 and MT2. <i>Neuroscience Letters</i> , 2017 , 650, 18-24 | 3.3 | 20 |
| 182 | Downstream Polymorphisms Are Associated with Intracranial Hypertension and Statistically Interact with Polymorphisms in a Prospective Cohort of Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019 , 36, 1804-1817 | 5.4 | 20 |
| 181 | Stability of Symptom Clusters in Patients With Lung Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 909-922 | 4.8 | 19 |
| 180 | Association of Personality Profiles with Depressive, Anxiety, and Cancer-related Symptoms in Patients Undergoing Chemotherapy. <i>Personality and Individual Differences</i> , 2017 , 117, 130-138 | 3.3 | 18 |
| 179 | Genetic markers in the EET metabolic pathway are associated with outcomes in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 267-76 | 7.3 | 18 |
| 178 | The association of cataract with leukocyte telomere length in older adults: defining a new marker of aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 639-45 | 6.4 | 18 |
| 177 | The future of genomic nursing research. <i>Journal of Nursing Scholarship</i> , 2007 , 39, 17-24 | 3.6 | 18 |
| 176 | Precision health: A nursing perspective. <i>International Journal of Nursing Sciences</i> , 2020 , 7, 5-12 | 3.2 | 18 |
| 175 | Congruence Between Latent Class and K-Modes Analyses in the Identification of Oncology Patients With Distinct Symptom Experiences. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 318-333.e4 | 4.8 | 17 |
| 174 | A Prospective Study of Nausea and Vomiting After Breast Cancer Surgery. <i>Journal of Perianesthesia Nursing</i> , 2017 , 32, 169-176 | 1.3 | 17 |
| 173 | Associations between genetic polymorphisms of insulin-like growth factor axis genes and risk for age-related macular degeneration 2011 , 52, 9099-107 | | 17 |
| 172 | Changes in the Occurrence, Severity, and Distress of Symptoms in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 808-834 | 4.8 | 17 |
| 171 | Phenotypic Characterization of Paclitaxel-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 908-919.e3 | 4.8 | 17 |
| 170 | Cerebrospinal Fluid Cortisol Mediates Brain-Derived Neurotrophic Factor Relationships to Mortality after Severe TBI: A Prospective Cohort Study. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 44 | 6.1 | 16 |
| 169 | Symptom Clusters in Patients With Gastrointestinal Cancers Using Different Dimensions of the Symptom Experience. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 224-234 | 4.8 | 15 |
| 168 | Differences in symptom clusters before and twelve months after breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2018 , 32, 63-72 | 2.8 | 15 |
| 167 | Exploring the multifactorial nature of postoperative nausea and vomiting in women following surgery for breast cancer. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017 , 202, 102-107 | 2.4 | 15 |

| | | | |
|-----|--|-----|----|
| 166 | A systematic review of genetic influences on coping. <i>Biological Research for Nursing</i> , 2015 , 17, 87-93 | 2.6 | 15 |
| 165 | Qualitative and quantitative detection of mitochondrial heteroplasmy in cerebrospinal fluid using denaturing high-performance liquid chromatography. <i>Brain Research Protocols</i> , 2003 , 12, 99-103 | | 15 |
| 164 | Paths to Successful Translation of New Therapies for Severe Traumatic Brain Injury in the Golden Age of Traumatic Brain Injury Research: A Pittsburgh Vision. <i>Journal of Neurotrauma</i> , 2020 , 37, 2353-2371 | 5.4 | 15 |
| 163 | Genetic Variation in the Vesicular Monoamine Transporter: Preliminary Associations With Cognitive Outcomes After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017 , 32, E24-E34 | 3 | 14 |
| 162 | Differences in symptom occurrence, severity, and distress ratings between patients with gastrointestinal cancers who received chemotherapy alone or chemotherapy with targeted therapy. <i>Journal of Gastrointestinal Oncology</i> , 2017 , 8, 109-126 | 2.8 | 14 |
| 161 | Stability of Symptom Clusters in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 989-1001.e10 | 4.8 | 14 |
| 160 | Perceived stress is associated with a higher symptom burden in cancer survivors. <i>Cancer</i> , 2019 , 125, 4509-4515 | 4.5 | 14 |
| 159 | Cytokine Gene Polymorphisms Associated With Symptom Clusters in Oncology Patients Undergoing Radiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 305-316.e3 | 4.8 | 14 |
| 158 | Machine learning for detection of lymphedema among breast cancer survivors. <i>MHealth</i> , 2018 , 4, 17 | 2.2 | 14 |
| 157 | Variation in PPP3CC Genotype Is Associated with Long-Term Recovery after Severe Brain Injury. <i>Journal of Neurotrauma</i> , 2017 , 34, 86-96 | 5.4 | 13 |
| 156 | Modifiable and non-modifiable characteristics associated with sleep disturbance in oncology outpatients during chemotherapy. <i>Supportive Care in Cancer</i> , 2017 , 25, 2485-2494 | 3.9 | 13 |
| 155 | Predictors of the multidimensional symptom experience of lung cancer patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017 , 25, 1931-1939 | 3.9 | 13 |
| 154 | ABCB1 genotype is associated with fentanyl requirements in critically ill children. <i>Pediatric Research</i> , 2017 , 82, 29-35 | 3.2 | 13 |
| 153 | An exploratory study of host polymorphisms in genes that clinically characterize breast cancer tumors and pretreatment cognitive performance in breast cancer survivors. <i>Breast Cancer: Targets and Therapy</i> , 2017 , 9, 95-110 | 3.9 | 13 |
| 152 | Polymorphisms in DNA repair and oxidative stress genes associated with pre-treatment cognitive function in breast cancer survivors: an exploratory study. <i>SpringerPlus</i> , 2016 , 5, 422 | | 13 |
| 151 | Variability with Astroglial Glutamate Transport Genetics Is Associated with Increased Risk for Post-Traumatic Seizures. <i>Journal of Neurotrauma</i> , 2019 , 36, 230-238 | 5.4 | 13 |
| 150 | Endothelin-1 and endothelin receptor gene variants and their association with negative outcomes following aneurysmal subarachnoid hemorrhage. <i>Biological Research for Nursing</i> , 2013 , 15, 390-7 | 2.6 | 13 |
| 149 | Gene expression profiling for discovery of novel targets in human traumatic brain injury. <i>Biological Research for Nursing</i> , 2011 , 13, 140-53 | 2.6 | 13 |

| | | | |
|-----|--|-----|----|
| 148 | X-linked exudative vitreoretinopathy caused by an arginine to leucine substitution (R121L) in the Norrie disease protein. <i>Clinical Genetics</i> , 1996 , 50, 113-5 | 4 | 13 |
| 147 | Emerging areas of nursing science and PhD education for the 21(st) century: response to commentaries. <i>Nursing Outlook</i> , 2015 , 63, 439-45 | 2.7 | 12 |
| 146 | Epigenome variation in severe asthma. <i>Biological Research for Nursing</i> , 2015 , 17, 263-9 | 2.6 | 12 |
| 145 | Endoglin pathway genetic variation in preeclampsia: A validation study in Norwegian and Latina cohorts. <i>Pregnancy Hypertension</i> , 2018 , 12, 144-149 | 2.6 | 12 |
| 144 | Genomic, transcriptomic, and epigenomic approaches to recovery after acquired brain injury. <i>PM and R</i> , 2011 , 3, S52-8 | 2.2 | 12 |
| 143 | Molecular genomic research designs. <i>Annual Review of Nursing Research</i> , 2011 , 29, 1-26 | 0.7 | 12 |
| 142 | Variants of the adenosine A(2A) receptor gene are protective against proliferative diabetic retinopathy in patients with type 1 diabetes. <i>Ophthalmic Research</i> , 2011 , 46, 1-8 | 2.9 | 12 |
| 141 | Variation in Candidate Traumatic Brain Injury Biomarker Genes Are Associated with Gross Neurological Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018 , 35, 2684-2690 | 5.4 | 12 |
| 140 | and Genotype Associations with Daily Knee Pain Variability and Activity Induced Pain. <i>Scandinavian Journal of Pain</i> , 2016 , 10, 6-12 | 1.9 | 11 |
| 139 | Common and Distinct Characteristics Associated With Trajectories of Morning and Evening Energy in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 887-900.e2 | 4.8 | 11 |
| 138 | Co-occurring Gastrointestinal Symptoms Are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 756-765 | 4.8 | 11 |
| 137 | ABCG2 c.421C>A Is Associated with Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018 , 35, 48-53 | 5.4 | 11 |
| 136 | Differential expression of genes and differentially perturbed pathways associated with very high evening fatigue in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2018 , 26, 739-750 | 3.9 | 11 |
| 135 | Strategies to prepare faculty to integrate genomics into nursing education programs. <i>Journal of Nursing Scholarship</i> , 2011 , 43, 231-8 | 3.6 | 11 |
| 134 | Symptom Cluster Research in Women with Breast Cancer: A Comparison of Three Subgrouping Techniques. <i>Advances in Breast Cancer Research</i> , 2013 , 2, 107-113 | 0.1 | 11 |
| 133 | Symptom Clusters in Women With Breast Cancer During the First 18 Months of Adjuvant Therapy. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 233-241 | 4.8 | 11 |
| 132 | Identification and prioritization of candidate genes for symptom variability in breast cancer survivors based on disease characteristics at the cellular level. <i>Breast Cancer: Targets and Therapy</i> , 2016 , 8, 29-37 | 3.9 | 11 |
| 131 | Assessment of local tissue water in the arms and trunk of breast cancer survivors with and without upper extremity lymphoedema. <i>Clinical Physiology and Functional Imaging</i> , 2019 , 39, 57-64 | 2.4 | 11 |

| | | | |
|-----|---|-----|----|
| 130 | Hearing loss and tinnitus in survivors with chemotherapy-induced neuropathy. <i>European Journal of Oncology Nursing</i> , 2018 , 32, 1-11 | 2.8 | 11 |
| 129 | Trajectories of Cognitive Function and Associated Phenotypic and Genotypic Factors in Breast Cancer. <i>Oncology Nursing Forum</i> , 2018 , 45, 308-326 | 1.7 | 11 |
| 128 | Morning Fatigue Severity Profiles in Oncology Outpatients Receiving Chemotherapy. <i>Cancer Nursing</i> , 2019 , 42, 355-364 | 2.6 | 10 |
| 127 | Cerebral vasospasm after sub-arachnoid hemorrhage as a clinical predictor and phenotype for genetic association study. <i>International Journal of Stroke</i> , 2013 , 8, 620-5 | 6.3 | 10 |
| 126 | Association between serotonin transport polymorphisms and postdischarge nausea and vomiting in women following breast cancer surgery. <i>Oncology Nursing Forum</i> , 2014 , 41, 195-202 | 1.7 | 10 |
| 125 | Potassium Channel Candidate Genes Predict the Development of Secondary Lymphedema Following Breast Cancer Surgery. <i>Nursing Research</i> , 2017 , 66, 85-94 | 1.9 | 9 |
| 124 | The pharmacogenomics of severe traumatic brain injury. <i>Pharmacogenomics</i> , 2017 , 18, 1413-1425 | 2.6 | 9 |
| 123 | Deleterious Effects of Higher Body Mass Index on Subjective and Objective Measures of Chemotherapy-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 252-263 | 4.8 | 9 |
| 122 | Symptom Science: Omics Supports Common Biological Underpinnings Across Symptoms. <i>Biological Research for Nursing</i> , 2018 , 20, 183-191 | 2.6 | 9 |
| 121 | Identification of subgroups of chemotherapy patients with distinct sleep disturbance profiles and associated co-occurring symptoms. <i>Sleep</i> , 2019 , 42, | 1.1 | 9 |
| 120 | Learning from data to predict future symptoms of oncology patients. <i>PLoS ONE</i> , 2018 , 13, e0208808 | 3.7 | 9 |
| 119 | Risk Factors Associated With Chemotherapy-Induced Nausea in the Week Before the Next Cycle and Impact of Nausea on Quality of Life Outcomes. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 352-362 | 4.8 | 9 |
| 118 | Associations between pathologic tumor features and preadjuvant therapy cognitive performance in women diagnosed with breast cancer. <i>Cancer Medicine</i> , 2017 , 6, 339-348 | 4.8 | 8 |
| 117 | Association of a Functional Polymorphism in the Gene with Inflammatory Response Mediators and Neuropathic Pain after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019 , 36, 3026-3033 | 5.4 | 8 |
| 116 | Association of personality profiles with coping and adjustment to cancer among patients undergoing chemotherapy. <i>Psycho-Oncology</i> , 2020 , 29, 1060-1067 | 3.9 | 8 |
| 115 | Differential methylation and expression of genes in the hypoxia-inducible factor 1 signaling pathway are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors and with preclinical models of chemotherapy-induced neuropathic pain. <i>Molecular Pain</i> , 2020 , 16, 1744806920936502 | 3.4 | 8 |
| 114 | Higher levels of stress and different coping strategies are associated with greater morning and evening fatigue severity in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2020 , 28, 4697-4706 | 3.9 | 8 |
| 113 | Endophenotypes for Age-Related Macular Degeneration: Extending Our Reach into the Preclinical Stages of Disease. <i>Journal of Clinical Medicine</i> , 2014 , 3, 1335-56 | 5.1 | 8 |

| | | | |
|-----|--|-----|---|
| 112 | Dissection of chromosome 16p12 linkage peak suggests a possible role for CACNG3 variants in age-related macular degeneration susceptibility 2011 , 52, 1748-54 | | 8 |
| 111 | Variations in discovery-based preeclampsia candidate genes. <i>Clinical and Translational Science</i> , 2012 , 5, 333-9 | 4.9 | 8 |
| 110 | Distinct Stress Profiles Among Oncology Patients Undergoing Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 646-657 | 4.8 | 8 |
| 109 | Perceived cognitive function for breast cancer survivors: association of genetic and behaviorally related variables for inflammation. <i>Supportive Care in Cancer</i> , 2017 , 25, 2475-2484 | 3.9 | 7 |
| 108 | Symptom Science: Advocating for Inclusion of Functional Genetic Polymorphisms. <i>Biological Research for Nursing</i> , 2019 , 21, 349-354 | 2.6 | 7 |
| 107 | Age-related differences in patient-reported and objective measures of chemotherapy-induced peripheral neuropathy among cancer survivors. <i>Supportive Care in Cancer</i> , 2019 , 27, 3905-3912 | 3.9 | 7 |
| 106 | A longitudinal analysis of phenotypic and symptom characteristics associated with inter-individual variability in employment interference in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2020 , 28, 4677-4686 | 3.9 | 7 |
| 105 | Quality of life of patients with gastrointestinal cancers undergoing chemotherapy. <i>Quality of Life Research</i> , 2018 , 27, 1865-1876 | 3.7 | 7 |
| 104 | A Review and Conceptual Model of Dopaminergic Contributions to Poststroke Depression. <i>Journal of Neuroscience Nursing</i> , 2016 , 48, 242-6 | 1.5 | 7 |
| 103 | Distinct attentional function profiles in older adults receiving cancer chemotherapy. <i>European Journal of Oncology Nursing</i> , 2018 , 36, 32-39 | 2.8 | 7 |
| 102 | Psychosocial Comorbidities Related to Return to Work Rates Following Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Occupational Rehabilitation</i> , 2019 , 29, 205-211 | 3.6 | 7 |
| 101 | A Literature Review of Psychosocial Comorbidities Related to Working Capacity After Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Neuroscience Nursing</i> , 2017 , 49, 179-184 | 1.5 | 6 |
| 100 | A Pilot Study Using a Multistaged Integrated Analysis of Gene Expression and Methylation to Evaluate Mechanisms for Evening Fatigue in Women Who Received Chemotherapy for Breast Cancer. <i>Biological Research for Nursing</i> , 2019 , 21, 142-156 | 2.6 | 6 |
| 99 | Genetic Variation in the Gene and Patient Outcomes Following Severe Traumatic Brain Injury. <i>Biological Research for Nursing</i> , 2020 , 22, 334-340 | 2.6 | 6 |
| 98 | Cytokine Gene Polymorphisms Associated With Various Domains of Quality of Life in Women With Breast Cancer. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 334-350.e3 | 4.8 | 6 |
| 97 | Perturbations in neuroinflammatory pathways are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors. <i>Journal of Neuroimmunology</i> , 2019 , 335, 577019 | 3.5 | 6 |
| 96 | Co-occurring symptoms in older oncology patients with distinct attentional function profiles. <i>European Journal of Oncology Nursing</i> , 2019 , 41, 196-203 | 2.8 | 6 |
| 95 | Distinct Evening Fatigue Profiles in Oncology Outpatients Receiving Chemotherapy. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017 , 5, 131-144 | 2.3 | 6 |

| | | | |
|----|--|-----|---|
| 94 | Neurogenetic and Neuroimaging Evidence for a Conceptual Model of Dopaminergic Contributions to Obesity. <i>Biological Research for Nursing</i> , 2015 , 17, 413-21 | 2.6 | 6 |
| 93 | Genes Involved in the HPA Axis and the Symptom Cluster of Fatigue, Depressive Symptoms, and Anxiety in Women With Breast Cancer During 18 Months of Adjuvant Therapy. <i>Biological Research for Nursing</i> , 2020 , 22, 277-286 | 2.6 | 6 |
| 92 | Genetic Variability and Trajectories of DNA Methylation May Support a Role for HAMP in Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020 , 32, 550-563 | 3.3 | 6 |
| 91 | The Effect of the APOE $\epsilon\epsilon$ Genotype on the Development of Alzheimer's Disease (AD) and Mild Cognitive Impairment (MCI) in Non-Latino Whites. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1044-1049 | 5.6 | 5 |
| 90 | Use of individual development plans for nurse scientist training. <i>Nursing Outlook</i> , 2020 , 68, 284-292 | 2.7 | 5 |
| 89 | Associations Between Catecholaminergic and Serotonergic Genes and Persistent Breast Pain Phenotypes After Breast Cancer Surgery. <i>Journal of Pain</i> , 2018 , 19, 1130-1146 | 5.2 | 5 |
| 88 | Epigenetic Modifications Following Noxious Stimuli in Infants. <i>Biological Research for Nursing</i> , 2018 , 20, 137-144 | 2.6 | 5 |
| 87 | Influence of Menopausal Status on the Symptom Experience of Women Before Breast Cancer Surgery. <i>Cancer Nursing</i> , 2018 , 41, 265-278 | 2.6 | 5 |
| 86 | Differences in limb volume trajectories after breast cancer treatment. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 772-82 | 5.1 | 5 |
| 85 | Impact of chemotherapy on symptoms and symptom clusters in postmenopausal women with breast cancer prior to aromatase inhibitor therapy. <i>Journal of Clinical Nursing</i> , 2019 , 28, 4560-4571 | 3.2 | 5 |
| 84 | Group-Based Trajectory Analysis of Emotional Symptoms Among Survivors After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017 , 32, E29-E37 | 3 | 5 |
| 83 | A Pilot Study of Demographic and Dopaminergic Genetic Contributions to Weight Change in Kidney Transplant Recipients. <i>PLoS ONE</i> , 2015 , 10, e0138885 | 3.7 | 5 |
| 82 | Endothelin-1 gene polymorphisms influence cerebrospinal fluid endothelin-1 levels following aneurysmal subarachnoid hemorrhage. <i>Biological Research for Nursing</i> , 2015 , 17, 185-90 | 2.6 | 5 |
| 81 | Alterations in Patterns of Gene Expression and Perturbed Pathways in the Gut-Brain Axis Are Associated With Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 1248-1259.e5 | 4.8 | 5 |
| 80 | Psychological Symptoms and Stress Are Associated With Decrements in Attentional Function in Cancer Patients Undergoing Chemotherapy. <i>Cancer Nursing</i> , 2020 , 43, 402-410 | 2.6 | 5 |
| 79 | Gastrointestinal symptoms are associated with trajectories of chemotherapy-induced nausea. <i>Supportive Care in Cancer</i> , 2020 , 28, 2205-2215 | 3.9 | 5 |
| 78 | Symptom Experience, Management, and Outcomes According to Race and Social Determinants Including Genomics, Epigenomics, and Metabolomics (SEMOARS + GEM): an Explanatory Model for Breast Cancer Treatment Disparity. <i>Journal of Cancer Education</i> , 2020 , 35, 428-440 | 1.8 | 5 |
| 77 | Model-Based Patterns of Lymphedema Symptomatology: Phenotypic and Biomarker Characterization. <i>Current Breast Cancer Reports</i> , 2021 , 13, 1-18 | 0.8 | 5 |

| | | | |
|----|---|------|---|
| 76 | Cancer-related cognitive impairment is associated with perturbations in inflammatory pathways. <i>Cytokine</i> , 2021 , 148, 155653 | 4 | 5 |
| 75 | Signaling pathways and gene co-expression modules associated with cytoskeleton and axon morphology in breast cancer survivors with chronic paclitaxel-induced peripheral neuropathy. <i>Molecular Pain</i> , 2019 , 15, 1744806919878088 | 3.4 | 4 |
| 74 | Temporal Acute Serum Estradiol and Tumor Necrosis Factor- α Associations and Risk of Death after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020 , 37, 2198-2210 | 5.4 | 4 |
| 73 | The Influence of Physical Activity and Epigenomics On Cognitive Function and Brain Health in Breast Cancer. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 123 | 5.3 | 4 |
| 72 | Changes in Attentional Function in Patients From Before Through 12 Months After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 1172-1185 | 4.8 | 4 |
| 71 | Examining the effect of 5-HTTLPR on depressive symptoms in postmenopausal women 1 year after initial breast cancer treatment. <i>Supportive Care in Cancer</i> , 2019 , 27, 513-519 | 3.9 | 4 |
| 70 | The utility of breastmilk for genetic or genomic studies: a systematic review. <i>Breastfeeding Medicine</i> , 2013 , 8, 249-56 | 2.1 | 4 |
| 69 | In response to comments on IL-1 β associations with posttraumatic epilepsy development: a genetics and biomarker cohort study. <i>Epilepsia</i> , 2014 , 55, 1313-4 | 6.4 | 4 |
| 68 | Fatigue, Stress, and Functional Status are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 373-382.e2 | 4.8 | 4 |
| 67 | Genetic Variants Associated With Intraparenchymal Hemorrhage Progression After Traumatic Brain Injury. <i>JAMA Network Open</i> , 2021 , 4, e2116839 | 10.4 | 4 |
| 66 | Distinct diarrhea profiles during outpatient chemotherapy. <i>Supportive Care in Cancer</i> , 2021 , 29, 2363-2373 | 3.9 | 4 |
| 65 | Elevated cerebrospinal fluid concentrations of N-acetylaspartate correlate with poor outcome in a pilot study of severe brain trauma. <i>Brain Injury</i> , 2019 , 33, 1364-1371 | 2.1 | 3 |
| 64 | Associations Between Catecholaminergic and Serotonergic Genes and Persistent Arm Pain Severity Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2019 , 20, 1100-1111 | 5.2 | 3 |
| 63 | Epigenetic Effects on Pediatric Traumatic Brain Injury Recovery (EETR): An Observational, Prospective, Longitudinal Concurrent Cohort Study Protocol. <i>Frontiers in Neurology</i> , 2020 , 11, 460 | 4.1 | 3 |
| 62 | B-Cell Lymphoma 2 (Bcl-2) Gene Is Associated with Intracranial Hypertension after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021 , 38, 291-299 | 5.4 | 3 |
| 61 | Methylation Data Processing Protocol and Comparison of Blood and Cerebral Spinal Fluid Following Aneurysmal Subarachnoid Hemorrhage. <i>Frontiers in Genetics</i> , 2020 , 11, 671 | 4.5 | 3 |
| 60 | Characteristics associated with inter-individual differences in the trajectories of self-reported attentional function in oncology outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017 , 25, 783-793 | 3.9 | 3 |
| 59 | Symptom Science: Repurposing Existing Omics Data. <i>Biological Research for Nursing</i> , 2017 , 19, 18-27 | 2.6 | 3 |

| | | | |
|----|--|------|---|
| 58 | Symptoms of attention-deficit hyperactivity disorder, nonsyndromic orofacial cleft children, and dopamine polymorphisms: a pilot study. <i>Biological Research for Nursing</i> , 2015 , 17, 257-62 | 2.6 | 3 |
| 57 | A systematic review of endoglin gene expression in preeclampsia. <i>Biological Research for Nursing</i> , 2013 , 15, 129-36 | 2.6 | 3 |
| 56 | Genetic Underpinnings of Musculoskeletal Pain During Treatment With Aromatase Inhibitors for Breast Cancer: A Biological Pathway Analysis. <i>Biological Research for Nursing</i> , 2020 , 22, 263-276 | 2.6 | 3 |
| 55 | An Exploratory Study of Epigenetic Age in Preeclamptic and Normotensive Pregnancy Reveals Differences by Self-Reported Race but Not Pregnancy Outcome. <i>Reproductive Sciences</i> , 2021 , 28, 3519-3528 | 3.28 | 3 |
| 54 | DNA methylation changes and improved sleep quality in adults with obstructive sleep apnea and diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000707 | 4.5 | 3 |
| 53 | Higher Levels of Stress Are Associated With a Significant Symptom Burden in Oncology Outpatients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 24-31.e4 | 4.8 | 3 |
| 52 | Distinct sleep disturbance profiles among patients with gynecologic cancer receiving chemotherapy. <i>Gynecologic Oncology</i> , 2021 , 163, 419-426 | 4.9 | 3 |
| 51 | Genetic risk models: Influence of model size on risk estimates and precision. <i>Genetic Epidemiology</i> , 2017 , 41, 282-296 | 2.6 | 2 |
| 50 | A pilot study on the impact of dopamine, serotonin, and brain-derived neurotrophic factor genotype on long-term functional outcomes after subarachnoid hemorrhage. <i>SAGE Open Medicine</i> , 2017 , 5, 2050312117726725 | 2.4 | 2 |
| 49 | Factors Contributing to Fentanyl Pharmacokinetic Variability Among Diagnostically Diverse Critically Ill Children. <i>Clinical Pharmacokinetics</i> , 2019 , 58, 1567-1576 | 6.2 | 2 |
| 48 | Menopausal-Related Symptoms in Women One Year After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 1138-1151.e1 | 4.8 | 2 |
| 47 | Effect of Promoter Polymorphisms on Cytokine Concentration in Preterm Breast Milk and Subsequent Infant Outcomes. <i>Journal of Human Lactation</i> , 2016 , 32, 425-37 | 2.6 | 2 |
| 46 | Maternal Interleukin Genotypes Are Associated With NICU Outcomes Among Low-Birth-Weight Infants. <i>Biological Research for Nursing</i> , 2017 , 19, 36-44 | 2.6 | 2 |
| 45 | Neuropsychological Symptoms and Intrusive Thoughts Are Associated With Worse Trajectories of Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 668-678 | 4.8 | 2 |
| 44 | Association Between Physical Activity Levels and Chemotherapy-Induced Peripheral Neuropathy Severity in Cancer Survivors. <i>Oncology Nursing Forum</i> , 2020 , 47, 703-719 | 1.7 | 2 |
| 43 | Current status and future directions of U.S. genomic nursing health care policy. <i>Nursing Outlook</i> , 2021 , 69, 471-488 | 2.7 | 2 |
| 42 | Genetic Variability in the Iron Homeostasis Pathway and Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020 , 33, 749-758 | 3.3 | 2 |
| 41 | Assessment of Arm Volume Using a Tape Measure Versus a 3D Optical Scanner in Survivors with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021 , | 2.3 | 2 |

| | | | |
|----|--|-----|---|
| 40 | Iron homeostasis pathway DNA methylation trajectories reveal a role for STEAP3 metalloredutase in patient outcomes after aneurysmal subarachnoid hemorrhage. 2021 , 1, | | 2 |
| 39 | Symptom clusters in patients receiving chemotherapy: A systematic review.. <i>BMJ Supportive and Palliative Care</i> , 2021 , | 2.2 | 2 |
| 38 | Contribution of Loss of Large Fiber Function to Pain in 2 Samples of Oncology Patients. <i>Clinical Journal of Pain</i> , 2019 , 35, 37-42 | 3.5 | 1 |
| 37 | dbVOR: a database system for importing pedigree, phenotype and genotype data and exporting selected subsets. <i>BMC Bioinformatics</i> , 2015 , 16, 91 | 3.6 | 1 |
| 36 | Evaluation of APOE Genotype and Ability to Perform Activities of Daily Living Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2018 , 20, 177-182 | 2.6 | 1 |
| 35 | The Brain-Derived Neurotrophic Factor Functional Polymorphism and Hand Grip Strength Impact the Association between Brain-Derived Neurotrophic Factor Levels and Cognition in Older Adults in the United States.. <i>Biological Research for Nursing</i> , 2022 , 10998004211065151 | 2.6 | 1 |
| 34 | Omics for Nurse Scientists Conducting Environmental Health Research. <i>Annual Review of Nursing Research</i> , 2019 , 38, 35-52 | 0.7 | 1 |
| 33 | Utilization of Epigenome-wide DNA Methylation for Longitudinal Comparison of White Blood Cell Proportions Across Preeclamptic and Normotensive Pregnancy by Self-Reported Race | | 1 |
| 32 | Co-occurrence of decrements in physical and cognitive function is common in older oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2020 , 48, 101823 | 2.8 | 1 |
| 31 | Effect of CHRFAM7A 2bp gene variant on secondary inflammation after spinal cord injury. <i>PLoS ONE</i> , 2021 , 16, e0251110 | 3.7 | 1 |
| 30 | Anxiety profiles are associated with stress, resilience and symptom severity in outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021 , 29, 7825-7836 | 3.9 | 1 |
| 29 | Worst Pain Severity Profiles of Oncology Patients Are Associated With Significant Stress and Multiple Co-Occurring Symptoms. <i>Journal of Pain</i> , 2021 , | 5.2 | 1 |
| 28 | Subgroups of patients undergoing chemotherapy with distinct cognitive fatigue and evening physical fatigue profiles. <i>Supportive Care in Cancer</i> , 2021 , 29, 7985-7998 | 3.9 | 1 |
| 27 | Exploratory Study of Associations Between DNA Repair and Oxidative Stress Gene Polymorphisms and Cognitive Problems Reported by Postmenopausal Women With and Without Breast Cancer. <i>Biological Research for Nursing</i> , 2019 , 21, 50-60 | 2.6 | 1 |
| 26 | Gene-Based Association Testing of Dichotomous Traits With Generalized Functional Linear Mixed Models Using Extended Pedigrees: Applications to Age-Related Macular Degeneration. <i>Journal of the American Statistical Association</i> , 2021 , 116, 531-545 | 2.8 | 1 |
| 25 | Distinct profiles of multiple co-occurring symptoms in patients with gastrointestinal cancers receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021 , 29, 4461-4471 | 3.9 | 1 |
| 24 | Prediction of evening fatigue severity in outpatients receiving chemotherapy: less may be more. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2021 , 9, 14-32 | 2.3 | 1 |
| 23 | A Comparison of Supine Versus Stand-on Bioimpedance Devices to Assess Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021 , | 2.3 | 1 |

| | | | |
|----|---|-----|---|
| 22 | Characteristics associated with inter-individual variability in financial distress in patients with breast cancer prior to and for 12 months following surgery. <i>Supportive Care in Cancer</i> , 2021 , 1 | 3.9 | 1 |
| 21 | Occurrence and perceived effectiveness of activities used to decrease chemotherapy-induced peripheral neuropathy symptoms in the feet. <i>European Journal of Oncology Nursing</i> , 2021 , 54, 102025 | 2.8 | 1 |
| 20 | Gender Differences in the Use of Engagement and Disengagement Coping Strategies in Patients With Cancer Receiving Chemotherapy. <i>Oncology Nursing Forum</i> , 2020 , 47, 586-594 | 1.7 | 0 |
| 19 | Genetics and type 1 diabetes: online resources for diabetes educators. <i>The Diabetes Educator</i> , 2004 , 30, 961-71 | 2.5 | 0 |
| 18 | An exploratory study of white blood cell proportions across preeclamptic and normotensive pregnancy by self-identified race in individuals with overweight or obesity. <i>Hypertension in Pregnancy</i> , 2021 , 40, 312-321 | 2 | 0 |
| 17 | Perturbations in Endocytotic and Apoptotic Pathways Are Associated With Chemotherapy-Induced Nausea. <i>Biological Research for Nursing</i> , 2021 , 23, 238-247 | 2.6 | 0 |
| 16 | Distinct employment interference profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMC Cancer</i> , 2021 , 21, 883 | 4.8 | 0 |
| 15 | A high stress profile is associated with severe pain in oncology patients receiving chemotherapy.. <i>European Journal of Oncology Nursing</i> , 2022 , 58, 102135 | 2.8 | 0 |
| 14 | Symptom clusters in outpatients with cancer using different dimensions of the symptom experience.. <i>Supportive Care in Cancer</i> , 2022 , 1 | 3.9 | 0 |
| 13 | Genetic ME-a visualization application for merging and editing pedigrees for genetic studies. <i>BMC Research Notes</i> , 2015 , 8, 241 | 2.3 | |
| 12 | Cytokine Genetic Variants and Health-Related Quality of Life in Crohn's Disease: An Exploratory Study. <i>Biological Research for Nursing</i> , 2019 , 21, 544-551 | 2.6 | |
| 11 | Exploring calcium level disorders. Looking through the genetic window for new treatment clues. <i>Nursing for Women's Health</i> , 2002 , 6, 424-9 | | |
| 10 | Prediction of severity and subtype of fibrosing disease using model informed by inflammation and extracellular matrix gene index. <i>PLoS ONE</i> , 2020 , 15, e0240986 | 3.7 | |
| 9 | Personalized Gene Expression Profile Information Predicts Severity of Systemic Sclerosis Despite Heterogeneity of Disease. <i>FASEB Journal</i> , 2018 , 32, 414.10 | 0.9 | |
| 8 | Introduction to Omics Approaches in Symptom Science 2020 , 15-27 | | |
| 7 | DNA Methylation of Endoglin Pathway Genes in Pregnant Women With and Without Preeclampsia. <i>Epigenetics Insights</i> , 2020 , 13, 2516865720959682 | 3 | |
| 6 | Association Between the APOEε2/ε4 Genotype and Alzheimer's Disease and Mild Cognitive Impairment Among African Americans. <i>Journal of Alzheimer's Disease</i> , 2021 , 81, 943-948 | 4.3 | |
| 5 | Symptom Science: Omics and Response to Non-Pharmacological Interventions. <i>Biological Research for Nursing</i> , 2021 , 23, 394-401 | 2.6 | |

- | | | |
|---|--|-----|
| 4 | Novel classification for global gene signature model for predicting severity of systemic sclerosis. <i>PLoS ONE</i> , 2018 , 13, e0199314 | 3.7 |
| 3 | Higher stress and symptom severity are associated with worse depressive symptom profiles in patients receiving chemotherapy.. <i>European Journal of Oncology Nursing</i> , 2021 , 58, 102031 | 2.8 |
| 2 | The genetics of age-related macular degeneration. <i>Medsurg Nursing: Official Journal of the Academy of Medical-Surgical Nurses</i> , 2003 , 12, 238-41, 259 | 0 |
| 1 | Oncology outpatients with worse depression and sleep disturbance profiles are at increased risk for a higher symptom burden and poorer quality of life outcomes.. <i>Sleep Medicine</i> , 2022 , 95, 91-104 | 4.6 |