

Yvette P Conley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3249932/yvette-p-conley-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

237
papers

3,914
citations

29
h-index

51
g-index

250
ext. papers

4,850
ext. citations

3.5
avg, IF

5.32
L-index

#	Paper	IF	Citations
237	The Brain-Derived Neurotrophic Factor Functional Polymorphism and Hand Grip Strength Impact the Association between Brain-Derived Neurotrophic Factor Levels and Cognition in Older Adults in the United States.. <i>Biological Research for Nursing</i> , 2022 , 10998004211065151	2.6	1
236	A high stress profile is associated with severe pain in oncology patients receiving chemotherapy.. <i>European Journal of Oncology Nursing</i> , 2022 , 58, 102135	2.8	0
235	Symptom clusters in outpatients with cancer using different dimensions of the symptom experience.. <i>Supportive Care in Cancer</i> , 2022 , 1	3.9	0
234	Oncology outpatients with worse depression and sleep disturbance profiles are at increased risk for a higher symptom burden and poorer quality of life outcomes.. <i>Sleep Medicine</i> , 2022 , 95, 91-104	4.6	
233	B-Cell Lymphoma 2 (Bcl-2) Gene Is Associated with Intracranial Hypertension after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021 , 38, 291-299	5.4	3
232	An exploratory study of white blood cell proportions across preeclamptic and normotensive pregnancy by self-identified race in individuals with overweight or obesity. <i>Hypertension in Pregnancy</i> , 2021 , 40, 312-321	2	0
231	Fatigue, Stress, and Functional Status are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 373-382.e2	4.8	4
230	An Exploratory Study of Epigenetic Age in Preeclamptic and Normotensive Pregnancy Reveals Differences by Self-Reported Race but Not Pregnancy Outcome. <i>Reproductive Sciences</i> , 2021 , 28, 3519-3528	3.28	3
229	Current status and future directions of U.S. genomic nursing health care policy. <i>Nursing Outlook</i> , 2021 , 69, 471-488	2.7	2
228	Effect of CHRFAM7A 2bp gene variant on secondary inflammation after spinal cord injury. <i>PLoS ONE</i> , 2021 , 16, e0251110	3.7	1
227	Anxiety profiles are associated with stress, resilience and symptom severity in outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021 , 29, 7825-7836	3.9	1
226	Association Between the APOEε2/ε4 Genotype and Alzheimer's Disease and Mild Cognitive Impairment Among African Americans. <i>Journal of Alzheimer's Disease</i> , 2021 , 81, 943-948	4.3	
225	Worst Pain Severity Profiles of Oncology Patients Are Associated With Significant Stress and Multiple Co-Occurring Symptoms. <i>Journal of Pain</i> , 2021 ,	5.2	1
224	Genetic Variants Associated With Intraparenchymal Hemorrhage Progression After Traumatic Brain Injury. <i>JAMA Network Open</i> , 2021 , 4, e2116839	10.4	4
223	Subgroups of patients undergoing chemotherapy with distinct cognitive fatigue and evening physical fatigue profiles. <i>Supportive Care in Cancer</i> , 2021 , 29, 7985-7998	3.9	1
222	Gene-Based Association Testing of Dichotomous Traits With Generalized Functional Linear Mixed Models Using Extended Pedigrees: Applications to Age-Related Macular Degeneration. <i>Journal of the American Statistical Association</i> , 2021 , 116, 531-545	2.8	1
221	Symptom Science: Omics and Response to Non-Pharmacological Interventions. <i>Biological Research for Nursing</i> , 2021 , 23, 394-401	2.6	

220	Model-Based Patterns of Lymphedema Symptomatology: Phenotypic and Biomarker Characterization. <i>Current Breast Cancer Reports</i> , 2021 , 13, 1-18	0.8	5
219	Perturbations in Endocytotic and Apoptotic Pathways Are Associated With Chemotherapy-Induced Nausea. <i>Biological Research for Nursing</i> , 2021 , 23, 238-247	2.6	0
218	Distinct diarrhea profiles during outpatient chemotherapy. <i>Supportive Care in Cancer</i> , 2021 , 29, 2363-2373	3.9	4
217	Distinct profiles of multiple co-occurring symptoms in patients with gastrointestinal cancers receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2021 , 29, 4461-4471	3.9	1
216	Prediction of evening fatigue severity in outpatients receiving chemotherapy: less may be more. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2021 , 9, 14-32	2.3	1
215	Higher Levels of Stress Are Associated With a Significant Symptom Burden in Oncology Outpatients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 24-31.e4	4.8	3
214	A Comparison of Supine Versus Stand-on Bioimpedance Devices to Assess Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021 ,	2.3	1
213	Assessment of Arm Volume Using a Tape Measure Versus a 3D Optical Scanner in Survivors with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , 2021 ,	2.3	2
212	Distinct employment interference profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMC Cancer</i> , 2021 , 21, 883	4.8	0
211	Distinct sleep disturbance profiles among patients with gynecologic cancer receiving chemotherapy. <i>Gynecologic Oncology</i> , 2021 , 163, 419-426	4.9	3
210	Higher stress and symptom severity are associated with worse depressive symptom profiles in patients receiving chemotherapy.. <i>European Journal of Oncology Nursing</i> , 2021 , 58, 102031	2.8	
209	Characteristics associated with inter-individual variability in financial distress in patients with breast cancer prior to and for 12 months following surgery. <i>Supportive Care in Cancer</i> , 2021 , 1	3.9	1
208	Occurrence and perceived effectiveness of activities used to decrease chemotherapy-induced peripheral neuropathy symptoms in the feet. <i>European Journal of Oncology Nursing</i> , 2021 , 54, 102025	2.8	1
207	Cancer-related cognitive impairment is associated with perturbations in inflammatory pathways. <i>Cytokine</i> , 2021 , 148, 155653	4	5
206	Iron homeostasis pathway DNA methylation trajectories reveal a role for STEAP3 metalloreductase in patient outcomes after aneurysmal subarachnoid hemorrhage. 2021 , 1,		2
205	Symptom clusters in patients receiving chemotherapy: A systematic review.. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	2
204	Gender Differences in the Use of Engagement and Disengagement Coping Strategies in Patients With Cancer Receiving Chemotherapy. <i>Oncology Nursing Forum</i> , 2020 , 47, 586-594	1.7	0
203	Genetic Variation in the Gene and Patient Outcomes Following Severe Traumatic Brain Injury. <i>Biological Research for Nursing</i> , 2020 , 22, 334-340	2.6	6

202	Temporal Acute Serum Estradiol and Tumor Necrosis Factor- α Associations and Risk of Death after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020 , 37, 2198-2210	5.4	4
201	The Influence of Physical Activity and Epigenomics On Cognitive Function and Brain Health in Breast Cancer. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 123	5.3	4
200	Epigenetic Effects on Pediatric Traumatic Brain Injury Recovery (EETR): An Observational, Prospective, Longitudinal Concurrent Cohort Study Protocol. <i>Frontiers in Neurology</i> , 2020 , 11, 460	4.1	3
199	Association of personality profiles with coping and adjustment to cancer among patients undergoing chemotherapy. <i>Psycho-Oncology</i> , 2020 , 29, 1060-1067	3.9	8
198	Differential methylation and expression of genes in the hypoxia-inducible factor 1 signaling pathway are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors and with preclinical models of chemotherapy-induced neuropathic pain. <i>Molecular Pain</i> , 2020 , 16, 1744806920936502	3.4	8
197	Methylation Data Processing Protocol and Comparison of Blood and Cerebral Spinal Fluid Following Aneurysmal Subarachnoid Hemorrhage. <i>Frontiers in Genetics</i> , 2020 , 11, 671	4.5	3
196	The Effect of the APOE $\epsilon\epsilon$ Genotype on the Development of Alzheimer's Disease (AD) and Mild Cognitive Impairment (MCI) in Non-Latino Whites. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 1044-1049	5.6	5
195	Changes in Attentional Function in Patients From Before Through 12 Months After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 1172-1185	4.8	4
194	Higher levels of stress and different coping strategies are associated with greater morning and evening fatigue severity in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2020 , 28, 4697-4706	3.9	8
193	A longitudinal analysis of phenotypic and symptom characteristics associated with inter-individual variability in employment interference in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2020 , 28, 4677-4686	3.9	7
192	Use of individual development plans for nurse scientist training. <i>Nursing Outlook</i> , 2020 , 68, 284-292	2.7	5
191	Prediction of severity and subtype of fibrosing disease using model informed by inflammation and extracellular matrix gene index. <i>PLoS ONE</i> , 2020 , 15, e0240986	3.7	
190	Introduction to Omics Approaches in Symptom Science 2020 , 15-27		
189	Symptom Clusters in Women With Breast Cancer During the First 18 Months of Adjuvant Therapy. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 233-241	4.8	11
188	Alterations in Patterns of Gene Expression and Perturbed Pathways in the Gut-Brain Axis Are Associated With Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 1248-1259.e5	4.8	5
187	Genes Involved in the HPA Axis and the Symptom Cluster of Fatigue, Depressive Symptoms, and Anxiety in Women With Breast Cancer During 18 Months of Adjuvant Therapy. <i>Biological Research for Nursing</i> , 2020 , 22, 277-286	2.6	6
186	Precision health: A nursing perspective. <i>International Journal of Nursing Sciences</i> , 2020 , 7, 5-12	3.2	18
185	Genetic Underpinnings of Musculoskeletal Pain During Treatment With Aromatase Inhibitors for Breast Cancer: A Biological Pathway Analysis. <i>Biological Research for Nursing</i> , 2020 , 22, 263-276	2.6	3

184	Distinct Stress Profiles Among Oncology Patients Undergoing Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 646-657	4.8	8
183	Neuropsychological Symptoms and Intrusive Thoughts Are Associated With Worse Trajectories of Chemotherapy-Induced Nausea. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 668-678	4.8	2
182	Psychological Symptoms and Stress Are Associated With Decrements in Attentional Function in Cancer Patients Undergoing Chemotherapy. <i>Cancer Nursing</i> , 2020 , 43, 402-410	2.6	5
181	Association Between Physical Activity Levels and Chemotherapy-Induced Peripheral Neuropathy Severity in Cancer Survivors. <i>Oncology Nursing Forum</i> , 2020 , 47, 703-719	1.7	2
180	Co-occurrence of decrements in physical and cognitive function is common in older oncology patients receiving chemotherapy. <i>European Journal of Oncology Nursing</i> , 2020 , 48, 101823	2.8	1
179	DNA Methylation of Endoglin Pathway Genes in Pregnant Women With and Without Preeclampsia. <i>Epigenetics Insights</i> , 2020 , 13, 2516865720959682	3	
178	Paths to Successful Translation of New Therapies for Severe Traumatic Brain Injury in the Golden Age of Traumatic Brain Injury Research: A Pittsburgh Vision. <i>Journal of Neurotrauma</i> , 2020 , 37, 2353-2371	5.4	15
177	Gastrointestinal symptoms are associated with trajectories of chemotherapy-induced nausea. <i>Supportive Care in Cancer</i> , 2020 , 28, 2205-2215	3.9	5
176	Symptom Experience, Management, and Outcomes According to Race and Social Determinants Including Genomics, Epigenomics, and Metabolomics (SEMOARS + GEM): an Explanatory Model for Breast Cancer Treatment Disparity. <i>Journal of Cancer Education</i> , 2020 , 35, 428-440	1.8	5
175	Genetic Variability and Trajectories of DNA Methylation May Support a Role for HAMP in Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020 , 32, 550-563	3.3	6
174	Genetic Variability in the Iron Homeostasis Pathway and Patient Outcomes After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2020 , 33, 749-758	3.3	2
173	Co-occurring Gastrointestinal Symptoms Are Associated With Taste Changes in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 756-765	4.8	11
172	Elevated cerebrospinal fluid concentrations of N-acetylaspartate correlate with poor outcome in a pilot study of severe brain trauma. <i>Brain Injury</i> , 2019 , 33, 1364-1371	2.1	3
171	Signaling pathways and gene co-expression modules associated with cytoskeleton and axon morphology in breast cancer survivors with chronic paclitaxel-induced peripheral neuropathy. <i>Molecular Pain</i> , 2019 , 15, 1744806919878088	3.4	4
170	A Pilot Study Using a Multistaged Integrated Analysis of Gene Expression and Methylation to Evaluate Mechanisms for Evening Fatigue in Women Who Received Chemotherapy for Breast Cancer. <i>Biological Research for Nursing</i> , 2019 , 21, 142-156	2.6	6
169	Morning Fatigue Severity Profiles in Oncology Outpatients Receiving Chemotherapy. <i>Cancer Nursing</i> , 2019 , 42, 355-364	2.6	10
168	Factors Contributing to Fentanyl Pharmacokinetic Variability Among Diagnostically Diverse Critically Ill Children. <i>Clinical Pharmacokinetics</i> , 2019 , 58, 1567-1576	6.2	2
167	Symptom Clusters in Patients With Gastrointestinal Cancers Using Different Dimensions of the Symptom Experience. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 224-234	4.8	15

166	Deleterious Effects of Higher Body Mass Index on Subjective and Objective Measures of Chemotherapy-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 252-263	4.8	9
165	Symptom Science: Advocating for Inclusion of Functional Genetic Polymorphisms. <i>Biological Research for Nursing</i> , 2019 , 21, 349-354	2.6	7
164	Associations Between Catecholaminergic and Serotonergic Genes and Persistent Arm Pain Severity Following Breast Cancer Surgery. <i>Journal of Pain</i> , 2019 , 20, 1100-1111	5.2	3
163	Contribution of Loss of Large Fiber Function to Pain in 2 Samples of Oncology Patients. <i>Clinical Journal of Pain</i> , 2019 , 35, 37-42	3.5	1
162	Association of a Functional Polymorphism in the Gene with Inflammatory Response Mediators and Neuropathic Pain after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019 , 36, 3026-3033	5.4	8
161	Network Analysis of the Multidimensional Symptom Experience of Oncology. <i>Scientific Reports</i> , 2019 , 9, 2258	4.9	21
160	Stability of Symptom Clusters in Patients With Lung Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 909-922	4.8	19
159	Age-related differences in patient-reported and objective measures of chemotherapy-induced peripheral neuropathy among cancer survivors. <i>Supportive Care in Cancer</i> , 2019 , 27, 3905-3912	3.9	7
158	Psychosocial Comorbidities Related to Return to Work Rates Following Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Occupational Rehabilitation</i> , 2019 , 29, 205-211	3.6	7
157	Examining the effect of 5-HTTLPR on depressive symptoms in postmenopausal women 1 year after initial breast cancer treatment. <i>Supportive Care in Cancer</i> , 2019 , 27, 513-519	3.9	4
156	Variability with Astroglial Glutamate Transport Genetics Is Associated with Increased Risk for Post-Traumatic Seizures. <i>Journal of Neurotrauma</i> , 2019 , 36, 230-238	5.4	13
155	Identification of subgroups of chemotherapy patients with distinct sleep disturbance profiles and associated co-occurring symptoms. <i>Sleep</i> , 2019 , 42,	1.1	9
154	Perturbations in neuroinflammatory pathways are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors. <i>Journal of Neuroimmunology</i> , 2019 , 335, 577019	3.5	6
153	Co-occurring symptoms in older oncology patients with distinct attentional function profiles. <i>European Journal of Oncology Nursing</i> , 2019 , 41, 196-203	2.8	6
152	Cytokine Genetic Variants and Health-Related Quality of Life in Crohn's Disease: An Exploratory Study. <i>Biological Research for Nursing</i> , 2019 , 21, 544-551	2.6	
151	Stability of Symptom Clusters in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 989-1001.e10	4.8	14
150	Impact of chemotherapy on symptoms and symptom clusters in postmenopausal women with breast cancer prior to aromatase inhibitor therapy. <i>Journal of Clinical Nursing</i> , 2019 , 28, 4560-4571	3.2	5
149	Perceived stress is associated with a higher symptom burden in cancer survivors. <i>Cancer</i> , 2019 , 125, 4509-4515	4.5	14

148	Omics for Nurse Scientists Conducting Environmental Health Research. <i>Annual Review of Nursing Research</i> , 2019 , 38, 35-52	0.7	1
147	DNA methylation changes and improved sleep quality in adults with obstructive sleep apnea and diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000707	4.5	3
146	Assessment of local tissue water in the arms and trunk of breast cancer survivors with and without upper extremity lymphoedema. <i>Clinical Physiology and Functional Imaging</i> , 2019 , 39, 57-64	2.4	11
145	Downstream Polymorphisms Are Associated with Intracranial Hypertension and Statistically Interact with Polymorphisms in a Prospective Cohort of Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2019 , 36, 1804-1817	5.4	20
144	Exploratory Study of Associations Between DNA Repair and Oxidative Stress Gene Polymorphisms and Cognitive Problems Reported by Postmenopausal Women With and Without Breast Cancer. <i>Biological Research for Nursing</i> , 2019 , 21, 50-60	2.6	1
143	Evaluation of APOE Genotype and Ability to Perform Activities of Daily Living Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2018 , 20, 177-182	2.6	1
142	Quality of life of patients with gastrointestinal cancers undergoing chemotherapy. <i>Quality of Life Research</i> , 2018 , 27, 1865-1876	3.7	7
141	Regionally clustered polymorphisms in a prospective cohort predict cerebral oedema and outcome in severe traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 1152-1162	5.5	29
140	Symptom Science: Omics Supports Common Biological Underpinnings Across Symptoms. <i>Biological Research for Nursing</i> , 2018 , 20, 183-191	2.6	9
139	Differences in symptom clusters before and twelve months after breast cancer surgery. <i>European Journal of Oncology Nursing</i> , 2018 , 32, 63-72	2.8	15
138	Menopausal-Related Symptoms in Women One Year After Breast Cancer Surgery. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 1138-1151.e1	4.8	2
137	Endoglin pathway genetic variation in preeclampsia: A validation study in Norwegian and Latina cohorts. <i>Pregnancy Hypertension</i> , 2018 , 12, 144-149	2.6	12
136	Associations Between Catecholaminergic and Serotonergic Genes and Persistent Breast Pain Phenotypes After Breast Cancer Surgery. <i>Journal of Pain</i> , 2018 , 19, 1130-1146	5.2	5
135	Epigenetic Modifications Following Noxious Stimuli in Infants. <i>Biological Research for Nursing</i> , 2018 , 20, 137-144	2.6	5
134	Associations Between Perceived Stress and Chemotherapy-Induced Peripheral Neuropathy and Otoxicity in Adult Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 88-97	4.8	21
133	ABCG2 c.421C>A Is Associated with Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018 , 35, 48-53	5.4	11
132	Cytokine Gene Polymorphisms Associated With Various Domains of Quality of Life in Women With Breast Cancer. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 334-350.e3	4.8	6
131	Differential expression of genes and differentially perturbed pathways associated with very high evening fatigue in oncology patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2018 , 26, 739-750	3.0	11

130	Influence of Menopausal Status on the Symptom Experience of Women Before Breast Cancer Surgery. <i>Cancer Nursing</i> , 2018 , 41, 265-278	2.6	5
129	Stability of Symptom Clusters in Patients With Breast Cancer Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 39-55	4.8	36
128	Congruence Between Latent Class and K-Modes Analyses in the Identification of Oncology Patients With Distinct Symptom Experiences. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 318-333.e4	4.8	17
127	Melatonin as a Therapy for Traumatic Brain Injury: A Review of Published Evidence. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	25
126	Distinct attentional function profiles in older adults receiving cancer chemotherapy. <i>European Journal of Oncology Nursing</i> , 2018 , 36, 32-39	2.8	7
125	Machine learning for detection of lymphedema among breast cancer survivors. <i>MHealth</i> , 2018 , 4, 17	2.2	14
124	Personalized Gene Expression Profile Information Predicts Severity of Systemic Sclerosis Despite Heterogeneity of Disease. <i>FASEB Journal</i> , 2018 , 32, 414.10	0.9	
123	Impact of chemotherapy-induced neurotoxicities on adult cancer survivors's symptom burden and quality of life. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 234-245	5.1	30
122	Hearing loss and tinnitus in survivors with chemotherapy-induced neuropathy. <i>European Journal of Oncology Nursing</i> , 2018 , 32, 1-11	2.8	11
121	Changes in the Occurrence, Severity, and Distress of Symptoms in Patients With Gastrointestinal Cancers Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 808-834	4.8	17
120	Learning from data to predict future symptoms of oncology patients. <i>PLoS ONE</i> , 2018 , 13, e0208808	3.7	9
119	Intracranial Pressure Trajectories: A Novel Approach to Informing Severe Traumatic Brain Injury Phenotypes. <i>Critical Care Medicine</i> , 2018 , 46, 1792-1802	1.4	34
118	Phenotypic Characterization of Paclitaxel-Induced Peripheral Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 908-919.e3	4.8	17
117	Trajectories of Cognitive Function and Associated Phenotypic and Genotypic Factors in Breast Cancer. <i>Oncology Nursing Forum</i> , 2018 , 45, 308-326	1.7	11
116	Risk Factors Associated With Chemotherapy-Induced Nausea in the Week Before the Next Cycle and Impact of Nausea on Quality of Life Outcomes. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 352-362	4.8	9
115	Variation in Candidate Traumatic Brain Injury Biomarker Genes Are Associated with Gross Neurological Outcomes after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018 , 35, 2684-2690	5.4	12
114	Novel classification for global gene signature model for predicting severity of systemic sclerosis. <i>PLoS ONE</i> , 2018 , 13, e0199314	3.7	
113	Variation in PPP3CC Genotype Is Associated with Long-Term Recovery after Severe Brain Injury. <i>Journal of Neurotrauma</i> , 2017 , 34, 86-96	5.4	13

112	Genetic Variation in the Vesicular Monoamine Transporter: Preliminary Associations With Cognitive Outcomes After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017 , 32, E24-E34 ³		14
111	Inflammatory pathway genes associated with inter-individual variability in the trajectories of morning and evening fatigue in patients receiving chemotherapy. <i>Cytokine</i> , 2017 , 91, 187-210	4	21
110	Chemotherapy-Induced Neuropathy in Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 204-218.e2	4.8	71
109	Associations between pathologic tumor features and preadjuvant therapy cognitive performance in women diagnosed with breast cancer. <i>Cancer Medicine</i> , 2017 , 6, 339-348	4.8	8
108	Common and Distinct Characteristics Associated With Trajectories of Morning and Evening Energy in Oncology Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 887-900.e2	4.8	11
107	Modifiable and non-modifiable characteristics associated with sleep disturbance in oncology outpatients during chemotherapy. <i>Supportive Care in Cancer</i> , 2017 , 25, 2485-2494	3.9	13
106	Predictors of the multidimensional symptom experience of lung cancer patients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017 , 25, 1931-1939	3.9	13
105	Perceived cognitive function for breast cancer survivors: association of genetic and behaviorally related variables for inflammation. <i>Supportive Care in Cancer</i> , 2017 , 25, 2475-2484	3.9	7
104	Genetic risk models: Influence of model size on risk estimates and precision. <i>Genetic Epidemiology</i> , 2017 , 41, 282-296	2.6	2
103	Potassium Channel Candidate Genes Predict the Development of Secondary Lymphedema Following Breast Cancer Surgery. <i>Nursing Research</i> , 2017 , 66, 85-94	1.9	9
102	Differences in symptom clusters identified using symptom occurrence rates versus severity ratings in patients with breast cancer undergoing chemotherapy. <i>European Journal of Oncology Nursing</i> , 2017 , 28, 122-132	2.8	22
101	Differences in Symptom Clusters Identified Using Ratings of Symptom Occurrence vs. Severity in Lung Cancer Patients Receiving Chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 194-203	4.8	25
100	Association of Personality Profiles with Depressive, Anxiety, and Cancer-related Symptoms in Patients Undergoing Chemotherapy. <i>Personality and Individual Differences</i> , 2017 , 117, 130-138	3.3	18
99	A Literature Review of Psychosocial Comorbidities Related to Working Capacity After Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Neuroscience Nursing</i> , 2017 , 49, 179-184	1.5	6
98	Brain injury results in lower levels of melatonin receptors subtypes MT1 and MT2. <i>Neuroscience Letters</i> , 2017 , 650, 18-24	3.3	20
97	ABCB1 genotype is associated with fentanyl requirements in critically ill children. <i>Pediatric Research</i> , 2017 , 82, 29-35	3.2	13
96	OPRM1 and COMT Gene-Gene Interaction Is Associated With Postoperative Pain and Opioid Consumption After Orthopedic Trauma. <i>Biological Research for Nursing</i> , 2017 , 19, 170-179	2.6	21
95	The pharmacogenomics of severe traumatic brain injury. <i>Pharmacogenomics</i> , 2017 , 18, 1413-1425	2.6	9

94	A pilot study on the impact of dopamine, serotonin, and brain-derived neurotrophic factor genotype on long-term functional outcomes after subarachnoid hemorrhage. <i>SAGE Open Medicine</i> , 2017 , 5, 2050312117726725	2.4	2
93	An exploratory study of host polymorphisms in genes that clinically characterize breast cancer tumors and pretreatment cognitive performance in breast cancer survivors. <i>Breast Cancer: Targets and Therapy</i> , 2017 , 9, 95-110	3.9	13
92	Differences in symptom occurrence, severity, and distress ratings between patients with gastrointestinal cancers who received chemotherapy alone or chemotherapy with targeted therapy. <i>Journal of Gastrointestinal Oncology</i> , 2017 , 8, 109-126	2.8	14
91	Distinct Evening Fatigue Profiles in Oncology Outpatients Receiving Chemotherapy. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017 , 5, 131-144	2.3	6
90	Associations between genetic and epigenetic variations in cytokine genes and mild persistent breast pain in women following breast cancer surgery. <i>Cytokine</i> , 2017 , 99, 203-213	4	28
89	Group-Based Trajectory Analysis of Emotional Symptoms Among Survivors After Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2017 , 32, E29-E37	3	5
88	Cytokine Gene Polymorphisms Associated With Symptom Clusters in Oncology Patients Undergoing Radiation Therapy. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 305-316.e3	4.8	14
87	Exploring the multifactorial nature of postoperative nausea and vomiting in women following surgery for breast cancer. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017 , 202, 102-107	2.4	15
86	Characteristics associated with inter-individual differences in the trajectories of self-reported attentional function in oncology outpatients receiving chemotherapy. <i>Supportive Care in Cancer</i> , 2017 , 25, 783-793	3.9	3
85	Symptom Science: Repurposing Existing Omics Data. <i>Biological Research for Nursing</i> , 2017 , 19, 18-27	2.6	3
84	A Prospective Study of Nausea and Vomiting After Breast Cancer Surgery. <i>Journal of Perianesthesia Nursing</i> , 2017 , 32, 169-176	1.3	17
83	ABCC8 Single Nucleotide Polymorphisms are Associated with Cerebral Edema in Severe TBI. <i>Neurocritical Care</i> , 2017 , 26, 213-224	3.3	31
82	Maternal Interleukin Genotypes Are Associated With NICU Outcomes Among Low-Birth-Weight Infants. <i>Biological Research for Nursing</i> , 2017 , 19, 36-44	2.6	2
81	Cerebrospinal Fluid Cortisol Mediates Brain-Derived Neurotrophic Factor Relationships to Mortality after Severe TBI: A Prospective Cohort Study. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 44	6.1	16
80	Cardiovascular disease and mortality after breast cancer in postmenopausal women: Results from the Women's Health Initiative. <i>PLoS ONE</i> , 2017 , 12, e0184174	3.7	42
79	Evaluation of coping as a mediator of the relationship between stressful life events and cancer-related distress. <i>Health Psychology</i> , 2017 , 36, 1147-1160	5	22
78	and Genotype Associations with Daily Knee Pain Variability and Activity Induced Pain. <i>Scandinavian Journal of Pain</i> , 2016 , 10, 6-12	1.9	11
77	Precision assessment of heterogeneity of lymphedema phenotype, genotypes and risk prediction. <i>Breast</i> , 2016 , 29, 231-40	3.6	26

76	A Review and Conceptual Model of Dopaminergic Contributions to Poststroke Depression. <i>Journal of Neuroscience Nursing</i> , 2016 , 48, 242-6	1.5	7
75	COMT and ANKK1 Genetics Interact With Depression to Influence Behavior Following Severe TBI: An Initial Assessment. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 920-930	4.7	24
74	Polymorphisms in DNA repair and oxidative stress genes associated with pre-treatment cognitive function in breast cancer survivors: an exploratory study. <i>SpringerPlus</i> , 2016 , 5, 422		13
73	Effect of Promoter Polymorphisms on Cytokine Concentration in Preterm Breast Milk and Subsequent Infant Outcomes. <i>Journal of Human Lactation</i> , 2016 , 32, 425-37	2.6	2
72	Genetic variation in neuronal glutamate transport genes and associations with posttraumatic seizure. <i>Epilepsia</i> , 2016 , 57, 984-93	6.4	24
71	Differences in limb volume trajectories after breast cancer treatment. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 772-82	5.1	5
70	Brain-Derived Neurotrophic Factor (BDNF) in Traumatic Brain Injury-Related Mortality: Interrelationships Between Genetics and Acute Systemic and Central Nervous System BDNF Profiles. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 83-93	4.7	66
69	Identification and prioritization of candidate genes for symptom variability in breast cancer survivors based on disease characteristics at the cellular level. <i>Breast Cancer: Targets and Therapy</i> , 2016 , 8, 29-37	3.9	11
68	A Dopamine Pathway Gene Risk Score for Cognitive Recovery Following Traumatic Brain Injury: Methodological Considerations, Preliminary Findings, and Interactions With Sex. <i>Journal of Head Trauma Rehabilitation</i> , 2016 , 31, E15-29	3	29
67	Educating future nursing scientists: Recommendations for integrating omics content in PhD programs. <i>Nursing Outlook</i> , 2015 , 63, 417-27	2.7	23
66	Emerging areas of nursing science and PhD education for the 21(st) century: response to commentaries. <i>Nursing Outlook</i> , 2015 , 63, 439-45	2.7	12
65	dbVOR: a database system for importing pedigree, phenotype and genotype data and exporting selected subsets. <i>BMC Bioinformatics</i> , 2015 , 16, 91	3.6	1
64	Variation in the BDNF gene interacts with age to predict mortality in a prospective, longitudinal cohort with severe TBI. <i>Neurorehabilitation and Neural Repair</i> , 2015 , 29, 234-46	4.7	55
63	20-HETE is associated with unfavorable outcomes in subarachnoid hemorrhage patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 1515-22	7.3	24
62	Integrating emerging areas of nursing science into PhD programs. <i>Nursing Outlook</i> , 2015 , 63, 408-16	2.7	31
61	Genetic ME-a visualization application for merging and editing pedigrees for genetic studies. <i>BMC Research Notes</i> , 2015 , 8, 241	2.3	
60	Epigenome variation in severe asthma. <i>Biological Research for Nursing</i> , 2015 , 17, 263-9	2.6	12
59	Genetic variation in the adenosine regulatory cycle is associated with posttraumatic epilepsy development. <i>Epilepsia</i> , 2015 , 56, 1198-206	6.4	40

58	IL-1 β associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. <i>Epilepsia</i> , 2015 , 56, 991-1001	6.4	44
57	Posttraumatic Brain Injury Cognitive Performance Is Moderated by Variation Within ANKK1 and DRD2 Genes. <i>Journal of Head Trauma Rehabilitation</i> , 2015 , 30, E54-66	3	37
56	A Pilot Study of Demographic and Dopaminergic Genetic Contributions to Weight Change in Kidney Transplant Recipients. <i>PLoS ONE</i> , 2015 , 10, e0138885	3.7	5
55	A systematic review of genetic influences on coping. <i>Biological Research for Nursing</i> , 2015 , 17, 87-93	2.6	15
54	Endothelin-1 gene polymorphisms influence cerebrospinal fluid endothelin-1 levels following aneurysmal subarachnoid hemorrhage. <i>Biological Research for Nursing</i> , 2015 , 17, 185-90	2.6	5
53	Neurogenetic and Neuroimaging Evidence for a Conceptual Model of Dopaminergic Contributions to Obesity. <i>Biological Research for Nursing</i> , 2015 , 17, 413-21	2.6	6
52	Genetic markers in the EET metabolic pathway are associated with outcomes in patients with aneurysmal subarachnoid hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015 , 35, 267-76	7.3	18
51	Symptoms of attention-deficit hyperactivity disorder, nonsyndromic orofacial cleft children, and dopamine polymorphisms: a pilot study. <i>Biological Research for Nursing</i> , 2015 , 17, 257-62	2.6	3
50	Emerging areas of science: Recommendations for Nursing Science Education from the Council for the Advancement of Nursing Science Idea Festival. <i>Nursing Outlook</i> , 2015 , 63, 398-407	2.7	48
49	Predisposition to Childhood Otitis Media and Genetic Polymorphisms within the Toll-Like Receptor 4 (TLR4) Locus. <i>PLoS ONE</i> , 2015 , 10, e0132551	3.7	28
48	Interleukin 6 and apolipoprotein E as predictors of acute brain dysfunction and survival in critical care patients. <i>American Journal of Critical Care</i> , 2014 , 23, 49-57	1.7	23
47	Haptoglobin genotype and functional outcome after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2014 , 120, 386-90	3.2	36
46	Mitochondrial polymorphisms impact outcomes after severe traumatic brain injury. <i>Journal of Neurotrauma</i> , 2014 , 31, 34-41	5.4	25
45	IL-1 β associations with posttraumatic epilepsy development: a genetics and biomarker cohort study. <i>Epilepsia</i> , 2014 , 55, 1109-19	6.4	88
44	Rare and common variants in extracellular matrix gene Fibrillin 2 (FBN2) are associated with macular degeneration. <i>Human Molecular Genetics</i> , 2014 , 23, 5827-37	5.6	34
43	The influence of genetic variants on striatal dopamine transporter and D2 receptor binding after TBI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014 , 34, 1328-39	7.3	48
42	Endophenotypes for Age-Related Macular Degeneration: Extending Our Reach into the Preclinical Stages of Disease. <i>Journal of Clinical Medicine</i> , 2014 , 3, 1335-56	5.1	8
41	In response to comments on IL-1 β associations with posttraumatic epilepsy development: a genetics and biomarker cohort study. <i>Epilepsia</i> , 2014 , 55, 1313-4	6.4	4

40	Association between serotonin transport polymorphisms and postdischarge nausea and vomiting in women following breast cancer surgery. <i>Oncology Nursing Forum</i> , 2014 , 41, 195-202	1.7	10
39	Apolipoprotein E genotype and cognitive function in postmenopausal women with early-stage breast cancer. <i>Oncology Nursing Forum</i> , 2014 , 41, E313-25	1.7	39
38	Cerebral vasospasm after sub-arachnoid hemorrhage as a clinical predictor and phenotype for genetic association study. <i>International Journal of Stroke</i> , 2013 , 8, 620-5	6.3	10
37	Variation in endoglin pathway genes is associated with preeclampsia: a case-control candidate gene association study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 82	3.2	23
36	Influence of ATP-binding cassette polymorphisms on neurological outcome after traumatic brain injury. <i>Neurocritical Care</i> , 2013 , 19, 192-8	3.3	22
35	The associations between OPRM 1 and COMT genotypes and postoperative pain, opioid use, and opioid-induced sedation. <i>Biological Research for Nursing</i> , 2013 , 15, 309-17	2.6	43
34	Variants of SLC6A4 in depression risk following severe TBI. <i>Brain Injury</i> , 2013 , 27, 696-706	2.1	30
33	The utility of breastmilk for genetic or genomic studies: a systematic review. <i>Breastfeeding Medicine</i> , 2013 , 8, 249-56	2.1	4
32	Psychometric evaluation of the Epworth sleepiness scale in an obstetric population. <i>Sleep Medicine</i> , 2013 , 14, 116-21	4.6	28
31	Genetic variability in glutamic acid decarboxylase genes: associations with post-traumatic seizures after severe TBI. <i>Epilepsy Research</i> , 2013 , 103, 180-94	3	44
30	Seven new loci associated with age-related macular degeneration. <i>Nature Genetics</i> , 2013 , 45, 433-9, 439e1-3	6.3	577
29	The association of CYP2D6 genotype and postoperative nausea and vomiting in orthopedic trauma patients. <i>Biological Research for Nursing</i> , 2013 , 15, 382-9	2.6	25
28	Identification of a rare coding variant in complement 3 associated with age-related macular degeneration. <i>Nature Genetics</i> , 2013 , 45, 1375-9	36.3	130
27	A systematic review of endoglin gene expression in preeclampsia. <i>Biological Research for Nursing</i> , 2013 , 15, 129-36	2.6	3
26	Endothelin-1 and endothelin receptor gene variants and their association with negative outcomes following aneurysmal subarachnoid hemorrhage. <i>Biological Research for Nursing</i> , 2013 , 15, 390-7	2.6	13
25	Current and emerging technology approaches in genomics. <i>Journal of Nursing Scholarship</i> , 2013 , 45, 5-14	3.6	21
24	Impact of aromatase genetic variation on hormone levels and global outcome after severe TBI. <i>Journal of Neurotrauma</i> , 2013 , 30, 1415-25	5.4	35
23	A Conceptual Model of Psychoneurological Symptom Cluster Variation in Women with Breast Cancer: Bringing Nursing Research to Personalized Medicine. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2013 , 11, 224-230	0.4	23

22	Symptom Cluster Research in Women with Breast Cancer: A Comparison of Three Subgrouping Techniques. <i>Advances in Breast Cancer Research</i> , 2013 , 2, 107-113	0.1	11
21	Association of KIBRA rs17070145 polymorphism and episodic memory in individuals with severe TBI. <i>Brain Injury</i> , 2012 , 26, 1658-69	2.1	24
20	Variations in discovery-based preeclampsia candidate genes. <i>Clinical and Translational Science</i> , 2012 , 5, 333-9	4.9	8
19	Complement factor H genetic variant and age-related macular degeneration: effect size, modifiers and relationship to disease subtype. <i>International Journal of Epidemiology</i> , 2012 , 41, 250-62	7.8	70
18	Genomic, transcriptomic, and epigenomic approaches to recovery after acquired brain injury. <i>PM and R</i> , 2011 , 3, S52-8	2.2	12
17	Molecular genomic research designs. <i>Annual Review of Nursing Research</i> , 2011 , 29, 1-26	0.7	12
16	Strategies to prepare faculty to integrate genomics into nursing education programs. <i>Journal of Nursing Scholarship</i> , 2011 , 43, 231-8	3.6	11
15	Gene expression profiling for discovery of novel targets in human traumatic brain injury. <i>Biological Research for Nursing</i> , 2011 , 13, 140-53	2.6	13
14	Associations between genetic polymorphisms of insulin-like growth factor axis genes and risk for age-related macular degeneration 2011 , 52, 9099-107		17
13	Variants of the adenosine A(2A) receptor gene are protective against proliferative diabetic retinopathy in patients with type 1 diabetes. <i>Ophthalmic Research</i> , 2011 , 46, 1-8	2.9	12
12	The association of cataract with leukocyte telomere length in older adults: defining a new marker of aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 639-45	6.4	18
11	Gene expression in first trimester preeclampsia placenta. <i>Biological Research for Nursing</i> , 2011 , 13, 134-92.6		22
10	Dissection of chromosome 16p12 linkage peak suggests a possible role for CACNG3 variants in age-related macular degeneration susceptibility 2011 , 52, 1748-54		8
9	The future of genomic nursing research. <i>Journal of Nursing Scholarship</i> , 2007 , 39, 17-24	3.6	18
8	CFH, ELOVL4, PLEKHA1 and LOC387715 genes and susceptibility to age-related maculopathy: AREDS and CHS cohorts and meta-analyses. <i>Human Molecular Genetics</i> , 2006 , 15, 3206-18	5.6	135
7	Candidate gene analysis suggests a role for fatty acid biosynthesis and regulation of the complement system in the etiology of age-related maculopathy. <i>Human Molecular Genetics</i> , 2005 , 14, 1991-2002	5.6	128
6	Genetics and type 1 diabetes: online resources for diabetes educators. <i>The Diabetes Educator</i> , 2004 , 30, 961-71	2.5	0
5	Qualitative and quantitative detection of mitochondrial heteroplasmy in cerebrospinal fluid using denaturing high-performance liquid chromatography. <i>Brain Research Protocols</i> , 2003 , 12, 99-103		15

4	The genetics of age-related macular degeneration. <i>Medsurg Nursing: Official Journal of the Academy of Medical-Surgical Nurses</i> , 2003 , 12, 238-41, 259	0
3	Exploring calcium level disorders. Looking through the genetic window for new treatment clues. <i>Nursing for Women's Health</i> , 2002 , 6, 424-9	
2	X-linked exudative vitreoretinopathy caused by an arginine to leucine substitution (R121L) in the Norrie disease protein. <i>Clinical Genetics</i> , 1996 , 50, 113-5	4 13
1	Utilization of Epigenome-wide DNA Methylation for Longitudinal Comparison of White Blood Cell Proportions Across Preeclamptic and Normotensive Pregnancy by Self-Reported Race	1