

# Ferran Escalada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3251166/publications.pdf>

Version: 2024-02-01

15  
papers

474  
citations

759055

12  
h-index

996849

15  
g-index

15  
all docs

15  
docs citations

15  
times ranked

724  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcopenia According to the Revised European Consensus on Definition and Diagnosis (EWGSOP2) Criteria Predicts Hospitalizations and Long-Term Mortality in Rehabilitation Patients With Stable Chronic Obstructive Pulmonary Disease. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1047-1049.	1.2	28
2	Ultrasound assessment of rectus femoris muscle in rehabilitation patients with chronic obstructive pulmonary disease screened for sarcopenia: correlation of muscle size with quadriceps strength and fat-free mass. <i>European Geriatric Medicine</i> , 2019, 10, 89-97.	1.2	16
3	Malnutrition according to ESPEN consensus predicts hospitalizations and long-term mortality in rehabilitation patients with stable chronic obstructive pulmonary disease. <i>Clinical Nutrition</i> , 2019, 38, 2180-2186.	2.3	46
4	Malnutrition according to ESPEN definition predicts long-term mortality in general older population: Findings from the EPIDOS study-Toulouse cohort. <i>Clinical Nutrition</i> , 2019, 38, 2652-2658.	2.3	26
5	ASPEN-AND-ESPEN: A postacute-care comparison of the basic definition of malnutrition from the American Society of Parenteral and Enteral Nutrition and Academy of Nutrition and Dietetics with the European Society for Clinical Nutrition and Metabolism definition. <i>Clinical Nutrition</i> , 2019, 38, 297-302.	2.3	26
6	Prospective study of shoulder strength, shoulder range of motion, and lymphedema in breast cancer patients from pre-surgery to 5 years after ALND or SLNB. <i>Supportive Care in Cancer</i> , 2018, 26, 3277-3287.	1.0	34
7	Clinical application of the basic definition of malnutrition proposed by the European Society for Clinical Nutrition and Metabolism (ESPEN): Comparison with classical tools in geriatric care. <i>Archives of Gerontology and Geriatrics</i> , 2018, 76, 210-214.	1.4	19
8	Malnutrition in postacute geriatric care: Basic ESPEN diagnosis and etiology based diagnoses analyzed by length of stay, in-hospital mortality, and functional rehabilitation indexes. <i>Archives of Gerontology and Geriatrics</i> , 2017, 73, 169-176.	1.4	22
9	Prevalence of malnutrition and sarcopenia in a post-acute care geriatric unit: Applying the new ESPEN definition and EWGSOP criteria. <i>Clinical Nutrition</i> , 2017, 36, 1339-1344.	2.3	62
10	The PSSMAR study. Postacute sarcopenia: Supplementation with $\beta$ -hydroxyMethylbutyrate after resistance training: Study protocol of a randomized, double-blind controlled trial. <i>Maturitas</i> , 2016, 94, 117-124.	1.0	4
11	Does gait speed contribute to sarcopenia case-finding in a postacute rehabilitation setting?. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 176-181.	1.4	22
12	Inspiratory and expiratory muscle training in subacute stroke. <i>Neurology</i> , 2015, 85, 564-572.	1.5	56
13	Sarcopenia, physical rehabilitation and functional outcomes of patients in a subacute geriatric care unit. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 39-43.	1.4	66
14	Effects of information and training provision in satisfaction of patients and carers in stroke rehabilitation. <i>NeuroRehabilitation</i> , 2013, 33, 639-647.	0.5	12
15	Usefulness of the volume-viscosity swallow test for screening dysphagia in subacute stroke patients in rehabilitation income. <i>NeuroRehabilitation</i> , 2013, 33, 631-638.	0.5	35