Sanjaya K Gupta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3252260/publications.pdf

Version: 2024-02-01

1478505 1474206 12 126 9 6 citations h-index g-index papers 13 13 13 100 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Transvenous Phrenic Nerve Stimulation for Treatment of Central Sleep Apnea: Five-Year Safety and Efficacy Outcomes. Nature and Science of Sleep, 2021, Volume 13, 515-526.	2.7	30
2	Prevention and Treatment of Atrial Fibrillation via Risk Factor Modification. American Journal of Cardiology, 2021, 160, 46-52.	1.6	24
3	Safety and Clinical Impact of MRI in Patients with Non–MRI-conditional Cardiac Devices. Radiology: Cardiothoracic Imaging, 2020, 2, e200086.	2.5	19
4	How to implant a phrenic nerve stimulator for treatment of central sleep apnea?. Journal of Cardiovascular Electrophysiology, 2019, 30, 792-799.	1.7	18
5	Meta-Analysis Comparing Outcomes of Therapies for Patients With Central Sleep Apnea and Heart Failure With Reduced Ejection Fraction. American Journal of Cardiology, 2020, 127, 73-83.	1.6	16
6	Comparative outcomes of vascular access closure methods following atrial fibrillation/flutter catheter ablation: insights from VAscular Closure for Cardiac Ablation Registry. Journal of Interventional Cardiac Electrophysiology, 2022, 64, 301-310.	1.3	9
7	A novel technique for extraction of a leadless pacemaker that embolized to the pulmonary artery in a young patient: A case report. HeartRhythm Case Reports, 2020, 6, 724-728.	0.4	5
8	Outcomes using a single tapered dilator for Micra leadless pacemaker implant. Indian Pacing and Electrophysiology Journal, 2020, 20, 105-111.	0.6	3
9	Successful Subcutaneous Defibrillator Implantation in a Pregnant Patient With Long QT Syndrome. JACC: Case Reports, 2021, 3, 504-507.	0.6	2
10	Coronary Sinus Lead Placement in Patients With Coronary Sinus Ostial Atresia. JACC: Case Reports, 2021, 3, 614-618.	0.6	0
11	Prospective evaluation of the effect of smartphone electrocardiogram usage on anticoagulant medication compliance. Journal of Interventional Cardiac Electrophysiology, 2022, , 1.	1.3	0
12	Outcome of MRI in Patients with Nonconditional Devices with Mismatch between Manufacturer of Leads and Generator. Radiology: Cardiothoracic Imaging, 2022, 4, .	2.5	0