

# Daniel L Merrifield

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3252604/publications.pdf>

Version: 2024-02-01

71  
papers

7,943  
citations

57719

44  
h-index

91828

69  
g-index

91  
all docs

91  
docs citations

91  
times ranked

4957  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary supplementation with a specific mannan-rich yeast parietal fraction enhances the gut and skin mucosal barriers of Atlantic salmon ( <i>Salmo salar</i> ) and reduces its susceptibility to sea lice ( <i>Lepeophtheirus salmonis</i> ). <i>Aquaculture</i> , 2020, 529, 735701.	1.7	13
2	White spot syndrome virus (WSSV) disturbs the intestinal microbiota of shrimp ( <i>Penaeus vannamei</i> ) reared in biofloc and clear seawater. <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 8007-8023.	1.7	14
3	Exploring intestinal microbiome composition in three Indian major carps under polyculture system: A high-throughput sequencing based approach. <i>Aquaculture</i> , 2020, 524, 735206.	1.7	18
4	Dietary probiotic <i>Pediococcus acidilactici</i> MA18/5M modulates the intestinal microbiota and stimulates intestinal immunity in rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Journal of the World Aquaculture Society</i> , 2019, 50, 1133-1151.	1.2	41
5	Autochthonous probiotic bacteria modulate intestinal microbiota of Pirarucu, <i>Arapaima gigas</i> . <i>Journal of the World Aquaculture Society</i> , 2019, 50, 1152-1167.	1.2	9
6	Influence of Dietary Supplementation of Probiotic <i>Pediococcus acidilactici</i> MA18/5M During the Transition From Freshwater to Seawater on Intestinal Health and Microbiota of Atlantic Salmon ( <i>Salmo salar</i> L.). <i>Frontiers in Microbiology</i> , 2019, 10, 2243.	1.5	45
7	Selection of carbohydrate-active probiotics from the gut of carnivorous fish fed plant-based diets. <i>Scientific Reports</i> , 2019, 9, 6384.	1.6	40
8	Probiotic Applications for Finfish Aquaculture. , 2018, , 197-217.		12
9	Effects of Lactogen 13, a New Probiotic Preparation, on Gut Microbiota and Endocrine Signals Controlling Growth and Appetite of <i>Oreochromis niloticus</i> Juveniles. <i>Microbial Ecology</i> , 2018, 76, 1063-1074.	1.4	23
10	Influence of Probiotics Administration on Gut Microbiota Core. <i>Journal of Clinical Gastroenterology</i> , 2018, 52, S50-S56.	1.1	39
11	<i>In vitro</i> selection of a synbiotic and <i>in vivo</i> evaluation on intestinal microbiota, performance and physiological response of rainbow trout ( <i>Oncorhynchus mykiss</i> ) fingerlings. <i>Aquaculture Nutrition</i> , 2017, 23, 111-118.	1.1	76
12	Alternative Protein Sources in the Diet Modulate Microbiota and Functionality in the Distal Intestine of Atlantic Salmon ( <i>Salmo salar</i> ). <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	142
13	Dietary lipid content reorganizes gut microbiota and probiotic <i>L. rhamnosus</i> attenuates obesity and enhances catabolic hormonal milieu in zebrafish. <i>Scientific Reports</i> , 2017, 7, 5512.	1.6	83
14	Effect of fishmeal and fish oil replacement by vegetable meals and oils on gut health of European sea bass ( <i>Dicentrarchus labrax</i> ). <i>Aquaculture</i> , 2017, 468, 386-398.	1.7	111
15	Probiotic treatment reduces appetite and glucose level in the zebrafish model. <i>Scientific Reports</i> , 2016, 6, 18061.	1.6	85
16	Combined effects of exogenous enzymes and probiotic on Nile tilapia ( <i>Oreochromis niloticus</i> ) growth, intestinal morphology and microbiome. <i>Aquaculture</i> , 2016, 463, 61-70.	1.7	102
17	A high-resolution map of the gut microbiota in Atlantic salmon ( <i>Salmo salar</i> ): A basis for comparative gut microbial research. <i>Scientific Reports</i> , 2016, 6, 30893.	1.6	246
18	Effects of dietary <i>Nutrafito Plus</i> on growth, haematological parameters and total ammonia-nitrogen excretion of juvenile striped catfish <i>Pangasianodon hypophthalmus</i> . <i>Aquaculture Research</i> , 2016, 47, 1770-1777.	0.9	10

#	ARTICLE	IF	CITATIONS
19	Effects of rearing temperature and dietary short-chain fructooligosaccharides supplementation on allochthonous gut microbiota, digestive enzymes activities and intestine health of turbot ( <i>Scophthalmus maximus</i> ) juveniles. <i>Aquaculture Nutrition</i> , 2016, 22, 631-642.	1.1	28
20	Effect of dietary components on the gut microbiota of aquatic animals. A never-ending story?. <i>Aquaculture Nutrition</i> , 2016, 22, 219-282.	1.1	476
21	Hydrolysed wheat gluten as part of a diet based on animal and plant proteins supports good growth performance of Asian seabass ( <i>Lates calcarifer</i> ), without impairing intestinal morphology or microbiota. <i>Aquaculture</i> , 2016, 453, 40-48.	1.7	73
22	Supplementation of formulated diets for tilapia ( <i>Oreochromis niloticus</i> ) with selected exogenous enzymes: Overall performance and effects on intestinal histology and microbiota. <i>Animal Feed Science and Technology</i> , 2016, 215, 133-143.	1.1	83
23	Dietary administration of a commercial mixed-species probiotic improves growth performance and modulates the intestinal immunity of tilapia, <i>Oreochromis niloticus</i> . <i>Fish and Shellfish Immunology</i> , 2016, 49, 427-435.	1.6	138
24	First report on the autochthonous gut microbiota of brown trout ( <i>Salmo trutta</i> Linnaeus). <i>Aquaculture Research</i> , 2015, 46, 2962-2971.	0.9	30
25	The fish microbiome and its interactions with mucosal tissues. , 2015, , 273-295.		111
26	Effects of short-chain fructooligosaccharides on growth performance and hepatic intermediary metabolism in turbot ( <i>Scophthalmus maximus</i> ) reared at winter and summer temperatures. <i>Aquaculture Nutrition</i> , 2015, 21, 433-443.	1.1	18
27	Modulation of the intestinal microbiota and morphology of tilapia, <i>Oreochromis niloticus</i> , following the application of a multi-species probiotic. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 8403-8417.	1.7	131
28	<i>Lactobacillus rhamnosus</i> lowers zebrafish lipid content by changing gut microbiota and host transcription of genes involved in lipid metabolism. <i>Scientific Reports</i> , 2015, 5, 9336.	1.6	194
29	The autochthonous microbiota of the freshwater omnivores jundiá ( <i>Rhamdia quelen</i> ) and tilapia ( <i>Oreochromis niloticus</i> ) and the effect of dietary carbohydrates. <i>Aquaculture Research</i> , 2015, 46, 472-481.	0.9	24
30	Dietary modulation of immune response and related gene expression profiles in mirror carp ( <i>Cyprinus</i> ) Tj ETQq0 0 QrgBT /Overlock 10 T	1.7	10
31	The Influence of Probiotics on Zebrafish <i>Danio Rerio</i> Innate Immunity and Hepatic Stress. <i>Zebrafish</i> , 2014, 11, 98-106.	0.5	66
32	Effects of dietary (1,3)(1,6)-D-glucan supplementation on growth performance, intestinal morphology and haematological and immunological profile of mirror carp ( <i>Cyprinus carpio</i> L.). <i>Journal of Animal Physiology and Animal Nutrition</i> , 2014, 98, 279-289.	1.0	95
33	Evaluation of feed utilization and growth performance of juvenile striped catfish <i>Pangasianodon hypophthalmus</i> fed diets with varying inclusion levels of corn gluten meal. <i>Aquaculture Nutrition</i> , 2013, 19, 258-266.	1.1	15
34	Replacement of fishmeal with rice protein concentrate in practical diets for European sea bass <i>Dicentrarchus labrax</i> reared at winter temperatures. <i>Aquaculture Research</i> , 2013, 44, 462-471.	0.9	23
35	The effect of different feeding regimes on enzyme activities of gut microbiota in Atlantic cod ( <i>Gadus morhua</i> ). <i>Aquaculture Research</i> , 2013, 44, 841-846.	0.9	33
36	Ingestion of metal-nanoparticle contaminated food disrupts endogenous microbiota in zebrafish ( <i>Danio rerio</i> ). <i>Environmental Pollution</i> , 2013, 174, 157-163.	3.7	115

#	ARTICLE	IF	CITATIONS
37	Probiotic <i>Pediococcus acidilactici</i> modulates both localised intestinal- and peripheral-immunity in tilapia ( <i>Oreochromis niloticus</i> ). <i>Fish and Shellfish Immunology</i> , 2013, 35, 1097-1104.	1.6	164
38	Dietary synbiotic application modulates Atlantic salmon ( <i>Salmo salar</i> ) intestinal microbial communities and intestinal immunity. <i>Fish and Shellfish Immunology</i> , 2013, 35, 1948-1956.	1.6	160
39	Probiotic, prebiotic and synbiotic applications for the improvement of larval European lobster ( <i>Homarus gammarus</i> ) culture. <i>Aquaculture</i> , 2013, 416-417, 396-406.	1.7	52
40	Effect of autoclaved <i>Ulva</i> meal on growth performance, nutrient utilization and fatty acid profile of rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Aquaculture International</i> , 2013, 21, 605-615.	1.1	46
41	Genetic diversity of lactic acid bacteria in the intestine of Persian sturgeon fingerlings. <i>Journal of Applied Ichthyology</i> , 2013, 29, 494-498.	0.3	8
42	Effects of a dietary Î²-(1,3)(1,6)-D-glucan supplementation on intestinal microbial communities and intestinal ultrastructure of mirror carp ( <i>Cyprinus carpio</i> L.). <i>Journal of Applied Microbiology</i> , 2013, 115, 1091-1106.	1.4	58
43	Probiotics Can Induce Follicle Maturational Competence: The <i>Danio rerio</i> Case 1. <i>Biology of Reproduction</i> , 2012, 86, 65.	1.2	71
44	Biofuel derived yeast protein concentrate (YPC) as a novel feed ingredient in carp diets. <i>Aquaculture</i> , 2012, 330-333, 54-62.	1.7	31
45	Dietary supplementation of fructooligosaccharide (FOS) improves the innate immune response, stress resistance, digestive enzyme activities and growth performance of Caspian roach ( <i>Rutilus rutilus</i> ) fry. <i>Fish and Shellfish Immunology</i> , 2012, 32, 316-321.	1.6	193
46	Haemato-immunological and growth response of mirror carp ( <i>Cyprinus carpio</i> ) fed a tropical earthworm meal in experimental diets. <i>Fish and Shellfish Immunology</i> , 2012, 32, 1002-1007.	1.6	24
47	Effects of fish oil and partial fish meal substitution with oilseed oils and meals on growth performance, nutrient utilization and health of the rainbow trout <i>Oncorhynchus mykiss</i> . <i>Aquaculture International</i> , 2012, 20, 481-497.	1.1	13
48	The effects of dietary inactive brewer's yeast <i>Saccharomyces cerevisiae</i> var. <i>ellipsoideus</i> on the growth, physiological responses and gut microbiota of juvenile beluga ( <i>Huso huso</i> ). <i>Aquaculture</i> , 2011, 318, 90-94.	1.7	121
49	Microbial manipulations to improve fish health and production – A Mediterranean perspective. <i>Fish and Shellfish Immunology</i> , 2011, 30, 1-16.	1.6	362
50	Expression of immune-related genes in rainbow trout ( <i>Oncorhynchus mykiss</i> ) induced by probiotic bacteria during <i>Lactococcus garvieae</i> infection. <i>Fish and Shellfish Immunology</i> , 2011, 31, 196-201.	1.6	193
51	Effect of dietary <i>Ulva</i> and <i>Spirulina</i> on weight loss and body composition of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), during a starvation period. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2011, 95, 320-327.	1.0	68
52	Assessment of the effects of vegetative and lyophilized <i>Pediococcus acidilactici</i> on growth, feed utilization, intestinal colonization and health parameters of rainbow trout ( <i>Oncorhynchus mykiss</i> )	1.1	110
53	The effects of oligofructose on growth performance, survival and autochthonous intestinal microbiota of beluga ( <i>Huso huso</i> ) juveniles. <i>Aquaculture Nutrition</i> , 2011, 17, 498-504.	1.1	82
54	Identification and characterization of lactic acid bacteria isolated from rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), with inhibitory activity against <i>Lactococcus garvieae</i> . <i>Journal of Fish Diseases</i> , 2011, 34, 499-507.	0.9	107

#	ARTICLE	IF	CITATIONS
55	The study of some haematological and serum biochemical parameters of juvenile beluga ( <i>Huso huso</i> ) fed oligofructose. <i>Fish Physiology and Biochemistry</i> , 2011, 37, 91-96.	0.9	89
56	Effect of dietary alginic acid on juvenile tilapia ( <i>Oreochromis niloticus</i> ) intestinal microbial balance, intestinal histology and growth performance. <i>Cell and Tissue Research</i> , 2011, 344, 135-146.	1.5	57
57	Probiotic applications for rainbow trout ( <i>Oncorhynchus mykiss</i> Walbaum) II. Effects on growth performance, feed utilization, intestinal microbiota and related health criteria postantibiotic treatment. <i>Aquaculture Nutrition</i> , 2010, 16, 496-503.	1.1	190
58	Probiotic applications for rainbow trout ( <i>Oncorhynchus mykiss</i> Walbaum) I. Effects on growth performance, feed utilization, intestinal microbiota and related health criteria. <i>Aquaculture Nutrition</i> , 2010, 16, 504-510.	1.1	129
59	The effects of inulin on growth factors and survival of the Indian white shrimp larvae and postlarvae ( <i>Fenneropenaeus indicus</i> ). <i>Aquaculture Research</i> , 2010, 41, e348-e352.	0.9	48
60	The effect of <i>Pediococcus acidilactici</i> on the gut microbiota and immune status of on-growing red tilapia ( <i>Oreochromis niloticus</i> ). <i>Journal of Applied Microbiology</i> , 2010, 109, 851-862.	1.4	192
61	Assessment of <i>Chlorogloeopsis</i> as a novel microbial dietary supplement for red tilapia ( <i>Oreochromis</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 14	1.7	40
62	Effects of mannan oligosaccharide (MOS) supplementation on growth performance, feed utilisation, intestinal histology and gut microbiota of gilthead sea bream ( <i>Sparus aurata</i> ). <i>Aquaculture</i> , 2010, 300, 182-188.	1.7	279
63	The current status and future focus of probiotic and prebiotic applications for salmonids. <i>Aquaculture</i> , 2010, 302, 1-18.	1.7	747
64	Effect of dietary <i>Bacillus</i> spp. and mannan oligosaccharides (MOS) on European lobster ( <i>Homarus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14	1.7	185
65	Influence of <i>Ulva</i> meal on growth, feed utilization, and body composition of juvenile Nile tilapia ( <i>Oreochromis niloticus</i> ) at two levels of dietary lipid. <i>Aquaculture International</i> , 2009, 17, 355-361.	1.1	102
66	Soybean meal alters autochthonous microbial populations, microvilli morphology and compromises intestinal enterocyte integrity of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). <i>Journal of Fish Diseases</i> , 2009, 32, 755-766.	0.9	186
67	Microbial community diversity associated with the intestinal mucosa of farmed rainbow trout ( <i>Oncorhynchus mykiss</i> Walbaum). <i>Aquaculture Research</i> , 2009, 40, 1064-1072.	0.9	91
68	Possible influence of probiotic adhesion to intestinal mucosa on the activity and morphology of rainbow trout ( <i>Oncorhynchus mykiss</i> ) enterocytes. <i>Aquaculture Research</i> , 2009, 41, 1268.	0.9	49
69	Dietary mannan oligosaccharide supplementation modulates intestinal microbial ecology and improves gut morphology of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum). <i>Journal of Animal Science</i> , 2009, 87, 3226-3234.	0.2	311
70	Preliminary assessment of dietary supplementation of Sangrovit® on red tilapia ( <i>Oreochromis</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14	1.7	124
71	Evaluation of Prebiotic and Probiotic Effects on the Intestinal Gut Microbiota and Histology of Atlantic salmon ( <i>Salmo salar</i> L.). <i>Journal of Aquaculture Research &amp; Development</i> , 0, s1, .	0.4	19