Wonsik Eom

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3253722/publications.pdf

Version: 2024-02-01

516215 580395 1,315 25 25 16 h-index citations g-index papers 25 25 25 1546 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Holey graphene oxide membranes containing both nanopores and nanochannels for highly efficient harvesting of water evaporation energy. Chemical Engineering Journal, 2022, 430, 132759.	6.6	30
2	Highly Electroconductive and Mechanically Strong Ti ₃ C ₂ T _{<i>x</i>} MXene Fibers Using a Deformable MXene Gel. ACS Nano, 2021, 15, 3320-3329.	7.3	177
3	Carbon nanotube-reduced graphene oxide fiber with high torsional strength from rheological hierarchy control. Nature Communications, 2021, 12, 396.	5. 8	29
4	Photoâ€Triggered Shape Reconfiguration in Stretchable Reduced Graphene Oxideâ€Patterned Azobenzeneâ€Functionalized Liquid Crystalline Polymer Networks. Advanced Functional Materials, 2021, 31, 2102106.	7.8	14
5	Photonic split-second induced mesoporous TiO2-Graphene architectures for efficient sodium-ion batteries. Carbon, 2021, 178, 332-344.	5.4	19
6	Microstructure-Controlled Polyacrylonitrile/Graphene Fibers over 1 Gigapascal Strength. ACS Nano, 2021, 15, 13055-13064.	7.3	14
7	Effect of metal/metal oxide catalysts on graphene fiber for improved NO2 sensing. Sensors and Actuators B: Chemical, 2021, 344, 130231.	4.0	15
8	Super-Expansion of Assembled Reduced Graphene Oxide Interlayers by Segregation of Al Nanoparticle Pillars for High-Capacity Na-Ion Battery Anodes. ACS Applied Materials & Samp; Interfaces, 2020, 12, 23781-23788.	4.0	16
9	Large-scale wet-spinning of highly electroconductive MXene fibers. Nature Communications, 2020, 11, 2825.	5.8	212
10	Highly Self-Healable Polymeric Blend Synthesized Using Polymeric Glue with Outstanding Mechanical Properties. Macromolecules, 2020, 53, 2279-2286.	2.2	24
11	Graphene Foam Cantilever Produced via Simultaneous Foaming and Doping Effect of an Organic Coagulant. ACS Applied Materials & Samp; Interfaces, 2020, 12, 10763-10771.	4.0	9
12	Room-Temperature, Highly Durable Ti ₃ C ₂ T _{<i>x</i>} (i>x MXene/Graphene Hybrid Fibers for NH ₃ Gas Sensing. ACS Applied Materials & Samp; Interfaces, 2020, 12, 10434-10442.	4.0	247
13	Aqueous-processable surface modified graphite with manganese oxide for lithium-ion battery anode. Applied Surface Science, 2020, 526, 146720.	3.1	3
14	Graphene quantum dots/graphene fiber nanochannels for osmotic power generation. Journal of Materials Chemistry A, 2019, 7, 23727-23732.	5.2	30
15	Kinetically controlled low-temperature solution-processed mesoporous rutile TiO2 for high performance lithium-ion batteries. Journal of Industrial and Engineering Chemistry, 2019, 80, 667-676.	2.9	15
16	The effect of diverse metal oxides in graphene composites on the adsorption isotherm of gaseous benzene. Environmental Research, 2019, 172, 367-374.	3.7	36
17	Rapid gas-induced detachable rGO/MnO debonding layer for flexible electronic applications. Carbon, 2019, 146, 756-762.	5.4	3
18	Porous Graphene-Carbon Nanotube Scaffolds for Fiber Supercapacitors. ACS Applied Materials & Samp; Interfaces, 2019, 11, 9011-9022.	4.0	79

Wonsik Eom

#	Article	IF	CITATION
19	Joule heating-induced sp2-restoration in graphene fibers. Carbon, 2019, 142, 230-237.	5.4	46
20	Dynamic assembly of liquid crystalline graphene oxide gel fibers for ion transport. Science Advances, 2018, 4, eaau2104.	4.7	90
21	2D Ti ₃ C ₂ MXene/WO ₃ Hybrid Architectures for Highâ€Rate Supercapacitors. Advanced Materials Interfaces, 2018, 5, 1801361.	1.9	95
22	Strengthening and Stiffening Graphene Oxide Fiber with Trivalent Metal Ion Binders. Particle and Particle Systems Characterization, 2017, 34, 1600401.	1.2	24
23	High-Temperature Stable Anatase Titanium Oxide Nanofibers for Lithium-lon Battery Anodes. ACS Applied Materials & Diterfaces, 2017, 9, 25332-25338.	4.0	17
24	Grapheneâ€Mimicking 2D Porous Co ₃ O ₄ Nanofoils for Lithium Battery Applications. Advanced Functional Materials, 2016, 26, 7605-7613.	7.8	68
25	Chemical Stability of Basalt Fiber in Acid Solutions. Textile Science and Engineering, 2013, 50, 247-251.	0.4	3