

Mario Amalfi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3253879/publications.pdf>

Version: 2024-02-01

22

papers

438

citations

759233

12

h-index

713466

21

g-index

24

all docs

24

docs citations

24

times ranked

515

citing authors

#	ARTICLE	IF	CITATIONS
1	Palaeotropical origins, boreotropical distribution and increased rates of diversification in a clade of edible ectomycorrhizal mushrooms (<i>Amanita</i> section <i>Caesareae</i>). <i>Journal of Biogeography</i> , 2015, 42, 351-363.	3.0	57
2	< i>Perenniporiella chaquenia sp. nov. and further notes on < i>Perenniporiella and its relationships with < i>Perenniporia (Porales, Basidiomycota). <i>Mycologia</i> , 2009, 101, 657-673.	1.9	51
3	Fomitiporia in sub-Saharan Africa: morphology and multigene phylogenetic analysis support three new species from the Guineo-Congolian rainforest. <i>Mycologia</i> , 2010, 102, 1303-1317.	1.9	39
4	Fomitiporia cupressicola sp. nov., a parasite on Cupressus arizonica, and additional unnamed clades in the southern USA and northern Mexico, determined by multilocus phylogenetic analyses. <i>Mycologia</i> , 2012, 104, 880-893.	1.9	31
5	Two undescribed species of Phylloporia from Mexico based on morphological and phylogenetic evidence. <i>Mycological Progress</i> , 2011, 10, 341-349.	1.4	29
6	New and Interesting < i>Cantharellus from Tropical Africa. <i>Cryptogamie, Mycologie</i> , 2016, 37, 283-327.	1.0	28
7	Phylloporia nouraguensis, an Undescribed Species on Myrtaceae from French Guiana. <i>Cryptogamie, Mycologie</i> , 2013, 34, 15.	1.0	26
8	< i>Fomitiporia castilloi sp. nov. and multiple clades around < i>F. apiahyna and < i>F. texana in Meso- and South America evidenced by multiloci phylogenetic inferences. <i>Mycologia</i> , 2013, 105, 873-887.	1.9	23
9	Poroid Hymenochaetaceae from Guineoâ€“Congolian rainforest: <i>Phellinus gabonensis</i> sp. nov. from Gabon â€“ taxonomy and phylogenetic relationships. <i>Mycological Progress</i> , 2011, 10, 351-362.	1.4	19
10	Fomitiporia neotropica, a new species from South America evidenced by multilocus phylogenetic analyses. <i>Mycological Progress</i> , 2014, 13, 601-615.	1.4	19
11	Hymenochaetaceae from the Guineo-Congolian rainforest: three new species of < i>Phylloporia based on morphological, DNA sequences and ecological data. <i>Mycologia</i> , 2015, 107, 996-1011.	1.9	18
12	Two new species of Amanita sect. Phalloideae from Africa, one of which is devoid of amatoxins and phallotoxins. <i>MycoKeys</i> , 2019, 53, 93-125.	1.9	18
13	Coltriciella sonorensis sp. nov. (Basidiomycota, Hymenochaetales) from Mexico: evidence from morphology and DNA sequence data.. <i>Mycological Progress</i> , 2012, 11, 181-189.	1.4	12
14	Fomitiporia baccharidis comb. nov., a little known species from high elevation Andean forests and its affinities within the neotropical Fomitiporia lineages. <i>Mycological Progress</i> , 2014, 13, 1075.	1.4	11
15	< i>Fomitiporia expansa, an Undescribed Species from French Guiana. <i>Cryptogamie, Mycologie</i> , 2014, 35, 73-85.	1.0	10
16	Multilocus, DNA-based phylogenetic analyses reveal three new species lineages in the < i>Phellinus gabonensisâ€“P. caribaeo-quercicola species complex, including < i>P. amazonicus sp. nov.. <i>Mycologia</i> , 2016, 108, 939-953.	1.9	10
17	Two new Erythrophylloporus species (Boletaceae) from Thailand, with two new combinations of American species. <i>MycoKeys</i> , 2019, 55, 29-57.	1.9	10
18	An Unexpectedly High Number of New Sutorius (Boletaceae) Species From Northern and Northeastern Thailand. <i>Frontiers in Microbiology</i> , 2021, 12, 643505.	3.5	9

#	ARTICLE		IF	CITATIONS
19	Genome skimming reveals novel plastid markers for the molecular identification of illegally logged African timber species. PLoS ONE, 2021, 16, e0251655.		2.5	9
20	»Diversity of Fusarium associated banana wilt in northern Viet Nam. MycoKeys, 2022, 87, 53-76.		1.9	4
21	Nuevos registros del gnero Fomitiporia (Hymenochaetales, Basidiomycota) en Mxico. Revista Mexicana De Biodiversidad, 2012, 83, .		0.4	3
22	Niveoporofomes (Basidiomycota, Fomitopsidaceae) in Tropical Africa: two additions from Afromontane forests, Niveoporofomes oboensis sp. nov. and N. widdringtoniae comb. nov. and N. globosporus comb. nov. from the Neotropics. Mycological Progress, 2022, 21, 1.		1.4	2