

Per R Jonsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3254268/publications.pdf>

Version: 2024-02-01

99
papers

5,085
citations

81900

39
h-index

98798

67
g-index

102
all docs

102
docs citations

102
times ranked

6182
citing authors

#	ARTICLE	IF	CITATIONS
1	Biophysical models of dispersal contribute to seascape genetic analyses. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2022, 377, 20210024.	4.0	28
2	Seascape genomics identify adaptive barriers correlated to tidal amplitude in the shore crab <i>Carcinus maenas</i> . <i>Molecular Ecology</i> , 2022, 31, 1980-1994.	3.9	5
3	Projected climate change impact on a coastal sea "As significant as all current pressures combined. <i>Global Change Biology</i> , 2022, 28, 5310-5319.	9.5	12
4	Combining seascape connectivity with cumulative impact assessment in support of ecosystem-based marine spatial planning. <i>Journal of Applied Ecology</i> , 2021, 58, 576-586.	4.0	10
5	Cleaning up seas using blue growth initiatives: Mussel farming for eutrophication control in the Baltic Sea. <i>Science of the Total Environment</i> , 2020, 709, 136144.	8.0	63
6	Monitoring biofouling as a management tool for reducing toxic antifouling practices in the Baltic Sea. <i>Journal of Environmental Management</i> , 2020, 264, 110447.	7.8	12
7	Integrating genetics, biophysical, and demographic insights identifies critical sites for seagrass conservation. <i>Ecological Applications</i> , 2020, 30, e02121.	3.8	19
8	Combining an Ecological Experiment and a Genome Scan Show Idiosyncratic Responses to Salinity Stress in Local Populations of a Seaweed. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	14
9	Ecological coherence of Marine Protected Areas: New tools applied to the Baltic Sea network. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 743-760.	2.0	25
10	Spatial genetic structure in a crustacean herbivore highlights the need for local considerations in Baltic Sea biodiversity management. <i>Evolutionary Applications</i> , 2020, 13, 974-990.	3.1	17
11	Response to a letter to editor regarding Kotta et al. 2020: Cleaning up seas using blue growth initiatives: Mussel farming for eutrophication control in the Baltic Sea. <i>Science of the Total Environment</i> , 2020, 739, 138712.	8.0	2
12	Osmoregulation in Barnacles: An Evolutionary Perspective of Potential Mechanisms and Future Research Directions. <i>Frontiers in Physiology</i> , 2019, 10, 877.	2.8	12
13	Factors affecting formation of adventitious branches in the seaweeds <i>Fucus vesiculosus</i> and <i>F. radicans</i> . <i>BMC Ecology</i> , 2019, 19, 22.	3.0	5
14	Integrating experimental and distribution data to predict future species patterns. <i>Scientific Reports</i> , 2019, 9, 1821.	3.3	51
15	A planktonic diatom displays genetic structure over small spatial scales. <i>Environmental Microbiology</i> , 2018, 20, 2783-2795.	3.8	11
16	Seascape genetics and biophysical connectivity modelling support conservation of the seagrass <i>Zostera marina</i> in the Skagerrak-Kattegat region of the eastern North Sea. <i>Evolutionary Applications</i> , 2018, 11, 645-661.	3.1	40
17	High climate velocity and population fragmentation may constrain climate-driven range shift of the key habitat former <i>Fucus vesiculosus</i> . <i>Diversity and Distributions</i> , 2018, 24, 892-905.	4.1	41
18	The Barnacle <i>Balanus improvisus</i> as a Marine Model - Culturing and Gene Expression. <i>Journal of Visualized Experiments</i> , 2018, , .	0.3	7

#	ARTICLE	IF	CITATIONS
19	The anchoring effect—long-term dormancy and genetic population structure. <i>ISME Journal</i> , 2018, 12, 2929-2941.	9.8	20
20	Oceanographic barriers to gene flow promote genetic subdivision of the tunicate <i>Ciona intestinalis</i> in a North Sea archipelago. <i>Marine Biology</i> , 2018, 165, 126.	1.5	13
21	Genome architecture enables local adaptation of Atlantic cod despite high connectivity. <i>Molecular Ecology</i> , 2017, 26, 4452-4466.	3.9	130
22	Neutral processes forming large clones during colonization of new areas. <i>Journal of Evolutionary Biology</i> , 2017, 30, 1544-1560.	1.7	25
23	A new flow-through bioassay for testing low-emission antifouling coatings. <i>Biofouling</i> , 2017, 33, 613-623.	2.2	9
24	A molecular phylogeny of the north-east Atlantic species of the genus <i>Idotea</i> (Isopoda) with focus on the Baltic Sea. <i>Zoologica Scripta</i> , 2017, 46, 188-199.	1.7	6
25	Analysis of aquaporins from the euryhaline barnacle <i>Balanus improvisus</i> reveals differential expression in response to changes in salinity. <i>PLoS ONE</i> , 2017, 12, e0181192.	2.5	27
26	The Story of a Hitchhiker: Population Genetic Patterns in the Invasive Barnacle <i>Balanus</i> (<i>Amphibalanus</i>) <i>improvisus</i> Darwin 1854. <i>PLoS ONE</i> , 2016, 11, e0147082.	2.5	20
27	Instantaneous Flow Structures and Opportunities for Larval Settlement: Barnacle Larvae Swim to Settle. <i>PLoS ONE</i> , 2016, 11, e0158957.	2.5	14
28	Looking beyond the mountain: dispersal barriers in a changing world. <i>Frontiers in Ecology and the Environment</i> , 2016, 14, 261-268.	4.0	62
29	Physical barriers and environmental gradients cause spatial and temporal genetic differentiation of an extensive algal bloom. <i>Journal of Biogeography</i> , 2016, 43, 1130-1142.	3.0	52
30	How to select networks of marine protected areas for multiple species with different dispersal strategies. <i>Diversity and Distributions</i> , 2016, 22, 161-173.	4.1	26
31	Recent decline in cod stocks in the North Sea—Skagerrak—Kattegat shifts the sources of larval supply. <i>Fisheries Oceanography</i> , 2016, 25, 210-228.	1.7	19
32	Natural Populations of Shipworm Larvae Are Attracted to Wood by Waterborne Chemical Cues. <i>PLoS ONE</i> , 2015, 10, e0124950.	2.5	13
33	Affinity states of biocides determine bioavailability and release rates in marine paints. <i>Biofouling</i> , 2015, 31, 201-210.	2.2	4
34	Local adaptation and oceanographic connectivity patterns explain genetic differentiation of a marine diatom across the North Sea—Baltic Sea salinity gradient. <i>Molecular Ecology</i> , 2015, 24, 2871-2885.	3.9	104
35	Climate Envelope Modeling and Dispersal Simulations Show Little Risk of Range Extension of the Shipworm, <i>Teredo navalis</i> (L.), in the Baltic Sea. <i>PLoS ONE</i> , 2015, 10, e0119217.	2.5	12
36	Larval behavior and dispersal mechanisms in shore crab larvae (<i>Carcinus maenas</i>): Local adaptations to different tidal environments?. <i>Limnology and Oceanography</i> , 2014, 59, 588-602.	3.1	33

#	ARTICLE	IF	CITATIONS
37	Parallel speciation or long-distance dispersal? Lessons from seaweeds (<i>Fucus</i>) in the Baltic Sea. <i>Journal of Evolutionary Biology</i> , 2013, 26, 1727-1737.	1.7	45
38	HETEROGENEOUS GENOMIC DIFFERENTIATION IN MARINE THREESPINE STICKLEBACKS: ADAPTATION ALONG AN ENVIRONMENTAL GRADIENT. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 2530-2546.	2.3	77
39	Seascape analysis reveals regional gene flow patterns among populations of a marine planktonic diatom. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131599.	2.6	44
40	Effects of a large northern European no-take zone on flatfish populations. <i>Journal of Fish Biology</i> , 2013, 83, 939-962.	1.6	28
41	Oceanographic connectivity and environmental correlates of genetic structuring in Atlantic herring in the Baltic Sea. <i>Evolutionary Applications</i> , 2013, 6, 549-567.	3.1	69
42	Molecular Characterization of the α -Subunit of Na ⁺ /K ⁺ ATPase from the Euryhaline Barnacle <i>Balanus improvisus</i> Reveals Multiple Genes and Differential Expression of Alternative Splice Variants. <i>PLoS ONE</i> , 2013, 8, e77069.	2.5	31
43	Disturbance-diversity models: what do they really predict and how are they tested?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 2163-2170.	2.6	103
44	Ecology and Distribution of the Isopod Genus <i>Idotea</i> in the Baltic Sea: Key Species in a Changing Environment. <i>Journal of Crustacean Biology</i> , 2012, 32, 359-389.	0.8	52
45	Identification of subpopulations from connectivity matrices. <i>Ecography</i> , 2012, 35, 1004-1016.	4.5	68
46	Optimal selection of marine protected areas based on connectivity and habitat quality. <i>Ecological Modelling</i> , 2012, 240, 105-112.	2.5	57
47	Larval dispersal and vertical migration behaviour – a simulation study for short dispersal times. <i>Marine Ecology</i> , 2012, 33, 183-193.	1.1	30
48	Depth distribution of larvae critically affects their dispersal and the efficiency of marine protected areas. <i>Marine Ecology - Progress Series</i> , 2012, 467, 29-46.	1.9	54
49	Two Brominated Cyclic Dipeptides Released by the Coldwater Marine Sponge <i>Geodia barretti</i> Act in Synergy As Chemical Defense. <i>Journal of Natural Products</i> , 2011, 74, 449-454.	3.0	24
50	On the impact of dispersal asymmetry on metapopulation persistence. <i>Journal of Theoretical Biology</i> , 2011, 290, 37-45.	1.7	15
51	Optimal networks of nature reserves can be found through eigenvalue perturbation theory of the connectivity matrix. <i>Journal of Theoretical Biology</i> , 2011, 271, 1861-1870.		49
52	Indiscriminate Males: Mating Behaviour of a Marine Snail Compromised by a Sexual Conflict?. <i>PLoS ONE</i> , 2010, 5, e12005.	2.5	27
53	Formation of harmful algal blooms cannot be explained by allelopathic interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 11177-11182.	7.1	120
54	Oxygen-depleted surfaces: a new antifouling technology. <i>Biofouling</i> , 2009, 25, 455-461.	2.2	10

#	ARTICLE	IF	CITATIONS
55	Consumer diversity indirectly changes prey nutrient content. <i>Marine Ecology - Progress Series</i> , 2009, 380, 33-41.	1.9	14
56	MALE DISCRIMINATION OF FEMALE MUCOUS TRAILS PERMITS ASSORTATIVE MATING IN A MARINE SNAIL SPECIES. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 3178-3184.	2.3	62
57	MULTIPLE FUNCTIONS INCREASE THE IMPORTANCE OF BIODIVERSITY FOR OVERALL ECOSYSTEM FUNCTIONING. <i>Ecology</i> , 2008, 89, 1223-1231.	3.2	455
58	Antifouling activity of the sponge metabolite agelasine D and synthesised analogs on <i>Balanus improvisus</i> . <i>Biofouling</i> , 2008, 24, 251-258.	2.2	33
59	Antifouling Activity of a Dibrominated Cyclopeptide from the Marine Sponge <i>Geodia barretti</i> . <i>Journal of Natural Products</i> , 2008, 71, 330-333.	3.0	64
60	EFFECTS OF GRAZER RICHNESS AND COMPOSITION ON ALGAL BIOMASS IN A CLOSED AND OPEN MARINE SYSTEM. <i>Ecology</i> , 2007, 88, 178-187.	3.2	40
61	Algal spore settlement and germling removal as a function of flow speed. <i>Marine Ecology - Progress Series</i> , 2007, 344, 63-70.	1.9	19
62	INTERACTIONS BETWEEN WAVE ACTION AND GRAZING CONTROL THE DISTRIBUTION OF INTERTIDAL MACROALGAE. <i>Ecology</i> , 2006, 87, 1169-1178.	3.2	96
63	Brominated Cyclodipeptides from the Marine Sponge <i>Geodiabarrettias</i> Selective 5-HT Ligands. <i>Journal of Natural Products</i> , 2006, 69, 1421-1424.	3.0	49
64	Antifouling activity of synthesized peptide analogs of the sponge metabolite baretin. <i>Peptides</i> , 2006, 27, 2058-2064.	2.4	44
65	Making water flow: a comparison of the hydrodynamic characteristics of 12 different benthic biological flumes. <i>Aquatic Ecology</i> , 2006, 40, 409-438.	1.5	39
66	BARNACLE LARVAE ACTIVELY SELECT FLOW ENVIRONMENTS SUPPORTING POST-SETTLEMENT GROWTH AND SURVIVAL. <i>Ecology</i> , 2006, 87, 1960-1966.	3.2	59
67	An ecological perspective on the deployment and design of low-crested and other hard coastal defence structures. <i>Coastal Engineering</i> , 2005, 52, 1073-1087.	4.0	312
68	Species richness changes across two trophic levels simultaneously affect prey and consumer biomass. <i>Ecology Letters</i> , 2005, 8, 696-703.	6.4	177
69	Evidence for different pharmacological targets for imidazoline compounds inhibiting settlement of the barnacle <i>Balanus improvisus</i> . <i>Journal of Experimental Zoology Part A, Comparative Experimental Biology</i> , 2005, 303A, 551-562.	1.3	26
70	Low-crested coastal defence structures as artificial habitats for marine life: Using ecological criteria in design. <i>Coastal Engineering</i> , 2005, 52, 1053-1071.	4.0	300
71	A CLASSIC HYDRODYNAMIC ANALYSIS OF LARVAL SETTLEMENT. <i>Journal of Experimental Biology</i> , 2005, 208, 3431-3432.	1.7	4
72	INCREASING INTRASPECIFIC DIVERSITY ENHANCES SETTLING SUCCESS IN A MARINE INVERTEBRATE. <i>Ecology</i> , 2005, 86, 3219-3224.	3.2	58

#	ARTICLE	IF	CITATIONS
73	Recruitment in the field of <i>Balanus improvisus</i> and <i>Mytilus edulis</i> in response to the antifouling cyclopeptides baretin and 8,9-dihydrobaretin from the marine sponge <i>Geodia barretti</i> . <i>Biofouling</i> , 2004, 20, 291-297.	2.2	38
74	LINKING LARVAL SUPPLY TO RECRUITMENT: FLOW-MEDIATED CONTROL OF INITIAL ADHESION OF BARNACLE LARVAE. <i>Ecology</i> , 2004, 85, 2850-2859.	3.2	62
75	Surface wettability as a determinant in the settlement of the barnacle <i>Balanus Improvisus</i> (DARWIN). <i>Journal of Experimental Marine Biology and Ecology</i> , 2004, 305, 223-232.	1.5	75
76	Impact of polymer surface affinity of novel antifouling agents. <i>Biotechnology and Bioengineering</i> , 2004, 86, 1-8.	3.3	32
77	Roughness-dependent Removal of Settled Spores of the Green Alga <i>Ulva</i> (syn. <i>Enteromorpha</i>) Exposed to Hydrodynamic Forces from a Water Jet. <i>Biofouling</i> , 2004, 20, 117-122.	2.2	63
78	Antifouling Activity of Brominated Cyclopeptides from the Marine Sponge <i>Geodia barretti</i> . <i>Journal of Natural Products</i> , 2004, 67, 368-372.	3.0	104
79	Attachment to suspended particles may improve foraging and reduce predation risk for tintinnid ciliates. <i>Limnology and Oceanography</i> , 2004, 49, 1907-1914.	3.1	28
80	Temporal and spatial patterns in recruitment and succession of a temperate marine fouling assemblage: A comparison of static panels and boat hulls during the boating season. <i>Biofouling</i> , 2003, 19, 187-195.	2.2	62
81	Temporal and Spatial Patterns in Recruitment and Succession of a Temperate Marine Fouling Assemblage: a Comparison of Static Panels and Boat Hulls during the Boating Season. <i>Biofouling</i> , 2003, 19, 187-195.	2.2	6
82	Physical and numerical modeling of the role of hydrodynamic processes on adult-larval interactions of a suspension-feeding bivalve. <i>Journal of Marine Research</i> , 2002, 60, 499-516.	0.3	8
83	Redescription of <i>Strombidium oculatum</i> Gruber 1884 (Ciliophora, Oligotrichia). <i>Journal of Eukaryotic Microbiology</i> , 2002, 49, 329-337.	1.7	25
84	The adhesion of the barnacle, <i>Balanus improvisus</i> , to poly(dimethylsiloxane) fouling-release coatings and poly(methyl methacrylate) panels: The effect of barnacle size on strength and failure mode. <i>Journal of Adhesion Science and Technology</i> , 2001, 15, 1485-1502.	2.6	51
85	Trophic transfer and passive uptake of a polychlorinated biphenyl in experimental marine microbial communities. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 2158-2164.	4.3	21
86	Analysis of behavioural rejection of micro-textured surfaces and implications for recruitment by the barnacle <i>Balanus improvisus</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2000, 251, 59-83.	1.5	207
87	Surface active adrenoceptor compounds prevent the settlement of cyprid larvae of <i>Balanus improvisus</i> . <i>Biofouling</i> , 2000, 16, 191-203.	2.2	102
88	Reduction of barnacle recruitment on micro-textured surfaces: Analysis of effective topographic characteristics and evaluation of skin friction. <i>Biofouling</i> , 2000, 16, 245-261.	2.2	55
89	Microtextured surfaces: Towards macrofouling resistant coatings. <i>Biofouling</i> , 1999, 14, 167-178.	2.2	59
90	Appraisal of the potential for a future fishery on whelks (<i>Buccinum undatum</i>) in Swedish waters: CPUE and biological aspects. <i>Fisheries Research</i> , 1999, 42, 215-227.	1.7	32

#	ARTICLE	IF	CITATIONS
91	Effects of broodstock diets on fatty acid composition, survival and growth rates in larvae of the European flat oyster, <i>Ostrea edulis</i> . <i>Aquaculture</i> , 1997, 154, 139-153.	3.5	61
92	Swimming behaviour, patch exploitation and dispersal capacity of a marine benthic ciliate in flume flow. <i>Journal of Experimental Marine Biology and Ecology</i> , 1997, 215, 135-153.	1.5	32
93	Can we use laboratory-reared copepods for experiments? A comparison of feeding behaviour and reproduction between a field and a laboratory population of <i>Acartia tonsa</i> . <i>ICES Journal of Marine Science</i> , 1995, 52, 369-376.	2.5	42
94	Tidal rhythm of cyst formation in the rock pool ciliate <i>Strombidium oculatum</i> Gruber (Ciliophora,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 of encystment. <i>Journal of Experimental Marine Biology and Ecology</i> , 1994, 175, 77-103.	1.5	48
95	Experimental records of the effects of food patchiness and predation on egg production of <i>Acartia tonsa</i> . <i>Limnology and Oceanography</i> , 1993, 38, 280-289.	3.1	53
96	Mass mortality of the bivalve <i>Cerastoderma edule</i> on the swedish west coast caused by infestation with the digenean trematode <i>Cercaria cerastodermae</i> . <i>Ophelia</i> , 1992, 36, 151-157.	0.3	64
97	Fluorescent microparticles: A new way of visualizing sedimentation and larval settlement. <i>Limnology and Oceanography</i> , 1991, 36, 1471-1476.	3.1	10
98	Induction of Anti-Phagocytic Surface Properties of <i>Staphylococcus aureus</i> from Bovine Mastitis by Growth in Milk Whey. <i>Zoonoses and Public Health</i> , 1991, 38, 401-410.	1.4	8
99	Is chain length in phytoplankton regulated to evade predation?. <i>Journal of Plankton Research</i> , 0, , fbv076.	1.8	18