

# Paul F M Schoffelen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/325552/publications.pdf>

Version: 2024-02-01

10  
papers

487  
citations

1163117

8  
h-index

1372567

10  
g-index

10  
all docs

10  
docs citations

10  
times ranked

515  
citing authors

#	ARTICLE	IF	CITATIONS
1	A dual-respiration chamber system with automated calibration. <i>Journal of Applied Physiology</i> , 1997, 83, 2064-2072.	2.5	207
2	Heat Production and Body Temperature During Cooling and Rewarming in Overweight and Lean Men. <i>Obesity</i> , 2006, 14, 1914-1920.	3.0	92
3	Intra-individual variation of basal metabolic rate and the influence of daily habitual physical activity before testing. <i>British Journal of Nutrition</i> , 2003, 90, 419-423.	2.3	73
4	The work of walking: a calorimetric study. <i>Medicine and Science in Sports and Exercise</i> , 1988, 20, 331-337.	0.4	38
5	Determining the Accuracy and Reliability of Indirect Calorimeters Utilizing the Methanol Combustion Technique. <i>Nutrition in Clinical Practice</i> , 2018, 33, 206-216.	2.4	29
6	Test-retest variability of $\dot{V}O_{2\max}$ using total-body indirect calorimetry reveals linear relationship of $\dot{V}O_2$ and Power. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 213-222.	2.9	18
7	Overnight energy expenditure determined by whole-body indirect calorimetry does not differ during different sleep stages. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 867-871.	4.7	11
8	Clinical $\dot{V}t_{peak}$ is a part of the deal. <i>Journal of Applied Physiology</i> , 2017, 122, 1370-1370.	2.5	8
9	Mild intermittent hypoxia exposure induces metabolic and molecular adaptations in men with obesity. <i>Molecular Metabolism</i> , 2021, 53, 101287.	6.5	8
10	Validity and reproducibility of $\dot{V}O_{2\max}$ testing in a respiration chamber. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1259-1267.	2.9	3