

# David A Fruman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3255739/publications.pdf>

Version: 2024-02-01

107  
papers

12,417  
citations

36203

51  
h-index

31759

101  
g-index

186  
all docs

186  
docs citations

186  
times ranked

15856  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | The PI3K Pathway in Human Disease. <i>Cell</i> , 2017, 170, 605-635.  | 13.5 | 1,702     |
| 2  | PI3K and cancer: lessons, challenges and opportunities. <i>Nature Reviews Drug Discovery</i> , 2014, 13, 140-156.   | 21.5 | 1,398     |
| 3  | PHOSPHOINOSITIDE KINASES. <i>Annual Review of Biochemistry</i> , 1998, 67, 481-507.   | 5.0  | 1,366     |
| 4  | Phosphatidylinositol-3,4,5-trisphosphate (PtdIns-3,4,5-P3)/Tec kinase-dependent calcium signaling pathway: a target for SHIP-mediated inhibitory signals. <i>EMBO Journal</i> , 1998, 17, 1961-1972.          | 3.5  | 418       |
| 5  | Transformation of Chicken Cells by the Gene Encoding the Catalytic Subunit of PI 3-Kinase. <i>Science</i> , 1997, 276, 1848-1850.   | 6.0  | 398       |
| 6  | Effective and selective targeting of leukemia cells using a TORC1/2 kinase inhibitor. <i>Nature Medicine</i> , 2010, 16, 205-213.   | 15.2 | 329       |
| 7  | Phosphoinositide 3-Kinase: Diverse Roles in Immune Cell Activation. <i>Annual Review of Immunology</i> , 2004, 22, 563-598.   | 9.5  | 317       |
| 8  | Hypoglycaemia, liver necrosis and perinatal death in mice lacking all isoforms of phosphoinositide 3-kinase p85 <sup>±</sup> . <i>Nature Genetics</i> , 2000, 26, 379-382.                                    | 9.4  | 273       |
| 9  | Molecular Balance between the Regulatory and Catalytic Subunits of Phosphoinositide 3-Kinase Regulates Cell Signaling and Survival. <i>Molecular and Cellular Biology</i> , 2002, 22, 965-977.                | 1.1  | 254       |
| 10 | Immunophilins in protein folding and immunosuppression <sup>1</sup>. <i>FASEB Journal</i> , 1994, 8, 391-400.   | 0.2  | 248       |
| 11 | PI3K signalling in B- and T-lymphocytes: new developments and therapeutic advances. <i>Biochemical Journal</i> , 2012, 442, 465-481.  | 1.7  | 196       |
| 12 | Phosphoinositide 3-kinase in immunological systems. <i>Seminars in Immunology</i> , 2002, 14, 7-18.   | 2.7  | 193       |
| 13 | Xid-like Phenotypes. <i>Immunity</i> , 2000, 13, 1-3.   | 6.6  | 192       |
| 14 | Fine tuning the immune response with PI3K. <i>Immunological Reviews</i> , 2009, 228, 253-272.   | 2.8  | 191       |
| 15 | Positive and Negative Roles of p85 <sup>±</sup> and p85 <sup>±2</sup> Regulatory Subunits of Phosphoinositide 3-Kinase in Insulin Signaling. <i>Journal of Biological Chemistry</i> , 2003, 278, 48453-48466. | 1.6  | 183       |
| 16 | Reduced expression of the murine p85 <sup>±</sup> subunit of phosphoinositide 3-kinase improves insulin signaling and ameliorates diabetes. <i>Journal of Clinical Investigation</i> , 2002, 109, 141-149.    | 3.9  | 183       |
| 17 | FOXO1 Regulates L-Selectin and a Network of Human T Cell Homing Molecules Downstream of Phosphatidylinositol 3-Kinase. <i>Journal of Immunology</i> , 2008, 181, 2980-2989.                                   | 0.4  | 181       |
| 18 | Regulation of quiescence in lymphocytes. <i>Trends in Immunology</i> , 2003, 24, 380-386.   | 2.9  | 178       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Akt and mTOR in B Cell Activation and Differentiation. <i>Frontiers in Immunology</i> , 2012, 3, 228.   | 2.2  | 165       |
| 20 | SYK Is Upstream of Phosphoinositide 3-Kinase in B Cell Receptor Signaling. <i>Journal of Biological Chemistry</i> , 1999, 274, 32662-32666.   | 1.6  | 164       |
| 21 | Ablation of PI3K blocks BCR-ABL leukemogenesis in mice, and a dual PI3K/mTOR inhibitor prevents expansion of human BCR-ABL+ leukemia cells. <i>Journal of Clinical Investigation</i> , 2008, 118, 3038-3050.                  | 3.9  | 148       |
| 22 | ABL Oncogenes and Phosphoinositide 3-Kinase: Mechanism of Activation and Downstream Effectors. <i>Cancer Research</i> , 2005, 65, 2047-2053.  | 0.4  | 141       |
| 23 | Targeting of the MNK-eIF4E axis in blast crisis chronic myeloid leukemia inhibits leukemia stem cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E2298-307. | 3.3  | 132       |
| 24 | YAP-mediated mechanotransduction tunes the macrophage inflammatory response. <i>Science Advances</i> , 2020, 6, .   | 4.7  | 127       |
| 25 | PI3K Inhibitors in Cancer: Rationale and Serendipity Merge in the Clinic. <i>Cancer Discovery</i> , 2011, 1, 562-572.   | 7.7  | 126       |
| 26 | Optimal B-cell proliferation requires phosphoinositide 3-kinase-dependent inactivation of FOXO transcription factors. <i>Blood</i> , 2004, 104, 784-787.  | 0.6  | 125       |
| 27 | Phosphoinositide 3-kinase and its targets in B-cell and T-cell signaling. <i>Current Opinion in Immunology</i> , 2004, 16, 314-320.   | 2.4  | 121       |
| 28 | Role of Phosphoinositide 3-Kinase Regulatory Isoforms in Development and Actin Rearrangement. <i>Molecular and Cellular Biology</i> , 2005, 25, 2593-2606.  | 1.1  | 120       |
| 29 | Structural Organization and Alternative Splicing of the Murine Phosphoinositide 3-Kinase p85 Gene. <i>Genomics</i> , 1996, 37, 113-121.   | 1.3  | 118       |
| 30 | Correlation of calcineurin phosphatase activity and programmed cell death in murine T cell hybridomas. <i>European Journal of Immunology</i> , 1992, 22, 2513-2517.   | 1.6  | 99        |
| 31 | Silencing c-Myc translation as a therapeutic strategy through targeting PI3K and CK1 in hematological malignancies. <i>Blood</i> , 2017, 129, 88-99.  | 0.6  | 92        |
| 32 | Idelalisib – A PI3K Inhibitor for B-Cell Cancers. <i>New England Journal of Medicine</i> , 2014, 370, 1061-1062.  | 13.9 | 86        |
| 33 | Proliferation and Survival of Activated B Cells Requires Sustained Antigen Receptor Engagement and Phosphoinositide 3-Kinase Activation. <i>Journal of Immunology</i> , 2003, 170, 5851-5860.                                 | 0.4  | 85        |
| 34 | Phosphoinositide 3-kinase signaling is essential for ABL oncogene-mediated transformation of B-lineage cells. <i>Blood</i> , 2004, 103, 4268-4275.  | 0.6  | 83        |
| 35 | Impaired Kit- but Not FcRI-initiated Mast Cell Activation in the Absence of Phosphoinositide 3-Kinase p85 Gene Products. <i>Journal of Biological Chemistry</i> , 2000, 275, 6022-6029.                                       | 1.6  | 75        |
| 36 | Distinct signaling mechanisms activate the target of rapamycin in response to different B cell stimuli. <i>European Journal of Immunology</i> , 2007, 37, 2923-2936.  | 1.6  | 74        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | FK506 binding protein 12 mediates sensitivity to both FK506 and rapamycin in murine mast cells. <i>European Journal of Immunology</i> , 1995, 25, 563-571.   | 1.6 | 72        |
| 38 | FOXO Transcription Factors Cooperate with $\hat{I}$ EF1 to Activate Growth Suppressive Genes in B Lymphocytes. <i>Journal of Immunology</i> , 2006, 176, 2711-2721.  | 0.4 | 72        |
| 39 | Enhanced T Cell Proliferation in Mice Lacking the p85 $\hat{I}$ 2 Subunit of Phosphoinositide 3-Kinase. <i>Journal of Immunology</i> , 2004, 172, 6615-6625.   | 0.4 | 69        |
| 40 | Sjogren's syndrome-like disease in mice with T cells lacking class 1A phosphoinositide-3-kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16882-16887.  | 3.3 | 68        |
| 41 | KLF4 is a FOXO target gene that suppresses B cell proliferation. <i>International Immunology</i> , 2008, 20, 671-681.  | 1.8 | 66        |
| 42 | Phosphoinositide 3-kinase and Bruton's tyrosine kinase regulate overlapping sets of genes in B lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 359-364.  | 3.3 | 61        |
| 43 | Statins enhance efficacy of venetoclax in blood cancers. <i>Science Translational Medicine</i> , 2018, 10, .   | 5.8 | 61        |
| 44 | Selective Inhibition of Phosphoinositide 3-Kinase p110 $\hat{I}$ ± Preserves Lymphocyte Function*. <i>Journal of Biological Chemistry</i> , 2013, 288, 5718-5731.  | 1.6 | 60        |
| 45 | PI3K signaling controls cell fate at many points in B lymphocyte development and activation. <i>Seminars in Cell and Developmental Biology</i> , 2004, 15, 183-197.  | 2.3 | 59        |
| 46 | KLF4 suppresses transformation of pre-B cells by ABL oncogenes. <i>Blood</i> , 2007, 109, 747-755.   | 0.6 | 59        |
| 47 | mTOR kinase inhibitors promote antibody class switching via mTORC2 inhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E5076-85.   | 3.3 | 57        |
| 48 | Dietary glutamine supplementation suppresses epigenetically-activated oncogenic pathways to inhibit melanoma tumour growth. <i>Nature Communications</i> , 2020, 11, 3326.   | 5.8 | 57        |
| 49 | The 4E-BP $\hat{I}$ ±/eIF4E axis promotes rapamycin-sensitive growth and proliferation in lymphocytes. <i>Science Signaling</i> , 2016, 9, ra57.   | 1.6 | 56        |
| 50 | Analysis of the Major Patterns of B Cell Gene Expression Changes in Response to Short-Term Stimulation with 33 Single Ligands. <i>Journal of Immunology</i> , 2004, 173, 7141-7149.  | 0.4 | 55        |
| 51 | PI3Ks in Lymphocyte Signaling and Development. <i>Current Topics in Microbiology and Immunology</i> , 2010, 346, 57-85.  | 0.7 | 55        |
| 52 | T-cell function is partially maintained in the absence of class IA phosphoinositide 3-kinase signaling. <i>Blood</i> , 2007, 109, 2894-2902.   | 0.6 | 54        |
| 53 | Organ $\hat{I}$ ±specific lymphangiectasia, arrested lymphatic sprouting, and maturation defects resulting from gene $\hat{I}$ ±targeting of the PI3K regulatory isoforms p85 $\hat{I}$ ±, p55 $\hat{I}$ ±, and p50 $\hat{I}$ ±. <i>Developmental Dynamics</i> , 2009, 238, 2670-2679. | 0.8 | 54        |
| 54 | The SH2 Domain-containing Inositol 5 $\hat{I}$ ±-Phosphatase (SHIP) Recruits the p85 Subunit of Phosphoinositide 3-Kinase during Fc $\hat{I}$ ±RIIb1-mediated Inhibition of B Cell Receptor Signaling. <i>Journal of Biological Chemistry</i> , 1999, 274, 7489-7494.                  | 1.6 | 53        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Targeting the Mevalonate Pathway in Cancer. <i>Trends in Cancer</i> , 2021, 7, 525-540.  | 3.8 | 50        |
| 56 | An integrative model of pathway convergence in genetically heterogeneous blast crisis chronic myeloid leukemia. <i>Blood</i> , 2020, 135, 2337-2353.   | 0.6 | 49        |
| 57 | Target of Rapamycin Signaling in Leukemia and Lymphoma. <i>Clinical Cancer Research</i> , 2010, 16, 5374-5380.   | 3.2 | 44        |
| 58 | Targeting TOR dependence in cancer. <i>Oncotarget</i> , 2010, 1, 69-76.  | 0.8 | 43        |
| 59 | Inhibition of mTORC1/C2 signaling improves anti-leukemia efficacy of JAK/STAT blockade in CRLF2 rearranged and/or JAK driven Philadelphia chromosome-like acute B-cell lymphoblastic leukemia. <i>Oncotarget</i> , 2018, 9, 8027-8041. | 0.8 | 42        |
| 60 | Immune Regulation by Rapamycin: Moving Beyond T Cells. <i>Science Signaling</i> , 2009, 2, pe25.   | 1.6 | 40        |
| 61 | Foxo1 regulates marginal zone B cell development. <i>European Journal of Immunology</i> , 2010, 40, 1890-1896.   | 1.6 | 40        |
| 62 | Regulatory Subunits of Class IA PI3K. <i>Current Topics in Microbiology and Immunology</i> , 2010, 346, 225-244.   | 0.7 | 40        |
| 63 | Altered Signaling and Cell Cycle Regulation in Embryonal Stem Cells with a Disruption of the Gene for Phosphoinositide 3-Kinase Regulatory Subunit p85 $\beta$ . <i>Journal of Biological Chemistry</i> , 2003, 278, 5099-5108.        | 1.6 | 39        |
| 64 | Class IA Phosphoinositide 3-Kinase Modulates Basal Lymphocyte Motility in the Lymph Node. <i>Journal of Immunology</i> , 2007, 179, 2261-2269.   | 0.4 | 39        |
| 65 | Resistance to mTOR Kinase Inhibitors in Lymphoma Cells Lacking 4EBP1. <i>PLoS ONE</i> , 2014, 9, e88865.   | 1.1 | 37        |
| 66 | Targeting mTOR for the treatment of B cell malignancies. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1213-1228.  | 1.1 | 36        |
| 67 | p85 $\beta$ phosphoinositide 3-kinase regulates CD28 coreceptor function. <i>Blood</i> , 2009, 113, 3198-3208.   | 0.6 | 34        |
| 68 | MLN0128, a novel mTOR kinase inhibitor, disrupts survival signaling and triggers apoptosis in AML and AML stem/progenitor cells. <i>Oncotarget</i> , 2016, 7, 55083-55097.   | 0.8 | 31        |
| 69 | mTOR kinase inhibitors synergize with histone deacetylase inhibitors to kill B-cell acute lymphoblastic leukemia cells. <i>Oncotarget</i> , 2015, 6, 2088-2100.  | 0.8 | 30        |
| 70 | Altered splenic B cell subset development in mice lacking phosphoinositide 3-kinase p85 $\beta$ . <i>International Immunology</i> , 2004, 16, 1789-1798.   | 1.8 | 28        |
| 71 | Achieving cancer cell death with PI3K/mTOR targeted therapies. <i>Annals of the New York Academy of Sciences</i> , 2013, 1280, 15-18.  | 1.8 | 25        |
| 72 | Frontline: The p85 $\beta$ isoform of phosphoinositide 3-kinase is essential for a subset of B cell receptor-initiated signaling responses. <i>European Journal of Immunology</i> , 2004, 34, 2968-2976.                               | 1.6 | 24        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | MCL-1-independent mechanisms of synergy between dual PI3K/mTOR and BCL-2 inhibition in diffuse large B cell lymphoma. <i>Oncotarget</i> , 2015, 6, 35202-35217.                                     | 0.8  | 23        |
| 74 | Viral/Nonviral Chimeric Nanoparticles To Synergistically Suppress Leukemia Proliferation <i>via</i> Simultaneous Gene Transduction and Silencing. <i>ACS Nano</i> , 2016, 10, 8705-8714.            | 7.3  | 22        |
| 75 | The Selective Phosphoinositide-3-Kinase p110 $\hat{\nu}$ Inhibitor IPI-3063 Potently Suppresses B Cell Survival, Proliferation, and Differentiation. <i>Frontiers in Immunology</i> , 2017, 8, 747. | 2.2  | 21        |
| 76 | The mTORC1/4E-BP/eIF4E Axis Promotes Antibody Class Switching in B Lymphocytes. <i>Journal of Immunology</i> , 2019, 202, 579-590.  | 0.4  | 20        |
| 77 | Targeting the Mevalonate Pathway Suppresses VHL-Deficient CC-RCC through an HIF-Dependent Mechanism. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 1781-1792.                                    | 1.9  | 19        |
| 78 | Measuring Phosphorylated Akt and Other Phosphoinositide 3-kinase-Regulated Phosphoproteins in Primary Lymphocytes. <i>Methods in Enzymology</i> , 2007, 434, 131-154.                               | 0.4  | 18        |
| 79 | A targeted treatment with off-target risks. <i>Nature</i> , 2017, 542, 424-425.   | 13.7 | 18        |
| 80 | A cross-institutional analysis of the effects of broadening trainee professional development on research productivity. <i>PLoS Biology</i> , 2021, 19, e3000956.                                    | 2.6  | 18        |
| 81 | INPP4B Is a Tumor Suppressor in the Context of PTEN Deficiency. <i>Cancer Discovery</i> , 2015, 5, 697-700.   | 7.7  | 17        |
| 82 | Role of phosphoinositide 3-kinase signaling in autoimmunity. <i>Autoimmunity</i> , 2007, 40, 433-441.   | 1.2  | 16        |
| 83 | Cancer therapy: staying current with AMPK. <i>Biochemical Journal</i> , 2008, 412, e3-e5.   | 1.7  | 16        |
| 84 | The p85 $\hat{\nu}$ 2 regulatory subunit of phosphoinositide 3-kinase has unique and redundant functions in B cells. <i>Autoimmunity</i> , 2009, 42, 447-458.                                       | 1.2  | 16        |
| 85 | mTOR inhibition enhances efficacy of dasatinib in <i>ABL</i>-rearranged Ph-like B-ALL. <i>Oncotarget</i> , 2018, 9, 6562-6571.  | 0.8  | 15        |
| 86 | Too much of a good thing: immunodeficiency due to hyperactive PI3K signaling. <i>Journal of Clinical Investigation</i> , 2014, 124, 3688-3690.  | 3.9  | 13        |
| 87 | Context-Specific Function of S6K2 in Th Cell Differentiation. <i>Journal of Immunology</i> , 2016, 197, 3049-3058.  | 0.4  | 13        |
| 88 | Targeting eIF4F translation initiation complex with SBI-756 sensitises B lymphoma cells to venetoclax. <i>British Journal of Cancer</i> , 2021, 124, 1098-1109.                                     | 2.9  | 13        |
| 89 | B Cell Receptor Signaling: Picky About PI3Ks. <i>Science Signaling</i> , 2010, 3, pe25.   | 1.6  | 12        |
| 90 | Effects of Novel Isoform-Selective Phosphoinositide 3-Kinase Inhibitors on Natural Killer Cell Function. <i>PLoS ONE</i> , 2014, 9, e99486.   | 1.1  | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | mTORC1 Inhibition Induces Resistance to Methotrexate and 6-Mercaptopurine in Ph+ and Ph-like B-ALL. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 1942-1953.  | 1.9 | 10        |
| 92  | Efficacy of a Novel Bi-Steric mTORC1 Inhibitor in Models of B-Cell Acute Lymphoblastic Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 673213.  | 1.3 | 9         |
| 93  | Can Cancer Drugs Treat Immunodeficiency?. <i>Science</i> , 2013, 342, 814-815.   | 6.0 | 7         |
| 94  | Targeting PI3K-Gamma in Non-Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2019, 37, 932-934.   | 0.8 | 7         |
| 95  | Reduced eIF4E function impairs B-cell leukemia without altering normal B-lymphocyte function. <i>IScience</i> , 2021, 24, 102748.  | 1.9 | 7         |
| 96  | A Case for Phosphoinositide 3-Kinase-Targeted Therapy for Infectious Disease. <i>Journal of Immunology</i> , 2020, 205, 3237-3245.   | 0.4 | 6         |
| 97  | Phosphoinositide 3-Kinases. , 2010, , 1049-1060.   |     | 5         |
| 98  | mTOR signaling: new networks for ALL. <i>Blood</i> , 2016, 127, 2658-2659.   | 0.6 | 5         |
| 99  | mTOR Kinase Inhibitors Enhance Efficacy of TKIs in Preclinical Models of Ph-like B-ALL. <i>Blood</i> , 2016, 128, 2763-2763.   | 0.6 | 5         |
| 100 | The CD11a and Endothelial Protein C Receptor Marker Combination Simplifies and Improves the Purification of Mouse Hematopoietic Stem Cells. <i>Stem Cells Translational Medicine</i> , 2018, 7, 468-476. | 1.6 | 3         |
| 101 | Keys to successful implementation of a professional development program. , 2020, , 129-137.  |     | 2         |
| 102 | Targeting eIF4F translation complex sensitizes B-ALL cells to tyrosine kinase inhibition. <i>Scientific Reports</i> , 2021, 11, 21689.   | 1.6 | 2         |
| 103 | Targeting of a Novel MNK-eIF4E-b-Catenin Axis in Blast Crisis Chronic Myelogenous Leukemia Inhibits Leukemia Stem Cell Function. <i>Blood</i> , 2011, 118, 963-963.                                      | 0.6 | 1         |
| 104 | PI 3-KINASE KNOCKOUT MICE: ROLE OF p85 $\pm$ IN B CELL DEVELOPMENT AND PROLIFERATION. <i>Biochemical Society Transactions</i> , 1999, 27, A73-A73.   | 1.6 | 0         |
| 105 | PrP. , 2012, , 1488-1488.  |     | 0         |
| 106 | The TOR Kinase Inhibitor INK128 Is Effective in Pre-B Acute Lymphoblastic Leukemia Models. <i>Blood</i> , 2011, 118, 2585-2585.  | 0.6 | 0         |
| 107 | Statins Potentiate the Cytotoxic Effect of ABT-199 in Diffuse Large B Cell Lymphoma. <i>Blood</i> , 2016, 128, 3969-3969.  | 0.6 | 0         |