Andre Kessler

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3256316/andre-kessler-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 7,523 92 37 h-index g-index citations papers 8,670 6.41 100 7.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
92	Interaction diversity explains the maintenance of phytochemical diversity. <i>Ecology Letters</i> , 2021 , 24, 12	0≨⊙121	45
91	Predictability of Biotic Stress Structures Plant Defence Evolution. <i>Trends in Ecology and Evolution</i> , 2021 , 36, 444-456	10.9	14
90	Attack and aggregation of a major squash pest: Parsing the role of plant chemistry and beetle pheromones across spatial scales. <i>Journal of Applied Ecology</i> , 2020 , 57, 1442-1451	5.8	4
89	Pollen defenses negatively impact foraging and fitness in a generalist bee (Bombus impatiens: Apidae). <i>Scientific Reports</i> , 2020 , 10, 3112	4.9	22
88	Soil organic matter attenuates the efficacy of flavonoid-based plant-microbe communication. <i>Science Advances</i> , 2020 , 6, eaax8254	14.3	22
87	Shifts in plant-microbe interactions over community succession and their effects on plant resistance to herbivores. <i>New Phytologist</i> , 2020 , 226, 1144-1157	9.8	18
86	Scented nectar and the challenge of measuring honest signals in pollination. <i>Journal of Ecology</i> , 2020 , 108, 2132-2144	6	5
85	Colony-level chemical profiles do not provide reliable information about colony size in the honey bee. <i>Ecological Entomology</i> , 2020 , 45, 679-687	2.1	О
84	The ecological consequences of herbivore-induced plant responses on plant-pollinator interactions. <i>Emerging Topics in Life Sciences</i> , 2020 , 4, 33-43	3.5	13
83	Population-wide shifts in herbivore resistance strategies over succession. <i>Ecology</i> , 2020 , 101, e03157	4.6	4
82	Soil Microbiomes From Fallow Fields Have Species-Specific Effects on Crop Growth and Pest Resistance. <i>Frontiers in Plant Science</i> , 2020 , 11, 1171	6.2	7
81	Human-Mediated Land Use Change Drives Intraspecific Plant Trait Variation. <i>Frontiers in Plant Science</i> , 2020 , 11, 592881	6.2	О
80	Insect Herbivory Selects for Volatile-Mediated Plant-Plant Communication. <i>Current Biology</i> , 2019 , 29, 3128-3133.e3	6.3	44
79	Context-dependent induction of allelopathy in plants under competition. <i>Oikos</i> , 2019 , 128, 1492-1502	4	5
78	More Than P ush D and P ull Plant-Soil Feedbacks of Maize Companion Cropping Increase Chemical Plant Defenses Against Herbivores. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	11
77	Geographic isolation, pollination syndromes, and pollinator generalization in Himalayan Roscoea spp. (Zingiberaceae). <i>Ecosphere</i> , 2019 , 10, e02943	3.1	5
76	4. Merging microbial and plant profiling to understand the impact of human-generated extreme environments on natural and agricultural systems 2019 , 57-92		2

(2016-2018)

75	Phenolic root exudate and tissue compounds vary widely among temperate forest tree species and have contrasting effects on soil microbial respiration. <i>New Phytologist</i> , 2018 , 218, 530-541	9.8	42
74	Eco-evolutionary processes affecting plant-herbivore interactions during early community succession. <i>Oecologia</i> , 2018 , 187, 547-559	2.9	8
73	Covariation and phenotypic integration in chemical communication displays: biosynthetic constraints and eco-evolutionary implications. <i>New Phytologist</i> , 2018 , 220, 739-749	9.8	50
72	Plant Secondary Metabolite Diversity and Species Interactions. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2018 , 49, 115-138	13.5	116
71	High levels of abiotic noise in volatile organic compounds released by a desert perennial: implications for the evolution and ecology of airborne chemical communication. <i>Oecologia</i> , 2018 , 188, 367-379	2.9	4
70	Combination of Acylglucose QTL reveals additive and epistatic genetic interactions and impacts insect oviposition and virus infection. <i>Molecular Breeding</i> , 2018 , 38, 1	3.4	19
69	Relaxation of herbivore-mediated selection drives the evolution of genetic covariances between plant competitive and defense traits. <i>Evolution; International Journal of Organic Evolution</i> , 2017 , 71, 17	o ∂ -870	9 ¹⁹
68	Arsenic Bioaccumulation by Eruca sativa Is Unaffected by Intercropping or Plant Density. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	2
67	Plant defences limit herbivore population growth by changing predator-prey interactions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017 , 284,	4.4	9
66	Combination of QTL affecting acylsugar chemistry reveals additive and epistatic genetic interactions to increase acylsugar profile diversity. <i>Molecular Breeding</i> , 2017 , 37, 1	3.4	10
65	Functional reduction in pollination through herbivore-induced pollinator limitation and its potential in mutualist communities. <i>Nature Communications</i> , 2017 , 8, 2031	17.4	16
64	Plant communication in a widespread goldenrod: keeping herbivores on the move. <i>Functional Ecology</i> , 2017 , 31, 1049-1061	5.6	27
63	The geographic mosaic of plant chemistry and its effects on community and population genetic diversity. <i>New Phytologist</i> , 2016 , 212, 8-10	9.8	
62	Inducible plant defences and the environmental context. <i>Functional Ecology</i> , 2016 , 30, 1738-1739	5.6	4
61	Keystone Herbivores and the Evolution of Plant Defenses. <i>Trends in Plant Science</i> , 2016 , 21, 477-485	13.1	59
60	Differential and Synergistic Functionality of Acylsugars in Suppressing Oviposition by Insect Herbivores. <i>PLoS ONE</i> , 2016 , 11, e0153345	3.7	42
59	Herbivore release drives parallel patterns of evolutionary divergence in invasive plant phenotypes. Journal of Ecology, 2016 , 104, 876-886	6	22
58	Modification of plant-induced responses by an insect ecosystem engineer influences the colonization behaviour of subsequent shelter-users. <i>Journal of Ecology</i> , 2016 , 104, 1096-1105	6	13

57	Spatiotemporal Floral Scent Variation of Penstemon digitalis. <i>Journal of Chemical Ecology</i> , 2015 , 41, 64	1-5 1 9	28
56	Noisy Communication via Airborne Infochemicals. <i>BioScience</i> , 2015 , 65, 667-677	5.7	32
55	The raison d'tre of chemical ecology. <i>Ecology</i> , 2015 , 96, 617-30	4.6	58
54	Informed herbivore movement and interplant communication determine the effects of induced resistance in an individual-based model. <i>Journal of Animal Ecology</i> , 2015 , 84, 1273-85	4.7	20
53	The information landscape of plant constitutive and induced secondary metabolite production. <i>Current Opinion in Insect Science</i> , 2015 , 8, 47-53	5.1	60
52	Fine-root system development and susceptibility to pathogen colonization. <i>Planta</i> , 2014 , 239, 325-40	4.7	44
51	Exploring plant defense theory in tall goldenrod, Solidago altissima. New Phytologist, 2014, 202, 1357-1	37.8	36
50	Plant mating systems affect adaptive plasticity in response to herbivory. Plant Journal, 2014, 78, 481-90	0 6.9	15
49	Quantitative trait loci regulating the fatty acid profile of acylsugars in tomato. <i>Molecular Breeding</i> , 2014 , 34, 1201-1213	3.4	23
48	A specialist herbivore uses chemical camouflage to overcome the defenses of an ant-plant mutualism. <i>PLoS ONE</i> , 2014 , 9, e102604	3.7	7
47	The scent of danger: Volatile-mediated information transfer and defence priming in plants. <i>Biochemist</i> , 2014 , 36, 26-31	0.5	4
46	A test of genotypic variation in specificity of herbivore-induced responses in Solidago altissima L. (Asteraceae). <i>Oecologia</i> , 2013 , 173, 1387-96	2.9	45
45	Dietary plant phenolic improves survival of bacterial infection in Manduca sexta caterpillars. <i>Entomologia Experimentalis Et Applicata</i> , 2013 , 146, 321-331	2.1	16
44	Plant mating system transitions drive the macroevolution of defense strategies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 3973-8	11.5	44
43	Plant chemistry underlies herbivore-mediated inbreeding depression in nature. <i>Ecology Letters</i> , 2013 , 16, 252-60	10	49
42	Herbivore exclusion drives the evolution of plant competitiveness via increased allelopathy. <i>New Phytologist</i> , 2013 , 198, 916-924	9.8	64
41	Herbivore damage-induced production and specific anti-digestive function of serine and cysteine protease inhibitors in tall goldenrod, Solidago altissima L. (Asteraceae). <i>Planta</i> , 2013 , 237, 1287-96	4.7	34
40	Natural selection on floral volatile production in Penstemon digitalis: highlighting the role of linalool. <i>Plant Signaling and Behavior</i> , 2013 , 8, e22704	2.5	19

(2009-2013)

39	The effect of polychlorinated biphenyls on the song of two passerine species. PLoS ONE, 2013, 8, e7347	' 3.7	18
38	Herbivore pressure on goldenrod (Solidago altissima L., Asteraceae): its effects on herbivore resistance and vegetative reproduction. <i>Journal of Ecology</i> , 2012 , 100, 795-801	6	28
37	Overcompensating plants: their expression of resistance traits and effects on herbivore preference and performance. <i>Entomologia Experimentalis Et Applicata</i> , 2012 , 143, 245-253	2.1	17
36	New synthesis: plant volatiles as functional cues in intercropping systems. <i>Journal of Chemical Ecology</i> , 2012 , 38, 1341	2.7	7
35	Phenotypic selection to increase floral scent emission, but not flower size or colour in bee-pollinated Penstemon digitalis. <i>New Phytologist</i> , 2012 , 195, 667-675	9.8	113
34	Plant-Induced Responses and Herbivore Population Dynamics 2012 , 89-112		8
33	Lobelia siphilitica plants that escape herbivory in time also have reduced latex production. <i>PLoS ONE</i> , 2012 , 7, e37745	3.7	9
32	The multiple faces of indirect defences and their agents of natural selection. <i>Functional Ecology</i> , 2011 , 25, 348-357	5.6	194
31	Herbivore-specific elicitation of photosynthesis by mirid bug salivary secretions in the wild tobacco Nicotiana attenuata. <i>New Phytologist</i> , 2011 , 191, 528-535	9.8	56
30	Plant Defense: Warding Off Attack by Pathogens, Herbivores, and Parasitic Plants. By Dale R. [Walters. Hoboken (New Jersey): Wiley-Blackwell. \$89.95 (paper). xi + 236 p.; ill.; index. ISBN: 978-1-4051-7589-0. 2011 <i>Quarterly Review of Biology</i> , 2011 , 86, 356-357	5.4	2
29	Herbivory-mediated pollinator limitation: negative impacts of induced volatiles on plant-pollinator interactions. <i>Ecology</i> , 2011 , 92, 1769-80	4.6	127
28	Pollinators exert natural selection on flower size and floral display in Penstemon digitalis. <i>New Phytologist</i> , 2010 , 188, 393-402	9.8	114
27	The enemy as ally: herbivore-induced increase in crop yield 2010 , 20, 1787-93		53
26	Evolutionary trade-offs in plants mediate the strength of trophic cascades. <i>Science</i> , 2010 , 327, 1642-4	33.3	101
25	Pollinator-mediated natural selection in Penstemon digitalis. Plant Signaling and Behavior, 2010, 5, 1688	3 -29 9	1
24	Simultaneous analysis of tissue- and genotype-specific variation in Solidago altissima (Asteraceae) rhizome terpenoids, and the polyacetylene dehydromatricaria ester. <i>Chemoecology</i> , 2010 , 20, 255-264	2	17
23	Plant Volatile Signalling: Multitrophic Interactions in the Headspace 2010 , 95-122		9
22	Testing the potential for conflicting selection on floral chemical traits by pollinators and herbivores: predictions and case study. <i>Functional Ecology</i> , 2009 , 23, 901-912	5.6	171

21	Physiological integration of roots and shoots in plant defense strategies links above- and belowground herbivory. <i>Ecology Letters</i> , 2008 , 11, 841-51	10	156
20	Constitutive and induced defenses to herbivory in above- and belowground plant tissues. <i>Ecology</i> , 2008 , 89, 392-406	4.6	201
19	Shared signals -'alarm calls' from plants increase apparency to herbivores and their enemies in nature. <i>Ecology Letters</i> , 2008 , 11, 24-34	10	208
18	Effects of plant vascular architecture on aboveground-belowground-induced responses to foliar and root herbivores on Nicotiana tabacum. <i>Journal of Chemical Ecology</i> , 2008 , 34, 1349-59	2.7	18
17	Specificity and complexity: the impact of herbivore-induced plant responses on arthropod community structure. <i>Current Opinion in Plant Biology</i> , 2007 , 10, 409-14	9.9	116
16	Priming of plant defense responses in nature by airborne signaling between Artemisia tridentata and Nicotiana attenuata. <i>Oecologia</i> , 2006 , 148, 280-92	2.9	288
15	Plant-insect interactions in the era of consolidation in biological sciences 2006 , 19-37		6
14	Herbivore-induced plant vaccination. Part I. The orchestration of plant defenses in nature and their fitness consequences in the wild tobacco Nicotiana attenuata. <i>Plant Journal</i> , 2004 , 38, 639-49	6.9	174
13	Solanum nigrum: a model ecological expression system and its tools. <i>Molecular Ecology</i> , 2004 , 13, 981-9	95 _{5.7}	45
12	Silencing the jasmonate cascade: induced plant defenses and insect populations. <i>Science</i> , 2004 , 305, 66	5 3 83.3	432
11	ECOLOGICAL COSTS AND BENEFITS CORRELATED WITH TRYPSIN PROTEASE INHIBITOR PRODUCTION IN NICOTIANA ATTENUATA. <i>Ecology</i> , 2003 , 84, 79-90	4.6	104
10	Attracting friends to feast on foes: engineering terpene emission to make crop plants more attractive to herbivore enemies. <i>Current Opinion in Biotechnology</i> , 2003 , 14, 169-76	11.4	207
9	Volatile signaling in plant-plant-herbivore interactions: what is real?. <i>Current Opinion in Plant Biology</i> , 2002 , 5, 351-4	9.9	151
8	MANDUCA QUINQUEMACULATA'S OPTIMIZATION OF INTRA-PLANT OVIPOSITION TO PREDATION, FOOD QUALITY, AND THERMAL CONSTRAINTS. <i>Ecology</i> , 2002 , 83, 2346-2354	4.6	63
7	Plant responses to insect herbivory: the emerging molecular analysis. <i>Annual Review of Plant Biology</i> , 2002 , 53, 299-328	30.7	1111
6	Morphology and foraging behaviour of Siberian Phylloscopus warblers. <i>Journal of Avian Biology</i> , 2001 , 32, 127-138	1.9	31
5	Merging molecular and ecological approaches in plant-insect interactions. <i>Current Opinion in Plant Biology</i> , 2001 , 4, 351-8	9.9	153
4	Defensive function of herbivore-induced plant volatile emissions in nature. <i>Science</i> , 2001 , 291, 2141-4	33.3	1570

LIST OF PUBLICATIONS

3	Ecophysiological comparison of direct and indirect defenses in Nicotiana attenuata. <i>Oecologia</i> , 2000 , 124, 408-417	2.9	194
2	Plant growth and defense traits in Sorghum bicolor response to Chilo partellus in the tropics. <i>Journal of Pest Science</i> ,1	5.5	
1	Plant Defences against Herbivore Attack1-11		2