

Kohzo Ito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3256631/publications.pdf>

Version: 2024-02-01

91
papers

4,553
citations

109321

35
h-index

102487

66
g-index

91
all docs

91
docs citations

91
times ranked

3413
citing authors

#	ARTICLE	IF	CITATIONS
1	Fracture Behavior of Polyrotaxane-Toughened Poly(Methyl Methacrylate). <i>Langmuir</i> , 2022, 38, 2335-2345.	3.5	7
2	Molecular Recognition of Fluorescent Probe Molecules with a Pseudopolyrotaxane Nanosheet. <i>ACS Macro Letters</i> , 2021, 10, 237-242.	4.8	13
3	Crack velocity dependent toughness of polyrotaxane networks: The sliding dynamics of rings on polymer under stretching. <i>Mechanics of Materials</i> , 2021, 156, 103784.	3.2	9
4	Tough hydrogels with rapid self-reinforcement. <i>Science</i> , 2021, 372, 1078-1081.	12.6	343
5	Mechanical and scratch behaviors of polyrotaxane-modified poly(methyl methacrylate). <i>Journal of Applied Polymer Science</i> , 2021, 138, 51237.	2.6	8
6	Boron nitride with high zeta potential via plasma processing in solution for preparation of polyrotaxane composite. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 425202.	2.8	11
7	Softness, Elasticity, and Toughness of Polymer Networks with Slide-Ring Cross-Links. <i>Gels</i> , 2021, 7, 91.	4.5	24
8	Freestanding Tough Glassy Membranes Produced by Simple Solvent Casting of Polyrotaxane Derivatives. <i>ACS Applied Polymer Materials</i> , 2021, 3, 4177-4183.	4.4	5
9	Fabrication of polyrotaxane and graphene nanoplate composites with high thermal conductivities. <i>Polymer Composites</i> , 2021, 42, 5556-5563.	4.6	6
10	Hydrogen-Bonded Structure of Water in the Loop of Anchored Polyrotaxane Chain Controlled by Anchoring Density. <i>Frontiers in Chemistry</i> , 2021, 9, 743255.	3.6	1
11	Direct enhancement of intercomponent interactions in polyrotaxane and its pronounced effects on glass state properties. <i>Chemical Communications</i> , 2021, 57, 12472-12475.	4.1	3
12	Polymer Brush Formation Assisted by the Hierarchical Self-Assembly of Topological Supramolecules. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 60446-60453.	8.0	2
13	Effects of Ring Size on the Dynamics of Polyrotaxane Glass. <i>Macromolecules</i> , 2020, 53, 8910-8917.	4.8	10
14	Anisotropic Amorphous X-ray Diffraction Attributed to the Orientation of Cyclodextrin. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 6201-6205.	4.6	10
15	Precise control of cyclodextrin-based pseudo-polyrotaxane lamellar structure via axis polymer composition. <i>Soft Matter</i> , 2020, 16, 9035-9041.	2.7	5
16	Molecular Dynamics Simulation and Theoretical Model of Elasticity in Slide-Ring Gels. <i>ACS Macro Letters</i> , 2020, 9, 1280-1285.	4.8	22
17	Slide-Ring Material/Highly Dispersed Graphene Oxide Composite with Mechanical Strength and Tunable Electrical Conduction as a Stretchable-Base Substrate. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 47911-47920.	8.0	7
18	Synthesis of Poly(Methyl Methacrylate)-Based Polyrotaxane via Reversible Addition-Fragmentation Chain Transfer Polymerization. <i>ACS Macro Letters</i> , 2020, 9, 1853-1857.	4.8	3

#	ARTICLE	IF	CITATIONS
19	Adhesion Force Analysis of Dynamic Polymer Brushes. <i>Langmuir</i> , 2020, 36, 6210-6215.	3.5	4
20	Viscoelastic relaxation attributed to the molecular dynamics of polyrotaxane confined in an epoxy resin network. <i>Polymer Journal</i> , 2020, 52, 1211-1221.	2.7	14
21	Highly Transparent and Tough Filler Composite Elastomer Inspired by the Cornea. , 2020, 2, 325-330.		21
22	Dynamic Light Scattering Study on Particle Diffusion in Slide-Ring Gels: Enhanced Fluctuation of Sliding Networks. <i>Nihon Reoroji Gakkaishi</i> , 2020, 48, 161-168.	1.0	1
23	Prolonged Glass Transition due to Topological Constraints in Polyrotaxanes. <i>Journal of the American Chemical Society</i> , 2019, 141, 12502-12506.	13.7	27
24	Formation of well-defined supramolecular microstructures consisting of β -cyclodextrin and polyether "rods, cubes, plates, and nanosheets" guided by guest polymer structure. <i>Polymer</i> , 2019, 179, 121689.	3.8	9
25	Slide-Ring Cross-Links Mediated Tough Metallosupramolecular Hydrogels with Superior Self-Recoverability. <i>Macromolecules</i> , 2019, 52, 6748-6755.	4.8	68
26	Direct Determination of Cross-Link Density and Its Correlation with the Elastic Modulus of a Gel with Slidable Cross-Links. <i>ACS Macro Letters</i> , 2019, 8, 700-704.	4.8	42
27	Mechanical and Fracture Properties of Dynamically Cross-Linked Polymer Gels and Elastomers with Molecular Necklaces. <i>Nihon Reoroji Gakkaishi</i> , 2019, 47, 43-49.	1.0	1
28	Formation of Isolated Pseudo-Polyrotaxane Nanosheet Consisting of β -Cyclodextrin and Poly(ethylene Terephthalate) Overlaid	4.8	26
29	Molecular Dynamics of Polyrotaxane in Solution Investigated by Quasi-Elastic Neutron Scattering and Molecular Dynamics Simulation: Sliding Motion of Rings on Polymer. <i>Journal of the American Chemical Society</i> , 2019, 141, 9655-9663.	13.7	50
30	Direct Observation of Large Deformation and Fracture Behavior at the Crack Tip of Slide-Ring Gel. <i>Journal of the Electrochemical Society</i> , 2019, 166, B3143-B3147.	2.9	19
31	Autonomously isolated pseudo-polyrotaxane nanosheets fabricated via hierarchically ordered supramolecular self-assembly. <i>Chemical Communications</i> , 2019, 55, 4158-4161.	4.1	17
32	Drastic Change of Mechanical Properties of Polyrotaxane Bulk: ABA "BAB Sequence Change Depending on Ring Position. <i>ACS Macro Letters</i> , 2019, 8, 140-144.	4.8	13
33	Efficient mechanical toughening of polylactic acid without substantial decreases in stiffness and transparency by the reactive grafting of polyrotaxanes. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2019, 93, 107-116.	1.6	10
34	Pronounced effects of the densities of threaded rings on the strain-dependent Poisson's ratio of polyrotaxane gels with movable cross-links. <i>Soft Matter</i> , 2018, 14, 2808-2815.	2.7	5
35	Thermally conductive tough flexible elastomers as composite of slide-ring materials and surface modified boron nitride particles via plasma in solution. <i>Applied Physics Letters</i> , 2018, 112, .	3.3	26
36	Optically transparent, high-toughness elastomer using a polyrotaxane cross-linker as a molecular pulley. <i>Science Advances</i> , 2018, 4, eaat7629.	10.3	114

#	ARTICLE	IF	CITATIONS
37	Highly Stretchable and Instantly Recoverable Slide-Ring Gels Consisting of Enzymatically Synthesized Polyrotaxane with Low Host Coverage. <i>Chemistry of Materials</i> , 2018, 30, 5013-5019.	6.7	120
38	Mechanical properties of supramolecular elastomers prepared from polymer-grafted polyrotaxane. <i>Polymer</i> , 2017, 128, 386-391.	3.8	48
39	Synthesis and surface characterization of well-defined amphiphilic block copolymers composed of polydimethylsiloxane and poly[oligo(ethylene glycol) methacrylate]. <i>RSC Advances</i> , 2017, 7, 25199-25207.	3.6	10
40	Effect of Topological Constraint and Confined Motions on the Viscoelasticity of Polyrotaxane Glass with Different Interactions between Rings. <i>Journal of Physical Chemistry C</i> , 2017, 121, 1861-1869.	3.1	28
41	Highly Responsive Hydrogel Prepared Using Poly(<i>N</i> -isopropylacrylamide)-Grafted Polyrotaxane as a Building Block Designed by Reversible Deactivation Radical Polymerization and Click Chemistry. <i>Macromolecules</i> , 2017, 50, 364-374.	4.8	38
42	Thermally Healable and Reprocessable Bis(hindered amino)disulfide-Cross-Linked Polymethacrylate Networks. <i>ACS Macro Letters</i> , 2017, 6, 1280-1284.	4.8	83
43	Ductile Glass of Polyrotaxane Toughened by Stretch-Induced Intramolecular Phase Separation. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32436-32440.	8.0	27
44	Unusual Fracture Behavior of Slide-Ring Gels with Movable Cross-Links. <i>ACS Macro Letters</i> , 2017, 6, 1409-1413.	4.8	86
45	Volume Phase Transitions of Slide-Ring Gels. <i>Polymers</i> , 2016, 8, 217.	4.5	6
46	Inclusion Complex of β -Cyclodextrin with Poly(ethylene glycol) Brush. <i>Macromolecules</i> , 2016, 49, 6947-6952.	4.8	27
47	Self-assembled Structure of Polyrotaxane Consisting of β -Cyclodextrin and Poly(ethylene Terephthalate) System. <i>Chemistry Letters</i> , 2016, 45, 991-993.	1.3	17
48	Tunable Thermoresponsive Mesoporous Block Copolymer Membranes. <i>Macromolecules</i> , 2016, 49, 7886-7896.	4.8	15
49	Molecular weight dependency of polyrotaxane-cross-linked polymer gel extensibility. <i>Chemical Communications</i> , 2016, 52, 13757-13759.	4.1	41
50	Synthesis, structure, and mechanical properties of silica nanocomposite polyrotaxane gels. <i>Beilstein Journal of Organic Chemistry</i> , 2015, 11, 2194-2201.	2.2	16
51	Dielectric elastomer actuator with excellent electromechanical performance using slide-ring materials/barium titanate composites. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9468-9479.	10.3	94
52	Polyrotaxane Glass: Peculiar Mechanics Attributable to the Isolated Dynamics of Different Components. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4043-4048.	4.6	33
53	Miscibility, intramolecular specific interactions and mechanical properties of a DGEBA based epoxy resin toughened with a sliding graft copolymer. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015, 33, 433-443.	3.8	15
54	A significant impact of host-guest stoichiometry on the extensibility of polyrotaxane gels. <i>Chemical Communications</i> , 2015, 51, 16180-16183.	4.1	63

#	ARTICLE	IF	CITATIONS
55	Synthesis of graft polyrotaxane by simultaneous capping of backbone and grafting from rings of pseudo-polyrotaxane. <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 2573-2579.	2.2	10
56	From topological gels to slide-ring materials. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	145
57	Applicability of a particularly simple model to nonlinear elasticity of slide-ring gels with movable cross-links as revealed by unequal biaxial deformation. <i>Journal of Chemical Physics</i> , 2014, 141, 134906.	3.0	19
58	Peculiar elasticity and strain hardening attributable to counteracting entropy of chain and ring in slide-ring gels. <i>Polymer</i> , 2014, 55, 2614-2619.	3.8	29
59	Swelling measurement of polymers in high pressure carbon dioxide using a spectroscopic reflectometer. <i>Journal of Supercritical Fluids</i> , 2014, 95, 553-559.	3.2	16
60	Extremely stretchable thermosensitive hydrogels by introducing slide-ring polyrotaxane cross-linkers and ionic groups into the polymer network. <i>Nature Communications</i> , 2014, 5, 5124.	12.8	441
61	Pressure-Responsive Polymer Membranes of Slide-Ring Gels with Movable Cross-Links. <i>Advanced Materials</i> , 2013, 25, 4636-4640.	21.0	93
62	Viscoelastic Properties of Slide-Ring Gels Reflecting Sliding Dynamics of Partial Chains and Entropy of Ring Components. <i>Macromolecules</i> , 2013, 46, 310-316.	4.8	67
63	Large increase in actuated strain of HNBR dielectric elastomer by controlling molecular interaction and dielectric filler network. <i>RSC Advances</i> , 2013, 3, 21896.	3.6	47
64	Retrograde order-disorder transition of a semi-fluorinated block copolymer induced by supercritical carbon dioxide. <i>Soft Matter</i> , 2013, 9, 10689.	2.7	8
65	Structure and dynamics of polyrotaxane-based sliding graft copolymers with alkyl side chains. <i>Soft Matter</i> , 2013, 9, 1895-1901.	2.7	22
66	Novel entropic elasticity of polymeric materials: why is slide-ring gel so soft?. <i>Polymer Journal</i> , 2012, 44, 38-41.	2.7	109
67	Influence of Structural Characteristics on Stretching-Driven Swelling of Polyrotaxane Gels with Movable Cross Links. <i>Macromolecules</i> , 2012, 45, 6733-6740.	4.8	25
68	Ordered and foam structures of semifluorinated block copolymers in supercritical carbon dioxide. <i>Soft Matter</i> , 2012, 8, 5811.	2.7	30
69	Mechanics of slide-ring gels: novel entropic elasticity of a topological network formed by ring and string. <i>Soft Matter</i> , 2012, 8, 8179.	2.7	79
70	Dynamic transition between rubber and sliding states attributed to slidable cross-links. <i>Soft Matter</i> , 2011, 7, 8737.	2.7	59
71	Peculiar Nonlinear Elasticity of Polyrotaxane Gels with Movable Cross-Links Revealed by Multiaxial Stretching. <i>Macromolecules</i> , 2011, 44, 8661-8667.	4.8	49
72	Preparation and study of alkyl carbamylated polyrotaxanes with large hysteresis during sol-gel phase transition. <i>Polymer Chemistry</i> , 2011, 2, 1797.	3.9	10

#	ARTICLE	IF	CITATIONS
73	Orientational motions in mesogenic polyrotaxane and local mode relaxations of polymer segments in solid state polyrotaxane. <i>Soft Matter</i> , 2011, 7, 922-928.	2.7	27
74	Surface Modification of Slide-Ring Gel by Strip-line Microwave Micro Atmospheric Plasma. <i>Journal of Photopolymer Science and Technology</i> = [Fotoporima Konwakai Shi], 2010, 23, 535-540.	0.3	1
75	Hydrophobic and hydrophilic polyrotaxane based movable cross-linkers for thermo-sensitive poly(<i>N</i> -isopropylacrylamide) gels. <i>Transactions of the Materials Research Society of Japan</i> , 2010, 35, 291-297.	0.2	2
76	Facile synthesis of sliding poly(NIPA) gels using a vinyl modified polyrotaxane as a cross-linker. <i>Transactions of the Materials Research Society of Japan</i> , 2010, 35, 841-844.	0.2	3
77	Poly(<i>N</i> -isopropylacrylamide) Gel Prepared Using a Hydrophilic Polyrotaxane-Based Movable Cross-Linker. <i>Macromolecules</i> , 2010, 43, 1975-1980.	4.8	57
78	Slide-ring materials using topological supramolecular architecture. <i>Current Opinion in Solid State and Materials Science</i> , 2010, 14, 28-34.	11.5	144
79	Anomaly in Stretching-Induced Swelling of Slide-Ring Gels with Movable Cross-Links. <i>Macromolecules</i> , 2009, 42, 8485-8491.	4.8	38
80	Effective Production of Poly(3-alkylthiophene) Nanofibers by means of Whisker Method using Anisole Solvent: Structural, Optical, and Electrical Properties. <i>Macromolecules</i> , 2008, 41, 8000-8010.	4.8	255
81	Fabrication of mechanically improved hydrogels using a movable cross-linker based on vinyl modified polyrotaxane. <i>Chemical Communications</i> , 2008, , 5227.	4.1	48
82	Recent advances in the preparation of cyclodextrin-based polyrotaxanes and their applications to soft materials. <i>Soft Matter</i> , 2007, 3, 1456.	2.7	280
83	New solvent for polyrotaxane. III. Dissolution of a poly(ethylene glycol)/cyclodextrin polyrotaxane in a calcium thiocyanate aqueous solution or <i>N</i> -methylmorpholine- <i>N</i> -oxide monohydrate. <i>Journal of Applied Polymer Science</i> , 2007, 105, 2265-2270.	2.6	14
84	Small-Angle X-ray Scattering Study of the Pulley Effect of Slide-Ring Gels. <i>Macromolecules</i> , 2006, 39, 7386-7391.	4.8	98
85	Polyrotaxane derivatives. I. Preparation of modified polyrotaxanes with nonionic functional groups and their solubility in organic solvents. <i>Journal of Polymer Science Part A</i> , 2006, 44, 6312-6323.	2.3	79
86	New solvent for polyrotaxane. II. Dissolution behavior of polyrotaxane in ionic liquids and preparation of ionic liquid-containing slide-ring gels. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 1985-1994.	2.1	59
87	New solvent for polyrotaxane. I. Dimethylacetamide/lithium chloride (DMAc/LiCl) system for modification of polyrotaxane. <i>Journal of Polymer Science Part A</i> , 2006, 44, 532-538.	2.3	55
88	SANS Studies on Deformation Mechanism of Slide-Ring Gel. <i>Macromolecules</i> , 2005, 38, 6161-6167.	4.8	131
89	Efficient Production of Polyrotaxanes from β -Cyclodextrin and Poly(ethylene glycol). <i>Macromolecules</i> , 2005, 38, 7524-7527.	4.8	166
90	Atomic force microscopy observation of insulated molecular wire formed by conducting polymer and molecular nanotube. <i>Journal of Chemical Physics</i> , 2002, 116, 1753-1756.	3.0	114

#	ARTICLE	IF	CITATIONS
91	Thermally induced disassembly mechanism of pseudo-polyrotaxane nanosheet consisting of β -CD and poly(ethylene oxide)-b-poly(propylene oxide)-b-poly(ethylene oxide) triblock copolymer. Polymer Chemistry, 0, , .	3.9	1